

State of Nevada
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig-NDOM
Dup -NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of DECEMBER 19 91

Address P.O. BOX 1650 FALLON, NV. 89407

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Geothermal Fluids Injected

field and Lease Name	Well #	Gallons Per Day	Gallons Per Month	Injection Pressure	Reservoir formation	Reservoir depth
STILLWATER	81-1	1,792,100	19,713,200	273		
STILLWATER	24-7	3,493,440	108,296,640	249		
STILLWATER	17-31	1,064,404	15,966,072	333		
STILLWATER	17A-31	3,251,520	100,797,120	112		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark E. [Signature]*

Position ACTING PLANT SUPERINTENDENT

Date FEBRUARY 7, 1992

State of Nevada
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig-NDOM
Dup -NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of NOVEMBER 19 91

Address P.O. BOX 1650, FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Geothermal Fluids Injected

field and Lease Name	Well #	Gallons Per Day	Gallons Per Month	Injection Pressure	Reservoir formation	Reservoir depth
STILLWATER	81-1	1,727,800	32,829,900	273		
STILLWATER	24-7	3,006,000	90,180,000	244		
STILLWATER	17-31	0	0	0		
STILLWATER	17A-31	3,992,600	119,777,700	129		

Remarks:

I certify this information to be true, correct, and complete and that no
pertinent matter inquired about in this report has been omitted.

Signature *Mato Collier*

Position OPERATIONS COORDINATOR

Date JANUARY 3, 1992

State of Nevada
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig-NDOM
Dup -NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS Month of OCTOBER 19 91

Address P.O. Box 1650 Fallon, Nevada 89406


Show each injection well separately. File not later than
the last day of the month for the preceding month.

Geothermal Fluids Injected

field and Lease Name	Well #	Gallons Per Day	Gallons Per Month	Injection Pressure	Reservoir formation	Reservoir depth
Stillwater	81-1	923,150	11,077,800	286		
Stillwater	24-7	3,568,400	110,620,800	246		
Stillwater	17-31	0	0	0		
Stillwater	17A-31	2,763,890	85,680,600	139		

Remarks: 81-1 was shut-in from the 1st to the 10th then injected into until the 21st. From the 21st on, it was flowed as a production well through the end of the month.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position OPERATIONS COORDINATOR

Date November 18, 1991

State of Nevada
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig-NDOM
Dup -NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS Month of SEPTEMBER 19 91

Address P.O. Box 1650 Fallon, Nevada 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Geothermal Fluids Injected

field and Lease Name	Well #	Gallons Per Day	Gallons Per Month	Injection Pressure	Reservoir formation	Reservoir depth
Stillwater	81-1	1,467,900	44,038,000	299		
Stillwater	24-7	3,406,100	91,964,800	246		
Stillwater	17-31	434,850	1,739,400	357		
Stillwater	17A-31	3,060,000	85,680,600	87		

Remarks:

I certify this information to be true, correct, and complete and that no
pertinent matter inquired about in this report has been omitted.

Signature *Mark C. Mann*

Position OPERATIONS COORDINATOR

Date _____

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Nevada Operations Month of August, 19 91
 Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,290,900	7,745,500	242		
Stillwater	24-7	2,983,500	41,768,300	212		
Stillwater	17-31	0	0	0		
Stillwater	17A-31	2,339,800	9,359,300	66		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Pat C. [Signature]*
 Position OPERATIONS COORDINATOR - NV PLANT
 Date September 20, 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

roducer Nevada Operations Month of July, 19 91

Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,188,100	30,891,600	267		
Stillwater	24-7	2,784,900	86,332,300	235		
Stillwater	17-31	2,393,400	52,654,200	60		
Stillwater	17A-31	2,540,000	63,508,900	61		

marks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position OPERATIONS COORDINATOR - NV PLANT

Date September 20, 1991

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Nevada Operations Month of June, 19 9
 Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,258,000	37,742,000	266		
Stillwater	24-7	2,959,200	88,775,200	233		
Stillwater	17-31	2,354,400	70,632,000	50		
Stillwater	17A-31	2,380,300	71,409,600	41		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark E. Mauer*
 Position OPERATIONS COORDINATOR - NV PLA

STATE OF NEVADA
 DEPARTMENT OF MINERALS

400 W. King Street, Suite 106

Carson City, Nevada 89710

(702) 885-5050

Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Nevada Operations Month of May, 19 9

Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reserv depth
		Gallons per day	Gallons per month			
Stillwater	81-1	2,674,000	82,896,500	57		
Stillwater	24-7	2,588,000	80,227,000	67		
Stillwater	17-31	1,107,600	34,335,600	255		
Stillwater	17A-31	2,715,600	84,183,600	224		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark C. Moore*

Position OPERATIONS COORDINATOR - NV PL/

June 29 1991

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Nevada Operations Month of April, 19 91

Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,481,400	44,442,000	270		
Stillwater	24-7	3,067,200	92,016,000	236		
Stillwater	17-31	2,293,920	68,817,600	37		
Stillwater	17A-31	2,292,120	68,763,600	27		

marks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark E. Mann*

Position OPERATIONS COORDINATOR - NV PLANT

Date

May 30, 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

roducer Nevada Operations Month of March, 19 91

ddress P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,306,800	40,510,800	250		
Stillwater	24-7	2,750,800	85,273,500	218		
Stillwater	17-31	2,538,000	78,678,000	54		
Stillwater	17A-31	2,524,700	78,265,000	43		

marks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Pat C. Hanson*

Position OPERATIONS COORDINATOR - NV PLANT

Date April 18 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

roducer Nevada Operations Month of February, 19 91
 ddress P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,155,000	31,194,108	239.4		
Stillwater	24-7	2,431,200	68,072,400	211.4		
Stillwater	17-31	2,685,700	75,200,400	66.6		
Stillwater	17A-31	2,531,600	70,884,000	52.3		

marks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Pat O'Hara*

Position OPERATIONS COORDINATOR - NV PLANT

Date

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Nevada Operations Month of January, 19 91


Address P.O. Box 1650 Fallon, NV 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Stillwater	81-1	1,651,300	34,679,000	271		
Stillwater	24-7	2,977,900	92,315,500	235		
Stillwater	17-31	2,007,400	62,229,000	40		
Stillwater	17A-31	2,261,865	70,117,834	32		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position OPERATIONS COORDINATOR - NV PLAN

Date _____