

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of DECEMBER 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 24-7      | 3,024,700                  | 93,765,600           | 168                      | 233                             |                                   |
| STILLWATER              | 17-31     | 1,811,500                  | 56,156,700           | 168                      | 307                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 21-31     | 3,452,100                  | 107,015,200          | 167                      | 202                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *David M. Allett*

Position *Vice President*

Date *1-28-93*

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of NOVEMBER 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 24-7      | 2,940,500                  | 88,214,400           | 165                      | 235                             |                                   |
| STILLWATER              | 17-31     | 1,870,600                  | 56,116,800           | 166                      | 308                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 21-31     | 3,434,400                  | 103,032,000          | 165                      | 208                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature \_\_\_\_\_

Position \_\_\_\_\_

Date DECEMBER 8, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of OCTOBER 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 24-7      | 3,183,800                  | 98,699,000           | 170                      | 244                             |                                   |
| STILLWATER              | 17-31     | 1,837,400                  | 56,960,600           | 171                      | 319                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 21-31     | 3,631,700                  | 112,582,100          | 170                      | 211                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position \_\_\_\_\_

Date NOVEMBER 4, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of SEPTEMBER 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | -                        | -                               |                                   |
| STILLWATER              | 24-7      | 3,260,200                  | 97,804,800           | 174                      | 248                             |                                   |
| STILLWATER              | 17-31     | 1,797,100                  | 53,913,600           | 173                      | 327                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 0                          | 0                    | -                        | -                               |                                   |
| STILLWATER              | 21-31     | 3,741,100                  | 112,233,600          | 181                      | 219                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature \_\_\_\_\_

Position \_\_\_\_\_

Date OCTOBER 8, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of AUGUST 19 92  
Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 24-7      | 3,312,000                  | 102,672,000          | 172                      | 248                             |                                   |
| STILLWATER              | 17-31     | 1,756,800                  | 54,460,800           | 175                      | 330                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 0                          | 0                    | -                        | -                               |                                   |
| STILLWATER              | 21-31     | 3,672,000                  | 113,832,000          | 172                      | 248                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date SEPTEMBER 3, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of JULY 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                      |        | Geothermal Fluids Injected |                   |                    |                           |                             |
|----------------------|--------|----------------------------|-------------------|--------------------|---------------------------|-----------------------------|
| Field and Lease Name | Well # | Gallons Per Day            | Gallons Per Month | Average Temp. ( F) | Injection Pressure (psig) | Reservoir Depth & Formation |
| STILLWATER           | 81-1   | 0                          | 0                 | -                  | 0                         |                             |
| STILLWATER           | 24-7   | 3,093,800                  | 95,907,300        | 178                | 243                       |                             |
| STILLWATER           | 17-31  | 1,668,400                  | 51,720,500        | 176                | 338                       |                             |
| STILLWATER           | 17A-31 | 0                          | 0                 | -                  | 0                         |                             |
| STILLWATER           | 25-31  | 67,500                     | 540,000           | 174                | 245                       |                             |
| STILLWATER           | 21-31  | 3,581,800                  | 111,034,800       | 174                | 227                       |                             |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date SEPTEMBER 2, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of JUNE 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

|                         |           | Geothermal Fluids Injected |                      |                          |                                 |                                   |
|-------------------------|-----------|----------------------------|----------------------|--------------------------|---------------------------------|-----------------------------------|
| Field and<br>Lease Name | Well<br># | Gallons<br>Per Day         | Gallons<br>Per Month | Average<br>Temp.<br>( F) | Injection<br>Pressure<br>(psig) | Reservoir<br>Depth &<br>Formation |
| STILLWATER              | 81-1      | 0                          | 0                    | 0                        |                                 |                                   |
| STILLWATER              | 24-7      | 3,091,300                  | 89,649,700           | 170                      | 243                             |                                   |
| STILLWATER              | 17-31     | 1,651,100                  | 49,533,100           | 166                      | 337                             |                                   |
| STILLWATER              | 17A-31    | 0                          | 0                    | -                        | 0                               |                                   |
| STILLWATER              | 25-31     | 71,500                     | 2,145,000            | 168                      | 235                             |                                   |
| STILLWATER              | 21-31     | 3,090,200                  | 92,706,900           | 167                      | 225                             |                                   |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date AUGUST 3, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of MAY 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

Geothermal Fluids Injected

| field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Injection Pressure | Reservoir formation | Reservoir depth |
|----------------------|--------|-----------------|-------------------|--------------------|---------------------|-----------------|
| STILLWATER           | 81-1   | 0               | 0                 | 0                  |                     |                 |
| STILLWATER           | 24-7   | 3,453,100       | 107,046,700       | 248                |                     |                 |
| STILLWATER           | 17-31  | 1,661,900       | 51,519,400        | 337                |                     |                 |
| STILLWATER           | 17A-31 | 707,300         | 2,829,100         | 34                 |                     |                 |
| STILLWATER           | 25-31  | 204,500         | 6,338,900         | 167                |                     |                 |
| STILLWATER           | 21-31  | 2,034,700       | 63,076,300        | 179                |                     |                 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date JULY 1, 1992



State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of APRIL 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

Geothermal Fluids Injected

| field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Injection Pressure | Reservoir formation | Reservoir depth |
|----------------------|--------|-----------------|-------------------|--------------------|---------------------|-----------------|
| STILLWATER           | 81-1   | 0               | 0                 | 0                  |                     |                 |
| STILLWATER           | 24-7   | 3,162,200       | 94,867,200        | 249                |                     |                 |
| STILLWATER           | 17-31  | 1,314,200       | 32,854,800        | 316                |                     |                 |
| STILLWATER           | 17A-31 | 1,569,600       | 47,088,000        | 30                 |                     |                 |
| STILLWATER           | 25-31  | 267,800         | 8,035,200         | 112                |                     |                 |
| STILLWATER           | 21-31  | 2,179,400       | 65,383,800        | 285                |                     |                 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date JUNE 5, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of MARCH 19 92

Address P.O. BOX 1650 FALLON, NEVADA 89407

Show each injection well separately. File not later than  
the last day of the month for the preceding month.

Geothermal Fluids Injected

| field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Injection Pressure | Reservoir formation | Reservoir depth |
|----------------------|--------|-----------------|-------------------|--------------------|---------------------|-----------------|
| STILLWATER           | 81-1   | 0               | 0                 | 0                  |                     |                 |
| STILLWATER           | 24-7   | 3,258,400       | 101,011,300       | 248                |                     |                 |
| STILLWATER           | 17-31  | 1,572,100       | 48,735,100        | 372                |                     |                 |
| STILLWATER           | 17A-31 | 1,157,300       | 32,405,200        | 20                 |                     |                 |
| STILLWATER           | 25-31  | 1,678,700       | 52,038,100        | 339                |                     |                 |
| STILLWATER           | 21-31  | 295,600         | 9,162,500         | 121                |                     |                 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date APRIL 15, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of FEBRUARY 19 92  
Address P.O. BOX 1650 FALLON, NEVADA 89407


Show each injection well separately. File not later than  
the last day of the month for the preceding month.

Geothermal Fluids Injected

| field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Injection Pressure | Reservoir formation | Reservoir depth |
|----------------------|--------|-----------------|-------------------|--------------------|---------------------|-----------------|
| STILLWATER           | 81-1   | 0               | 0                 | 0                  |                     |                 |
| STILLWATER           | 24-7   | 134,200         | 93,417,100        | 248                |                     |                 |
| STILLWATER           | 17-31  | 1,208,700       | 35,052,200        | 358                |                     |                 |
| STILLWATER           | 17A-31 | 1,725,400       | 50,037,500        | 37                 |                     |                 |
| STILLWATER           | 25-31  | 295,200         | 6,789,600         | 128                |                     |                 |
| STILLWATER           | 21-31  | 747,100         | 21,666,200        | 375                |                     |                 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position PLANT SUPERINTENDENT

Date MARCH 17, 1992

State of Nevada  
DEPARTMENT OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig-NDOM  
Dup -NBM&G  
Trip-DWR  
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer NEVADA OPERATIONS, INC. Month of JANUARY 19 92

Address P.O. BOX 1650 FALLON, NV. 89407

Show each injection well separately. File not later than the last day of the month for the preceding month.

Geothermal Fluids Injected

| field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Injection Pressure | Reservoir formation | Reservoir depth |
|----------------------|--------|-----------------|-------------------|--------------------|---------------------|-----------------|
| STILLWATER           | 81-1   | 0               | 0                 | 0                  |                     |                 |
| STILLWATER           | 24-7   | 3,234,240       | 100,261,400       | 249                |                     |                 |
| STILLWATER           | 17-31  | 1,173,600       | 36,381,600        | 333                |                     |                 |
| STILLWATER           | 17A-31 | 2,962,080       | 91,824,480        | 70                 |                     |                 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position ACTING PLANT SUPERINTENDENT

Date FEBRUARY 7, 1992