400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM Dup-NBM&G Trip-DWR Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | NEVADA (| Month of[| Month of <u>December</u> , 12 <u>95</u> | | | | |
|----------------|---------------|-----------|--|---|--------------------------------------|-----------------------|--------------------------------|
| Address | P.O. BOX | | | | | | |
| | | | Show each injection the last day of the last d | on well separately. he month for the p | File not later than preceding month. | | |
| | | | Geo | thermal Fluids Inje | cted | | |
| Field an Na | d Lease me | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | • | | | | | | |
| STILLWAT | TER KGRA | 17-31 | 1,745,600 | 54,758,400 | 174 | 282 | *** |
| STILLWAT | TER KGRA | 24-7 | 2,950,300 | 90,768,000 | 173 | 242 | |
| STILLWAT | TER KGRA | 21-31 | 3,906,600 | 125,215,200 | 173 | 181 | |
| STILLWAT | TER KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWAT | TER KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | 1 |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position Plant Manager

Date <u>January 12, 1996</u>

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM Dup-NBM&G Trip-DWR

JAN 0 2 1996

Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer NEVADA OPERATIONS, INC. | | | | | | Month of November , ' | | | | |
|----------------------------------|-------------|---------------|---------------------|--|--------------------------------------|-----------------------|--------------------------------|--|--|--|
| Address _ | P.O. BOX | 1650 FALL | ON, NEVADA 894 | 07 | | | | | | |
| | | | | n well separately. he month for the | File not later than preceding month. | | | | | |
| | | | Geo | thermal Fluids Inje | cted | | | | | |
| Field and Nam | | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation | | | |
| | | | | | | | | | | |
| STILLWATE | R KGRA | 17-31 | 1,745,600 | 52,368,800 | 173 | 283 | | | | |
| STILLWATE | R KGRA | 24-7 | 2,950,300 | 88,508,900 | 172 | 244 | | | | |
| STILLWATE | R KGRA | 21-31 | 3,906,600 | 117,197,000 | 173 | 179 | | | | |
| STILLWATE | R KGRA | 17A-31 | 0 | 0 | o | 0 | | | | |
| STILLWATE | R KGRA | 25-31 | 0 | 0 | o | 0 | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Remarks: | | | | | <u> </u> | | | | | |
| I certify this i omitted. | information | n to be true, | , correct, and comp | lete and that no Signa | | ` | this report has been | | | |
| | | | | Posit | tion Plant Manager | | | | | |
| | | | | Date | December 15, 19 | 95 | | | | |

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer <u>NEVADA</u> | | Month of October, 19 95 | | | | |
|--|---------------|-------------------------|----------------------|--|-----------------------|--------------------------------|
| Address <u>P.O. BOX</u> | 1650 FALI | | | File not later than preceding month. | | |
| | | Geo | thermal Fluids Inje | ected | | |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| STILLWATER KGRA | 17-31 | 1,742,400 | 52,184,900 | 175 | 284 | |
| STILLWATER KGRA | 24-7 | 2,947,200 | 91,080,800 | 174 | 239 | |
| STILLWATER KGRA | 21-31 | 4,065,600 | 125,644,000 | 175 | 186 | |
| STILLWATER KGRA | 17A-31 | . 0 | 0 | 0 | 0 | |
| STILLWATER KGRA | 25-31 | 0 | 0 | o | 0 | |
| | | | | | | |
| | | | | The state of the s | | |
| | | · | | | | |
| Remarks: | | | | | TT | |
| I certify this informatior omitted. | ı to be true, | correct, and comp | Signa | ature Man | uired about in | this report has been |
| | | | | tion <u>Plant Manager</u> November 18, 19 | 95 | |
| | | | Date | - INCAGINAGE LO' 12 | | |

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer <u>NEVADA</u> | Month of <u>SEPTEMBER</u> , 19 <u>95</u> | | | | | |
|-------------------------|--|--|--|--------------------------------------|-----------------------|---|
| Address <u>P.O. BOX</u> | 1650 FALL | ON, NEVADA 894 | 07 | | | |
| | | Show each injectio the last day of the | n well separately. ne month for the p | File not later than preceding month. | ı | |
| | | Geo | thermal Fluids Inje | cted | | *************************************** |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | THE PROPERTY OF THE PROPERTY O | | | | | |
| STILLWATER KGRA | 17-31 | 1,708,800 | 49,918,300 | 181 | 287 | |
| STILLWATER KGRA | 24-7 | 2,887,200 | 84,426,500 | 179 | 239 | |
| STILLWATER KGRA | 21-31 | 4,200,000 | 122,797,500 | 180 | 191 | |
| STILLWATER KGRA | 81-1 | 0 | 0 | 0 | 0 | |
| STILLWATER KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Remarks:

4

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position Plant Manager

Date October 30, 1995

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM
Dup-NBM&G
Trip-DWR
Cound-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Div. of Minerals

| Producer | NEVADA OPERATIONS, INC. | Month of <u>AUGUST</u> , 19 <u>95</u> |
|----------|------------------------------------|---------------------------------------|
| Address | P.O. BOX 1650 FALLON, NEVADA 89407 | |
| | Show and injection well consected | . Elle not leter then |

Show each injection well separately. File not later than the last day of the month for the preceding month.

| | 1 | Geo | thermal Fluids Inje | | · | |
|-------------------------|-----------|-----------------|----------------------|---------------|-----------------------|--------------------------------|
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| STILLWATER KGRA | 17-31 | 1,764,500 | 54,692,800 | 183 | 286 | |
| STILLWATER KGRA | 27-7 | 2,836,800 | 87,941,900 | 181 | 239 | |
| STILLWATER KGRA | 21-31 | 4,147,500 | 128,573,600 | 182 | 191 | |
| STILLWATER KGRA | 81-1 | o | 0 | 0 | 0 | |
| STILLWATER KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Re | em | ar | ks | : |
|----|----|----|----|---|
|----|----|----|----|---|

| I certify t | this information | to be tru | e, correct, | and | complete | and | that no | pertinent | matter | inquired | about | in this | report | has | been |
|-------------|------------------|-----------|-------------|-----|----------|-----|---------|-----------|--------|----------|-------|---------|--------|-----|------|
| omitted. | | | | | | | | | | - | | | • | | |

| Signature | Given Sano man |
|-----------|----------------|
| Position | Plant Manager |
| Date | 9.29.95 |

AUG 29 1995

Div. of Minerals

Dup-NBM&G Trip-DWR

Orig-NDOM

ンタ 1995 Trip-DWR Quad-DEP

Month of <u>JULY</u>, 19 <u>95</u>

400 W. King Street, Suite 106

Carson City, Nevada 89710 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| | | Geo | thermal Fluids Inje | cted | | |
|--|--------------|--------------------|----------------------|-------------------|---|-----------------------------------|
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | | | | | | |
| STILLWATER | 17-31 | 1,797,600 | 55,628,200 | 184 | 284 | |
| STILLWATER | 27-7 | 2,880,000 | 88,860,000 | 182 | 238 | |
| STILLWATER | 21-31 | 4,171,200 | 128,959,600 | 183 | 190 | |
| STILLWATER | 81-1 | 0 | 0 | 0 | 0 | : |
| STILLWATER | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | | |
| | | | | | | |
| | | | | | *************************************** | |
| | | | | | | |
| Remarks: | | | | | | |
| certify this inform has been omitted. | nation to be | true, correct, and | d complete and tha | t no pertinent m | atter inquired at | oout in this report |
| | | | _ | sition Plant Mana | W/ I/ | |
| | | | FUS | 0 | -72-9C | ATOMOS |
| | | | | Date <u></u> ろ | (0 1) | |

Producer

NEVADA OPERATIONS, INC.

STATE OF NEVADA DEPARTMENT OF BUSINESS AND INDUSTRY

DIVISION OF MINERALS

DWR

Producer

NEVADA OPERATIONS, INC.

400 W. King Street, Suite 106 Carson City, Nevada 89710

(702) 885-5050

Orig-NDOM Dup-NBM&G

Trip~

Quad-DEP

Month of <u>JUNE</u>, 19 <u>95</u>

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Address <u>P.O. E</u> | 3OX 1650 | FALLON, NEVAD Show each inject | A 89407 tion well separately. | File not later tha | an | |
|----------------------------|-----------|--------------------------------|----------------------------------|--------------------|--|-----------------------------------|
| | | the last day of | the month for the p | oreceding month. | | |
| Geothermal Fluids Injected | | | | | | |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | | | | | BOOM-WINESTON | |
| STILLWATER | 17-31 | 1,814,500 | 54,435,900 | 178 | 282 | |
| STILLWATER | 27-7 | 2,900,400 | 87,011,100 | 176 | 236 | |
| STILLWATER | 21-31 | 4,206,700 | 126,202,100 | 177 | 188 | |
| STILLWATER | 81-1 | 0 | 0 | 0 | 0 | |
| STILLWATER | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | Communication of the Communica | |
| | | | | | various frances and to the first frances franc | |
| | | | | | risinental Mariantal Maria | |
| ···· | | | | | ************************************** | |

Remarks:

| certify this information to be true, correct, and complete and that no | pertinent matter inquired about in this report has been |
|--|---|
| omitted. | 1 C For |
| Sig | gnature Which Saw McM |

Position Plant Manager

400 W. King Street, Suite 106

Carson City, Nevada 89710 (702) 885-5050

Orig-NDOM Dup-NBM&G Trip-DWR Quad-DEP

Month of <u>MAY</u>, 19 <u>95</u>

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| | | Geo | othermal Fluids Injec | ted | | |
|--|--------------|--------------------|------------------------------|------------------|-----------------------|-----------------------------------|
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| STILLWATER | 17-31 | 1,773,200 | 54,969,000 | 175 | 281 | |
| STILLWATER | 27-7 | 2,674,400 | 82,905,200 | 173 | 233 | |
| STILLWATER | 21-31 | 4,216,100 | 130,698,300 | 174 | 187 | |
| STILLWATER | 81-1 | 0 | 0 | 0 | 0 | |
| STILLWATER | 17A-31 | 0 | o l | 0 | 0 | |
| STILLWATER | 25-31 | 0 | 0 | 0 | o | |
| | | | | | | |
| Remarks: | | | <u> </u> | | | |
| l certify this inform has been omitted. | nation to be | true, correct, and | d complete and that Signa | ML | atter inquired at | pout in this rep |

Producer

Address

NEVADA OPERATIONS, INC.

P.O. BOX 1650 FALLON, NEVADA 89407

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig-NDOM Dup-NBM&G Trip-DWR Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer <u>NEVA</u> | DA OPERA | TIONS, INC. | | Month of <u>A</u> | <u>PRIL</u> , 19 <u>95</u> | |
|-------------------------|-----------|--------------------|--|-------------------|--|--|
| Address P.O. E | 30X 1650 | FALLON, NEVA | DA 89407 | | | |
| | | | ion well separately the month for the | | | |
| | | Geo | thermal Fluids Injec | cted | | |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | | | | | | |
| STILLWATER | 17-31 | 1,803,700 | 54,110,900 | 173 | 282 | |
| STILLWATER | 27-7 | 2,875,200 | 86,256,000 | 172 | 235 | The state of the s |
| STILLWATER | 21-31 | 4,226,400 | 126,792,000 | 173 | 190 | |
| STILLWATER | 81-1 | 0 | 0 | 0 | 0 | |
| STILLWATER | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER | 25-31 | . 0 | 0 | 0 | 0 | |
| | | | | | | |
| | | | | | | |
| | | | | | The second secon | |
| | | | | | | |

Remarks:

| l certify this information t | to be true, | correct, a | ind complete | and that i | no pertine | nt matter | inquired | about in | this r | eport |
|------------------------------|-------------|------------|--------------|------------|------------|-----------|----------|----------|--------|-------|
| has been omitted. | | | | | | .11 | 1.1 | | | |
| | | | | | | ML, | | ۶. | | |

| Signature | Mall Collaws |
|-----------|---------------|
| Position | Plant Manager |
| Date | 5/22/95 |

91000c REV: 7/92

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 RECEIVED

Orig-NDOM Dup-NBM&G

Trip-DWR

APR 2.4 1995 Quad-DEP

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer NEVADA OPERATIONS, INC. | | | | | Month of MARCH , 19 9 | | | |
|----------------------------------|--------|-----------|--------------------|--|-----------------------|-----------------------|--|--|
| Address | P.O. I | 30X 1650 | FALLON, NEVA | DA 89407 | | | | |
| | - | | | ion well separately the month for the | | | | |
| | | | Geo | thermal Fluids Inje | cted | | | |
| Field and I Name | | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation | |
| | | | | | | | s a a parameter | |
| STILLWAT | ER | 17-31 | 1,807,400 | 56,028,600 | 172 | 284 | | |
| STILLWAT | ER | 27-7 | 2,865,200 | 88,819,700 | 172 | 234 | The state of the s | |
| STILLWAT | ER | 21-31 | 4,234,300 | 131,263,100 | 172 | 186 | W. A. | |
| STILLWAT | ER | 81-1 | 0 | 0 | 0 | 0 | | |
| STILLWAT | ER | 17A-31 | . 0 | 0 | 0 | 0 | The second secon | |
| STILLWAT | ER | 25-31 | 0 | 0 | o | 0 | | |
| | | | | | | | in the second se | |
| | | | | | | | | |
| | | | | | | | To the second se | |
| | | | | | | Management Park | LA-PA-PA-PA-PA-PA-PA-PA-PA-PA-PA-PA-PA-PA | |

Remarks:

| I certify this information to be true, correct, has been omitted. | and complete and that no pertinent matter inquired about in this report |
|---|---|
| | Signature // Collans |
| | Position Plant Manager |
| | Date 4-14-95 |

400 W. King Street, Suite 106

Carson City, Nevada 89710 (702) 885-5050

Orig-NDOM Dup-NBM&G Trip-DWR Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer <u>NEV</u> | ADA OPERA | TIONS, INC. | | ľ | onth of FEBR | <u>UARY</u> , 19 <u>95</u> | | |
|-------------------------|-----------|--------------------|---|------------------|-----------------------|--|--|--|
| Address P.O. | BOX 1650 | FALLON, NEVAL | DA 89407 | | | | | |
| | | | tion well separately the month for the | | | | | |
| | | Geo | thermal Fluids Inje | iids Injected | | | | |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation | | |
| | | | | | | | | |
| STILLWATER | 17-31 | 1,815,100 | 50,823,400 | 171 | 285 | | | |
| STILLWATER | 27-7 | 2,879,000 | 80,611,100 | 170 | 234 | | | |
| STILLWATER | 21-31 | 4,238,100 | 118,668,200 | 171 | 185 | | | |
| STILLWATER | 81-1 | 0 | 0 | 0 | 0 | | | |
| STILLWATER | 17A-31 | 0 | 0 | 0 | 0 | The Control of the Co | | |
| STILLWATER | 25-31 | o | 0 | 0 | 0 | NO COMPLETA PROPERTY AND COMPLETA PROPERTY A | | |
| | | | | | 7 | SEASON MATERIAL PROPERTY AND A STATE OF THE | | |
| | | | | | | | | |
| | | 1 | | | | | | |
| | | and the same same | | | | | | |

Remarks:

| I certify this information to be true, | correct, and | l complete | and that no | pertinent | matter | inquired (| about in | this i | report |
|--|--------------|------------|-------------|-----------|--------|------------|----------|--------|--------|
| has been omitted. | | | | | 1.00 | Ñ 1 | | | • |

Position <u>Director</u>, Geothermal Operations

State of Nevada DEPARTMENT OF MINERALS 400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig-NDOM
Dup -NBM&G
Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer <u>NE</u> | VADA OPI | ERATIONS, INC. | | | Month of _J | <u>ANUARY,</u> 19 <u>95</u> |
|-------------------------|------------|-------------------------------------|---------------------------------------|------------------------------------|-----------------------|-----------------------------------|
| Address P.C |). BOX 165 | 0 FALLON, NE | VADA 89407 | | | |
| | | Show each inject the last day of | ion well separately the month for the | File not later th preceding month. | an | |
| | | Geo | thermal Fluids Inje | cted | | |
| Field and Lease Name | Well # | Gallons Per Day | Gallons Per Month | Average Temp. | Injection Pressure | Reservoir Depth & Formation |
| | | | | | | |
| STILLWATER | 17-31 | 1,785,600 | 55,353,600 | 169 | 288 | |
| STILLWATER | 24-7 | 2,931,600 | 90,878,500 | 168 | 235 | |
| STILLWATER | 21-31 | 4,237,900 | 131,375,500 | 168 | 184 | |
| STILLWATER | 81-1 | 0 | - 0 | 0 | 0 | |
| STILLWATER | 17A-31 | 0 | 0 | 0 | 0 | |
| STILLWATER | 25-31 | 0 | 0 | 0 | 0 | |
| | | | | | | |
| | | | | | | |
| | 2 | | | | | |
| | | | | | | |
| | | | | | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

| Signature | Canalthe allet |
|-----------|---------------------------|
| Position | Director, Geothermal Ops. |
| Date | 2.23.95 |

91000c REV: 7/92