

RECEIVED

JAN 05 2007

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of #####

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 4,019,179 | 124,594,560 | 174.4 | 315.2 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 16,072 | 498,240 | 70.7 | 154.0 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 1,522,452 | 47,196,000 | 168.4 | 216.3 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 989,652 | 30,679,200 | 167.5 | 232.2 | 814'-1400' |
| Stillwater KGRA | 34-7 | 1,379,055 | 42,750,720 | 168.4 | 233.2 | 783'-1460' |
| Evaporative Pond | - | 776 | 521,280 | | | |
| Total Gallons Injected | - | 5,557,703 | 246,240,000 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 1/3/2007

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

DEC 21 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of November-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|-------------------------------|----------|----------------------------|--------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 4,062,240 | 121,867,200 | 183.7 | 318.0 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 7,944 | 238,320 | 82.0 | 155.2 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 1,519,344 | 45,580,320 | 176.7 | 216.4 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,044,576 | 31,337,280 | 175.8 | 231 | 814'-1400' |
| Stillwater KGRA | 34-7 | 1,368,336 | 41,050,080 | 177.2 | 232.0 | 783'-1460' |
| Evaporative Pond | - | 0 | 0 | | | |
| Total Gallons Injected | - | 8,002,440 | 240,073,200 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 12/19/2006

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

NOV 27 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of October-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|-------------------------------|----------|----------------------------|--------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,863,334 | 119,739,797 | 179.4 | 324.4 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 4,713 | 146,092 | 105.1 | 164.1 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 95,597 | 2,939,957 | 172.1 | 177.5 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,650,890 | 51,154,037 | 173.6 | 250.0 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,257,781 | 69,967,637 | 174.0 | 250.4 | 783'-1460' |
| Evaporative Pond | - | 0 | 0 | | | |
| Total Gallons Injected | - | 3,963,644 | 243,947,520 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 11/21/2006

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

OCT 10 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of September-2006


Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|-------------------------------|----------|----------------------------|--------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 4,059,984 | 121,799,520 | 186.0 | 325.5 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | | 163.7 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 0 | 0 | 180.0 | 187.0 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,554,432 | 46,632,960 | 180.6 | 250.9 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,218,944 | 66,568,320 | 180.8 | 251.4 | 783'-1460' |
| Evaporative Pond | - | 0 | 0 | | | |
| Total Gallons Injected | - | 7,833,360 | 235,000,800 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)
 Signature: 
 Print Name: Daren Daters
 Position: Compliance Manager
 Date: 10/5/2006

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

SEP 08 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of August-2006


Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,922,235 | 121,589,280 | 188.4 | 323.2 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | | 161.8 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 977,313 | 30,296,706 | 182.7 | 233.6 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,555,154 | 48,209,760 | 183.3 | 244.2 | 814'-1400' |
| Stillwater KGRA | 34-7 | 1,371,623 | 42,520,320 | 182.9 | 218.5 | 783'-1460' |
| Evaporative Pond | - | 6,177 | 4,150,974 | | | |
| Total Gallons Injected | - | 6,454,701 | 242,616,066 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)
 Signature: 
 Print Name: Daren Daters
 Position: Compliance Manager
 Date: 9/7/2006

RECEIVED

AUG 18 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of July-2006


Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,740,748 | 115,963,200 | 188.2 | 324.5 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | | | 1174'-1400' |
| Stillwater KGRA | 24-7 | 1,073,683 | 33,284,160 | 184.2 | 219.9 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,336,088 | 41,418,720 | 183.3 | 241.4 | 814'-1400' |
| Stillwater KGRA | 34-7 | 1,920,031 | 59,520,960 | 183.3 | 237.6 | 783'-1460' |
| Evaporative Pond | - | 336 | 226,080 | | | |
| Total Gallons Injected | - | 8,070,550 | 250,187,040 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)
 Signature: 
 Print Name: Daren Daters
 Position: Compliance Manager
 Date: 8/16/2006

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JUL 13 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of June-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,380,544 | 101,416,320 | 178.1 | 318.9 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 83.0 | 175.0 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 498,048 | 14,941,440 | 173.3 | 189.6 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,521,024 | 45,630,720 | 174.1 | 256.3 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,412,672 | 72,380,160 | 172.9 | 256.6 | 783'-1460' |
| Evaporative Pond | - | 373 | 250,560 | | | |
| Total Gallons Injected | - | 7,812,661 | 234,619,200 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 7/12/2006

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JUL 13 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of May-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,230,013 | 100,130,400 | 174.7 | 320.2 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 69.0 | 177.5 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 892,707 | 27,673,920 | 169.9 | 207.8 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 1,405,719 | 43,577,280 | 170.2 | 250.7 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,316,914 | 71,824,320 | 169.6 | 253.1 | 783'-1460' |
| Evaporative Pond | - | 180 | 120,960 | | | |
| Total Gallons Injected | - | 7,845,532 | 243,326,880 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 7/12/2006

RECEIVED

MAY 12 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of April-2006
 Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|--------------------------------|-------------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 2,982,624 | 89,478,720 | 177.2 | 320.0 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 57.2 | 178.3 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,241,792 | 67,253,760 | 172.7 | 243.6 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA ⁵⁹⁵ | <u>54-7</u> | 0 | 0 | 0.0 | 0.0 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,609,808 | 78,294,240 | 171.3 | 256.2 | 783'-1460' |
| Evaporative Pond | - | 1,071 | 720,000 | | | |
| Total Gallons Injected | - | 7,835,295 | 235,746,720 | - | - | - |

need notice before inj.

Per D. Daters
Approved for injection 4/28/06 by NDEP
5/16/06

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: *Daren Daters*

Print Name: Daren Daters

Position: Compliance Manager

Date: 5/11/2006

RECEIVED

MAY 12 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC Month of April-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 2,982,624 | 89,478,720 | 177.2 | 320.0 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 57.2 | 178.3 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,241,792 | 67,253,760 | 172.7 | 243.6 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 54-7 | 0 | 0 | 0.0 | 0.0 | 814'-1400' |
| Stillwater KGRA | 34-7 | 2,609,808 | 78,294,240 | 171.3 | 256.2 | 783'-1460' |
| Evaporative Pond | - | 1,071 | 720,000 | | | |
| Total Gallons Injected | - | 7,835,295 | 235,746,720 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 5/11/2006

RECEIVED

APR 14 2006

Division of Minerals

State of Nevada
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of March-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|-----------------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,036,821 | 94,141,440 | 174.9 | 319.9 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 58.8 | 179.3 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,220,759 | 68,843,520 | 168.7 | 243.1 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Idle Status → Stillwater KGRA 218 | 25-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 34-7 | 2,595,159 | 80,449,920 | 168.7 | 255.6 | 783'-1460' |
| Evaporative Pond | - | 0 | 0 | | | |
| Total Gallons Injected | - | 5,257,579 | 243,434,880 | - | - | - |

Per D. Daters
 Well is in
 idle status.
 removed
 from
 report
 5/16/06

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: *Daren Daters*

Print Name: Daren Daters

Position: Compliance Manager

Date: 4/11/2006

RECEIVED

APR 14 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of March-2006

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,036,821 | 94,141,440 | 174.9 | 319.9 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 0 | 0 | 58.8 | 179.3 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,220,759 | 68,843,520 | 168.7 | 243.1 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 34-7 | 2,595,159 | 80,449,920 | 168.7 | 255.6 | 783'-1460' |
| Evaporative Pond | - | 0 | 0 | | | |
| Total Gallons Injected | - | 5,257,579 | 243,434,880 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)

Signature: 

Print Name: Daren Daters

Position: Compliance Manager

Date: 4/11/2006

RECEIVED

MAR 07 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of February-2006


Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,049,920 | 85,397,760 | 174.3 | 311.1 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 67,680 | 1,895,040 | 145.2 | 163.6 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,594,880 | 72,656,640 | 168.6 | 238.0 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 34-7 | 2,544,480 | 71,245,440 | 168.3 | 244.4 | 783'-1460' |
| Evaporative Pond | - | 898 | 603,360 | | | |
| Total Gallons Injected | - | 5,712,480 | 231,798,240 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)
 Signature: 
 Print Name: Daren Daters
 Position: Compliance Manager
 Date: 3/6/2006

RECEIVED

FEB 09 2006

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Amp Resources (Stillwater), LLC

Month of January-2006


Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | | Injection Pressure | Reservoir depth & formation |
|------------------------|----------|----------------------------|-------------------|---------------|--------------------|-----------------------------|
| | | Gallons per day | Gallons per month | Average Temp. | | |
| Stillwater KGRA | 17-31 | 3,069,244 | 95,146,560 | 171.3 | 317.9 | 1537'-2920' |
| Stillwater KGRA | 21-31 | 79,711 | 2,471,040 | 168.0 | 161.4 | 1174'-1400' |
| Stillwater KGRA | 24-7 | 2,675,706 | 82,946,880 | 167.6 | 237.9 | 810'-2862' |
| Stillwater KGRA | 17A-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 25-31 | 0 | 0 | 0 | 0 | |
| Stillwater KGRA | 34-7 | 2,452,831 | 76,037,760 | 166.2 | 244.3 | 783'-1460' |
| Evaporative Pond | - | 4,190 | 3,117,600 | - | - | - |
| Total Gallons Injected | - | 8,277,492 | 259,719,840 | - | - | - |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Amp Resources, (Stillwater)
 Signature: 
 Print Name: Daren Daters
 Position: Compliance Manager
 Date: 2/9/2006

RECEIVED

MAR 07 2006

Division of Minerals

Stillwater Geothermal Power Plant

4785 Lawrence Lane

Stillwater, NV 89406

PHONE: 775-423-0322

FAX: 775-423-0692

March 6, 2006

Ms. Linda Wells
Program Assistant IV
State of Nevada
Commission on Mineral Resources
Division of Minerals
400 West King Street
Suite No. 106
Carson City, NV 89710


**Re: Stillwater Geothermal Power Plant
February 2006 – Monthly Report**

Dear Ms. Wells:

Attached please find the monthly report of Geothermal Subsurface Injections and Geothermal Electric Producers Reports for the above referenced facility.

If you have any questions or comments, please do not hesitate to call me at (775) 329-0700.

Sincerely,



Daren Daters
Compliance Manager

RECEIVED

MAY 12 2006

Division of Minerals

Stillwater Geothermal Power Plant

4785 Lawrence Lane

Stillwater, NV 89406

PHONE: 775-423-0322

FAX: 775-423-0692

May 11, 2006

Ms. Linda Wells
Program Assistant IV
State of Nevada
Commission on Mineral Resources
Division of Minerals
400 West King Street
Suite No. 106
Carson City, NV 89710


**Re: Stillwater Geothermal Power Plant
April 2006 – Monthly Report**

Dear Ms. Wells:

Attached please find the monthly report of Geothermal Subsurface Injections and Geothermal Electric Producers Reports for the above referenced facility.

If you have any questions or comments, please do not hesitate to call me at (775) 329-0700.

Sincerely,



Daren Daters
Compliance Manager