

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JAN 19 2010

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC

Month of December-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	3,679,301	110,379,019	149.8	253.5	1537'-2920'
Stillwater KGRA	26-7	1,288,979	38,669,364	148.7	222.7	694' - 1710'
Stillwater KGRA	24-7	2,511,500	75,344,988	147.9	259.7	810'-2862'
Stillwater KGRA	63-7	854,175	25,625,253	149.3	236.5	1080' - 1400'
Stillwater KGRA	54-7	998,230	29,946,892	149.7	203.5	814'-1400'
Stillwater KGRA	34-7	2,258,911	67,767,326	152.0	248.3	783'-1460'
Stillwater KGRA	11-1	514,954	15,448,624	147.2	261.5	1140' - 2100'
Stillwater KGRA	28-36	2,540,031	76,200,941	150.0	280.1	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	14,646,080	439,382,407	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 1/13/2010

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC

Month of November-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	3,226,482	86,980,576	154.5	279.7	1537'-2920'
Stillwater KGRA	26-7	450,315	13,460,660	153.3	176.6	694' - 1710'
Stillwater KGRA	24-7	3,053,525	91,274,956	154.7	267.0	810'-2862'
Stillwater KGRA	63-7	1,000,672	6,004,030	152.2	153.0	1080' - 1400'
Stillwater KGRA	54-7	1,921,721	56,266,381	156.3	252.0	814'-1400'
Stillwater KGRA	34-7	2,389,752	69,989,850	153.2	257.8	783'-1460'
Stillwater KGRA	11-1	482,482	14,422,205	153.8	270.5	1140' - 2100'
Stillwater KGRA	28-36	2,352,310	70,314,466	156.1	273.9	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	14,877,258	408,713,126	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 1/13/2010

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC

Month of October-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	2,849,761	88,342,606	151.0	291.5	1537'-2920'
Stillwater KGRA	26-7	713,522	19,495,493	147.2	188.1	694' - 1710'
Stillwater KGRA	24-7	3,379,415	97,017,365	144.5	274.1	810'-2862'
Stillwater KGRA	63-7	0	0	150.0	88.4	1080' - 1400'
Stillwater KGRA	54-7	1,444,335	37,552,704	141.6	198.8	814'-1400'
Stillwater KGRA	34-7	1,643,952	16,593,639	144.8	190.3	783'-1460'
Stillwater KGRA	11-1	460,610	14,278,900	147.7	280.5	1140' - 2100'
Stillwater KGRA	28-36	2,446,468	75,840,501	151.4	283.1	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	12,938,062	349,121,209	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 1/13/2010

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED
OCT 13 2009

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Division of Minerals

Producer Enel Stillwater, LLC

Month of September-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	1,972,850	54,368,450	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	2,104,086	63,122,571	166.4	222.0	694' - 1710'
Stillwater KGRA	24-7	2,486,294	74,588,810	165.3	251.0	810'-2862'
Stillwater KGRA	63-7			79.5	99.3	1080' - 1400'
Stillwater KGRA	54-7	1,767,792	53,033,766	166.6	242.6	814'-1400'
Stillwater KGRA	34-7	1,922,689	57,680,678	163.9	243.6	783'-1460'
	12A-6	1,988,766	22,205,860	164.0	229.2	
Stillwater KGRA	11-1	198,387	5,753,215	161.6	241.7	1140' - 2100'
	81-1	1,452,501	31,035,112	165.8	222.0	
Stillwater KGRA	28-36	852,434	24,720,598	164.6	243.2	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	14,745,799	386,509,061	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 10/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

OCT 13 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC

Month of August-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	2,394,809	71,844,259	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	1,816,078	51,160,420	181.3	219.2	694' - 1710'
Stillwater KGRA	24-7	1,478,388	43,520,042	175.7	248.6	810'-2862'
Stillwater KGRA	63-7	1,118,242	30,667,797	180.5	235.0	1080' - 1400'
Stillwater KGRA	54-7	1,787,059	50,372,735	183.6	236.9	814'-1400'
Stillwater KGRA	34-7	2,186,474	61,640,349	179.3	238.0	783'-1460'
Stillwater KGRA	11-1	201,371	5,518,820	179.3	234.2	1140' - 2100'
Stillwater KGRA	28-36	836,301	22,921,621	182.0	236.2	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	11,818,722	337,646,042	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 10/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

OCT 13 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC Month of July-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700


Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	1,868,474	57,922,709	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	2,071,947	64,230,343	174.7	227.0	694' - 1710'
Stillwater KGRA	24-7	1,791,060	55,522,867	174.1	262.5	810'-2862'
Stillwater KGRA	63-7	968,813	30,033,199	175.1	255.7	1080' - 1400'
Stillwater KGRA	54-7	1,699,957	52,698,667	175.3	248.2	814'-1400'
Stillwater KGRA	34-7	2,139,698	66,330,645	172.4	254.7	783'-1460'
Stillwater KGRA	11-1	202,853	2,607,500	134.7	128.8	1140' - 2100'
Stillwater KGRA	28-36	772,292	9,927,164	136.5	116.2	1079' - 2310'
Evaporative Pond	-	0	0			
Total Gallons Injected	-	11,515,093	339,273,094	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis rash

Position: Plant Manager

Date: 10/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JUL 13 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC Month of June-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	1,583,869	46,889,109	170.5	106.8	1537'-2920'
Stillwater KGRA	26-7	1,489,334	44,090,494	171.2	206.6	694' - 1710'
Stillwater KGRA	24-7	1,343,158	39,763,075	166.2	232.9	810'-2862'
Stillwater KGRA	63-7	992,155	29,371,908	171.3	229.1	1080' - 1400'
Stillwater KGRA	54-7	1,639,214	48,527,568	171.7	227.3	814'-1400'
Stillwater KGRA	34-7	1,981,683	58,666,081	168.7	230.3	783'-1460'
Stillwater KGRA	11-1	175,019	5,181,284	168.6	229.7	1140' - 2100'
Stillwater KGRA	28-36	591,279	17,504,307	171.0	235.2	1079' - 2310'
Evaporative Pond	-	51,395	1,439,062			
Total Gallons Injected	-	9,847,105	291,432,887	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 7/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JUL 13 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC Month of May-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	0	0	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	1,683,919	50,517,573	173.5	224.1	694' - 1710'
Stillwater KGRA	24-7	1,750,101	50,322,695	154.0	255.0	810'-2862'
Stillwater KGRA	63-7	1,058,923	31,767,679	173.7	249.6	1080' - 1400'
Stillwater KGRA	54-7	1,798,223	53,946,696	175.8	243.7	814'-1400'
Stillwater KGRA	34-7	2,412,350	72,370,496	171.4	248.7	783'-1460'
Stillwater KGRA	11-1	197,417	5,922,508	173.2	257.2	1140' - 2100'
Stillwater KGRA	28-36	668,364	20,050,919	175.2	254.2	1079' - 2310'
Evaporative Pond	-	40,737	1,140,625			
Total Gallons Injected	-	9,610,033	286,039,193	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 7/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

JUL 13 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC Month of April-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	0	0	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	1,831,174	53,104,046	161.5	230.2	694' - 1710'
Stillwater KGRA	24-7	1,983,602	41,490,332	143.1	259.7	810'-2862'
Stillwater KGRA	63-7	1,190,863	34,535,027	165.2	342.4	1080' - 1400'
Stillwater KGRA	54-7	2,064,951	59,883,574	164.2	249.9	814'-1400'
Stillwater KGRA	34-7	2,836,543	82,259,745	161.2	261.4	783'-1460'
Stillwater KGRA	11-1	260,350	7,550,151	161.3	283.5	1140' - 2100'
Stillwater KGRA	28-36	916,877	26,589,422	166.9	285.6	1079' - 2310'
Evaporative Pond	-	150,812	4,222,740			
Total Gallons Injected	-	11,235,171	309,635,037	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: _____

Print Name: Dennis Rash

Position: Plant Manager

Date: 7/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED
 JUL 13 2009
 Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC Month of March-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	0	0	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	1,661,918	32,407,406	144.7	190.6	694' - 1710'
Stillwater KGRA	24-7	2,945,413	43,444,849	155.8	181.9	810'-2862'
Stillwater KGRA	63-7	817,685	17,989,066	158.6	201.0	1080' - 1400'
Stillwater KGRA	54-7	1,437,852	31,632,746	160.4	203.7	814'-1400'
Stillwater KGRA	34-7	1,772,371	39,878,346	158.2	239.9	783'-1460'
Stillwater KGRA	11-1	0	0	169.7	155.3	1140' - 2100'
Stillwater KGRA	28-36	451,356	9,440,854	169.1	207.4	1079' - 2310'
Evaporative Pond	-	43,006	1,204,170			
Total Gallons Injected	-	9,129,601	175,997,436	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 7/9/2009

RECEIVED

JUL 13 2009

Division of Minerals

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Enel Stillwater, LLC

Month of February-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 329-0700

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	0	0	0.0	0.0	1537'-2920'
Stillwater KGRA	26-7	1,426,166	11,409,331	171.1	132.1	694' - 1710'
Stillwater KGRA	24-7	3,071,615	3,071,615	162.0	71.9	810'-2862'
Stillwater KGRA	63-7	312,111	624,221	132.3	102.9	1080' - 1400'
Stillwater KGRA	54-7	1,091,635	7,641,446	177.8	120.6	814'-1400'
Stillwater KGRA	34-7	658,089	4,606,625	175.4	125.3	783'-1460'
Stillwater KGRA	11-1	0	0	0.0	0.0	1140' - 2100'
Stillwater KGRA	28-36	606,917	1,517,292	698.0	703.0	1079' - 2310'
Evaporative Pond	-	43,006	1,204,170			
Total Gallons Injected	-	7,209,540	30,074,701	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: Enel Stillwater, LLC

Signature: 

Print Name: Dennis Rash

Position: Plant Manager

Date: 7/9/2009

State of Nevada
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 687-5050

RECEIVED

MAR 18 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ENEL Stillwater LLC Month of January-2009

Address 4785 Lawrence Lane, Stillwater NV 89406 (775) 423-0322

Show each injection well separately. File not later than,
 the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected			Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month	Average Temp.		
Stillwater KGRA	17-31	2,524,079	41,794,535	158.6	146.2	1537'-2920'
Stillwater KGRA	21-31	0	0			1174'-1400'
Stillwater KGRA	24-7	0	0			810'-2862'
Stillwater KGRA	17A-31	0	0	0	0	
Stillwater KGRA	54-7	0	0		38.5	814'-1400'
Stillwater KGRA	34-7	0	0		36.9	783'-1460'
Stillwater KGRA	63-7	0	0			-
Injection Pond		563,760	246,645			
Total Gallons Injected	-	2,524,079	42,041,180	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: ENEL Stillwater LLC

Signature: _____

Print Name: Dennis Rash

Position: Plant Manager

Date: 2/11/2008