

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 887-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPPLICATE-Company File

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Beowawe Geothermal Power Co. Address P.O. Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of December 1994

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.15 Mgal	159.78 Mgal	215 Deg F.	174 psig.	1630-1867' Tertiary Volcanics
Totals			159.78 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

1/5/95

RECEIVED

DEC 14 1994

STATE OF NEVADA **Div. of Minerals**
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of November 1994


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.16 Mgal	154.76 Mgal	213 Deg F.	157 psig.	1630-1867' Tertiary Volcanics
Totals			154.76 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

12/9/94

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of October 1994


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.16 Mgal	160.05 Mgal	221 Deg F.	155 psig.	1630-1867' Tertiary Volcanics
Totals		160.05 Mgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

11/9/94

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of September 1994

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.12 Mgal	153.67 Mgal	223 Deg F.	156 psig.	1630-1867' Tertiary Volcanics
Totals			153.67 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

10/11/94

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of August 1994

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.12 Mgal	158.75 Mgal	222 Deg F.	151 psig.	1630-1867' Tertiary Volcanics
Totals			158.75 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

9/13/94

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of July 1994


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.07 Mgal	157.25 Mgal	222 Deg F.	151 psig.	1630-1867' Tertiary Volcanics
Totals		157.25 Mgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

8/15/94

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Geothermal Power Co. Address P.O Box # 6, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of June 1994


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	3.94 Mgal	118.13 Mgal	215 Deg F.	80 psig.	1630-1867' Tertiary Volcanics
Totals		118.13 Mgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Plant Manager

Date

July 14, 1994

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer Beowawe Geothermal Power Company Month of May 1994
 Address P. O. Box # 6, Beowawe, NV 89821


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
Beowawe, Batz	Batz 1	0.00 Mgal	0.00 Mgal	0 psig.	Tertiary Volcanics	1443-1693'
Beowawe, N-10916	85-18	2.89 Mgal	89.59 Mgal	64 psig.	Tertiary Volcanics	1630-1867'
Totals		89.59 Mgal				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name 
 M. J. Kerna
 Position Operations Supervisor
 Date 6/17/94



BEOWAWE GEOTHERMAL POWER COMPANY
1000 POWER PLANT PLACE, P.O. BOX 6
BEOWAWE, NEVADA 89821
(702) 635-2130 . (702) 635-2288

RECEIVED

JUN 21 1994

Div. of Minerals

June 17, 1994

Department of Minerals
400 West King Street, Suite 106
Carson City, NV 89710

Attention Mr. Dick Whiting

Gentlemen

SUBJECT: BEOWAWE GEOTHERMAL POWER PLANT
GEOTHERMAL PRODUCER'S MONTHLY REPORT
REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Enclosed are the Beowawe Geothermal Power Company's "Geothermal Producer's Monthly Report" and "Report of Geothermal Subsurface Injection" for the Beowawe plant, May 1994.

Should you have any questions, please contact me at 635-2130.

Sincerely,

M. J. Kerna
Operations Superintendent

MJK:cs

Enclosures

cc: S. Schumacher
T. Diehl
File

MONTHRPT.DOM

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer Beowawe Geothermal Power Company Month of April 1994
 Address P. O. Box # 6, Beowawe, NV 89821

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
Beowawe, Batz	Batz 1	0.00 Mgal	0.00 Mgal	0 psig.	Tertiary Volcanics	1443-1693'
Beowawe, N-10916	85-18	4.55 Mgal	136.61 Mgal	81 psig.	Tertiary Volcanics	1630-1867'
Totals		136.61 Mgal				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name 
 M. J. Kerna
 Position Operations Supervisor
 Date 5/20/94



B EOWAWE GEOTHERMAL POWER COMPANY
1000 POWER PLANT PLACE, P.O. BOX 6
B EOWAWE, NEVADA 89821
(702) 635-2130 (702) 635-2288

May 19, 1994

RECEIVED

MAY 25 1994

Div. of Minerals

Department of Minerals
400 West King Street, Suite 106
Carson City, NV 89710

Attention Mr. Dick Whiting

Gentlemen

SUBJECT: B EOWAWE GEOTHERMAL POWER PLANT
GEOTHERMAL PRODUCER'S MONTHLY REPORT
REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Enclosed are the Beowawe Geothermal Power Company's "Geothermal Producer's Monthly Report" and "Report of Geothermal Subsurface Injection" for the Beowawe plant, April 1994.

Should you have any questions, please contact me at 635-2130.

Sincerely,

M.J. Kerna
Operations Superintendent

MJK:cs

Enclosures

cc: S. Schumacher
T. Diehl
File

MONTHRPT.DOM

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

RECEIVED
 APR 19 1994
 Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Beowawe Geothermal Power Company Month of March 1994

Address P. O. Box # 6, Beowawe, NV 89821


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
Beowawe, Batz	Batz 1	0.00 Mgal	0.00 Mgal	0 psig.	Tertiary Volcanics	1443-1693'
Beowawe, N-10916	85-18	4.48 Mgal	138.75 Mgal	73 psig.	Tertiary Volcanics	1630-1867'
Totals			138.75 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 M. J. Kerna

Position

Operations Supervisor

Date

4/14/94



B EOWAWE GEOTHERMAL POWER COMPANY
1000 POWER PLANT PLACE, P.O. BOX 6
B EOWAWE, NEVADA 89821
(702) 635-2130 (702) 635-2288

RECEIVED

APR 19 1994

Div. of Minerals

April 14, 1994

Department of Minerals
400 West King Street, Suite 106
Carson City, NV 89710

Attention Mr. Dick Whiting

Gentlemen

SUBJECT: B EOWAWE GEOTHERMAL POWER PLANT
GEOTHERMAL PRODUCER'S MONTHLY REPORT
REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Enclosed are the Beowawe Geothermal Power Company's "Geothermal Producer's Monthly Report" and "Report of Geothermal Subsurface Injection" for the Beowawe plant, March 1994.

Should you have any questions, please contact me at 635-2130.

Sincerely,

M. J. Kerna
Operations Superintendent

MJK:cs

Enclosures

cc: S. Schumacher
T. Diehl
File

MONTHRPT.DOM

RECEIVED

MAR 23 1994

Div. of Minerals

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Beowawe Geothermal Power Company Month of February 1994

Address P. O. Box # 6, Beowawe, NV 89821

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
Beowawe, Batz	Batz 1	1.37 Mgal	38.43 Mgal	127 psig.	Tertiary Volcanics	1443-1693'
Beowawe, N-10916	85-18	3.79 Mgal	79.54 Mgal	66 psig.	Tertiary Volcanics	1630-1867'
Totals			117.98 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


M. J. Kerna

Position

Operations Supervisor

Date

3/21/94



B EOWAWE GEOTHERMAL POWER COMPANY
1000 POWER PLANT PLACE, P.O. BOX 6
B EOWAWE, NEVADA 89821
(702) 635-2130 (702) 635-2288

RECEIVED

MAR 23 1994

Div. of Minerals

March 21, 1994

Department of Minerals
400 West King Street, Suite 106
Carson City, NV 89710

Attention Mr. Dick Whiting

Gentlemen

SUBJECT: B EOWAWE GEOTHERMAL POWER PLANT
GEOTHERMAL PRODUCER'S MONTHLY REPORT
REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Enclosed are the Beowawe Geothermal Power Company's "Geothermal Producer's Monthly Report" and "Report of Geothermal Subsurface Injection" for the Beowawe plant, February 1994.

Should you have any questions, please contact me at 635-2130.

Sincerely,

M. J. Kerna
Operations Superintendent

MJK:cs
Enclosures

cc: S. Schumacher
T. Diehl
File

MONTHRPT.DOM

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Beowawe Geothermal Power Company Month of January 1994

Address P. O. Box # 6, Beowawe, NV 89821


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
Beowawe, Batz	Batz 1	3.76 MGD	116.46 Mgal	251 psig.	Tertiary Volcanics	1443-1693'
Totals			116.46 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 M. J. Kerna

Position

Operations Supervisor

Date

2/21/94



B EOWAWE GEOTHERMAL POWER COMPANY
1000 POWER PLANT PLACE, P.O. BOX 6
B EOWAWE, NEVADA 89821
(702) 635-2130 (702) 635-2288

RECEIVED

FEB 28 1994

February 22, 1994

Div. of Minerals

Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Attention Mr. Dick Whiting

Gentlemen

**SUBJECT: B EOWAWE GEOTHERMAL POWER PLANT
GEOTHERMAL PRODUCER'S MONTHLY REPORT
REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Enclosed are the Beowawe Geothermal Power Company's "Geothermal Producer's Monthly Report" and "Report of Geothermal Subsurface Injection" for the Beowawe plant, January 1994.

Should you have any questions, please contact me at 635-2130.

Sincerely,

M. J. Kerna
Operations Superintendent

MJK:cs
Enclosures

cc: File
S. Schumacher
T. Diehl