400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050 ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

JAN 1 0 2000

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, Box 16, Beowawe, Nevada 89821

Plant/Project Beowawe Unit County Lander Month of December 1999

Show each injection well separately. File no later than the last day of the month for the preceding month.

| Plant/Project Beowawe Unit County Lander Month of December 1999

| Show each injection well separately. File no later than the last day of the month for the preceding month.

| Reservoir | Reservoir Gallons per Gallons pe

	ļ. ·	GEOTHERMAL FLUIE	DS INJECTED	·.	Injection Pressure	Reservoir
Field and lease name	Well No.	Galions per day	Gallons per month	Average Temp.		depth & formation
Beowawe Field Lease Batz Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693 Tertiary Volcanics
Beowawe Field Lease N-10916	85-18	5.16 Mgal	159.82 Mgal	207 Deg F.	166 psig.	1630-1867 Tertiary Volcanics
 - -						

This report to be filed by the end of the month following the month herein reported

I hereby certify that the ab-	ove information given	herewith is true.	correct, and	d complete to the	best of mv knowledae.

Date

Signature

Position

Plant Manager

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

Company	WOOKO	Power of	Beowawe, Inc.	. Address	HC66, Unit 1, Bo	ox 16, Beowaw	e, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	Month of	November	1999
Show each inje	ection w	ell separat	ely. File not lat	er than the last	day of the month	for the precedi	ng month.
			GEOTHERMAL FLUIC	S NJECTED		Injection Pressure	Reservoir
Field and lease	name	Well No.	Gallons per day	Gallons per month	Average Temp.		depth & formation
Beowawe F Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe F Lease N-10		85-18	5.16 Mgal	154.88 Mgal	207 Deg F.	166 psig.	1630-1867' Tertiary Volcanics
Totals				154.88 Mgal			
		_		_	month herein re	· .	
, , , , , , , , , , , , , , , , , , ,				Signature		for 19	Pack
				Position	<u>_</u>	∕ Plant Manage	<u>r</u>
				Date		12/07/99	2

ORIGINAL-DIV. File
DUPLICATE-DIV. NBMG
TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

Company	Oxbow	Power of	Beowawe, Inc.	Address	HC66, Unit 1, E	ox 16, Beowaw	re, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	. Month of	October	1999
Show each inju	ection w	ell separat	ely. File not lat	er than the last o	day of the monti	n for the precedi	ing month.
			GEOTHERMAL FLUE	S INJECTED			Reservoir
Field and lease	e name	Well No.	Gallons per day	Gallons per month	Average Temp.	injection Pressure	depth & formation
Beowawe l Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe I Lease N-10		85-18	5.04 Mgal	156.23 Mgal	207 Deg F.	163 psig.	1630-1867' Tertiary Volcanics
Totals				156.23 Mgal			
			nd of the monti	n following the		•	ge.
				Signature		Faid-	lack
				Position		Plant Manage	<u>r</u>
				Date		11/08/9	29

ORIGINAL-Div. File DUPLICATE-DIV. NBMG TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Company	Oxbou	/ Power of	Beowawe, Inc.	Address	HC66, Unit 1, E	lox 16, Beowaw	e, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	_ Month of	September	1999
Show each inje	ection w	ell separat	ely. File not lat	ter than the last	day of the month	for the precedi	ng month.
			GEOTHERMAL FLUID	OS INJECTED			Reservoir
Field and lease	name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Beowawe F Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe F Lease N-10		85-18	5.18 Mgal	155.35 Mgal	208 Deg F.	161 psig.	1630-1867' Tertiary Volcanics
Totals				155.35 Mgal			
				following the	month herein re		.
				Signature	4	fail.	ach
			•	Position	<u> </u>	Plant Manager	
			1	Date	_	10/26/99	>

ORIGINAL-Div. File DUPLICATE-DIV. NBMG TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company	ny Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, Box 16, Beowawe, Nevada						re, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	Month of	August	1999
Show each inj	ection w	ell separal	tely. File not lat	er than the last	day of the monti	h for the preced	ing month.
			GEOTHERMAL FLUIC	S INJECTED			Reservoir
Field and leas	e name	Well No.	Galions per day	Gallons per month	Average Temp.	injection Pressure	depth & formation
Beowawe l Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe I Lease N-10		85-18	5.17 Mgal	160.16 Mgal	208 Deg F.	159 psig.	1630-1867' Tertiary Volcanics
Totals				160.16 Mgal			
This report to	be filed	f by the e	nd of the month	following the	month herein r	reported	
I hereby certify th	at the abo	ove informati	ion given herewith i	s true, correct, and	l complete to the be	est of my knowledg	7e .
				Signature	<i>y.</i>	Hard.	2 ach
				Position		Plant Manage	r
				Date		<u>09/07/9</u>	9

ORIGINAL-DIV. File
DUPLICATE-DIV. NBMG
TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

RECEIVED

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

AUG 1 3 1999 Div. of Minerals

Company Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, Box 16, Beowawe, Nevada 89821									
Plant/Project Be	eowawe Unit	County	Lander	Month of	July	1999			
Show each injection well separately. File not later than the last day of the month for the preceding month.									
		GEOTHERMAL FLUID	OS INJECTED			Reservoir			
Field and lease na	me Well No.	Gallons per day	Gallons per month	Average Temp.	injection Pressure	depth & formation			
Beowawe Fiel Lease Batz Fe		0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics			
Beowawe Fiel Lease N-1091	1	5.20 Mgal	161.30 Mgal	208 Deg F.	163 psig.	1630-1867' Tertiary Volcanics			
	<u> </u>								
Totals			161.30 Mgal						
This report to be filed by the end of the month following the month herein reported I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.									
	word indiffer	gre on norowen	Signature		Ha-19	ache			
			Position	-	Plant Manage	<u>r</u>			
			Date	_	08/10/9	9			

ORIGINAL-Div. File DUPLICATE-DIV. NBMG TRIPLICATE-Company File Div. of Minerals

JUL 1 9 1999

400 W. King Street, Suite 106 Carson City, Nevada 89710

(775) 687-5050

Oxbow	Power of	Beowawe, Inc.	Address	HC66, Unit 1, B	ox 16, Beowaw	re, Nevada 89821
Beowa	we Unit	County	Lander	Month of	June	1999
ection w	ell separat	ely. File not lat	er than the last o	day of the month	for the preced	ing month.
·		GEOTHERMAL FLUID	S INJECTED		Injection Pressure	Reservoir
name	Well No.	Galions per day	Gallons per month	Average Temp.		depth & formation
field Fee	Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics 1630-1867'
ield 916	85-18	5.20 Mgal	156.08 Mgal	207 Deg F.	161 psig.	Tertiary Volcanics
			156 08 Maal			
		ion given herewith i	n following the is true, correct, and Signature	of complete to the be	st of my knowled	Jack
				<u>.</u> -	Plant Manage	r 1 9 9
	Beoward action was name field Fee filed 916	Beowawe Unit ction well separat name Well No. field Batz 1 Fee 85-18 916 be filed by the en	rection well separately. File not late above information given herewith is separately. File not late above information given herewith is separately. File not late above information given herewith is separately. File not late above information given herewith is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately. File not late above information given herewith it is separately.	Beowawe Unit County Lander County	Beowawe Unit County Lander Month of action well separately. File not later than the last day of the month and the last day of the month of section well separately. File not later than the last day of the month and the last day of the month of section well separately. GEOTHERMAL FLUIDS INJECTED Average Temp.	Beowawe Unit County Lander Month of June ction well separately. File not later than the last day of the month for the preced The preceding the preceding that the last day of the month for the preceding the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding that the last day of the month for the preceding the month for the month for the preceding the month for the month for the preceding the mo

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

RECEIVED

JUN 1 4 1999

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, Box 16, Beowawe, Nevada 89821 Plant/Project Beowawe Unit County Lander Month of May 1999 Show each injection well separately. File not later than the last day of the month for the preceding month. GEOTHERMAL FLUIDS INJECTED Reservoir Field and lease name Well No. Galions per depth & Gallons per Average Injection month day Temp. Pressure formation 1443-1693 Beowawe Field Batz 1 0.00 Mgal 0.00 Mgal 0 Deg F. Tertiary 0 psig. Lease Batz Fee Volcanics 1630-1867' Beowawe Field 85-18 5.03 Mgal 155.97 Mgal 208 Deg F. 159 psig. Tertiary Lease N-10916 Volcanics Totals 155.97 Mgal This report to be filed by the end of the month following the month herein reported I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge. Signature Position Plant Manager Date

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050 ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEWED

MAY 1 4 1999

Div. of Minerals

Company	Company Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, Box 16, Beowawe, Nevada 89821								
Plant/Project	Beowa	ve Unit	County	Lander	. Month of	April	1999		
Show each injection well separately. File not later than the last day of the month for the preceding month.									
			GEOTHERMAL FLUIC	OS INJECTED		injection Pressure	Reservoir		
Field and leas	e name	Well No.	Gallons per day	Gallons per month	Average Temp.		depth & formation		
Beowawe l Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics		
Beowawe l Lease N-10		85-18	5.07 Mgal	152.14 Mgal	208 Deg F.	157 psig.	1630-1867' Tertiary Volcanics		
Totals		W-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		152.14 Mgal			De la companya de la		
This report to be filed by the end of the month following the month herein reported I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.									
				Signature	Ć.	Harid J	ach		
				Position		Plant Manage	<u> </u>		
				Date	MAX 11, 19		1999		

400 W. King Street, Suite 108 Carson City, Nevada 89710 (775) 687-5050 ORIGINAL-Div. File
DUPLICATE-Div, NBMG
TRIPLICATE-Company File

AECEWED

APR 1 9 1999

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals

Company Oxbow Power of Beowawe, Inc. Address HC66, Unit 1, I					HC66, Unit 1, B	ox 16, Beowaw	e, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	Month of	March	1999
Show each inj	ection w	eli separat	tely. File not lat	er than the last	day of the month	for the precedi	ng month.
			GEOTHERMAL FLUID	OS INJECTED			Reservoir
Fleid and leas	e name	Well No.	Gallons per day	Gallons per month	Average Temp.	injection Pressure	depth & formation
Beowawe Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe I Lease N-10		85-18	5.08 Mgal	157.42 Mgal	208 Deg F.	157 psig.	1630-1867' Tertiary Volcanics
Totals				157.42 Mgal			
•		-		•	month herein re	•	ge.
				Signature	4	Heri L. J	ach
				Position	_	/ Plant Manage	r
				Date		04/16/1	999

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

AEGELVED

MAR 1 1 1999

Div. of Winerals

Company	OXBOW	Power of	Beowawe, Inc.	_ Address	HC66, Unit 1, B	ox 16, Beowaw	e, Nevada 89821
Plant/Project	Beowa	we Unit	County	Lander	Month of	February	1999
Show each inje	ection w	ell separat	ely. File not lat	ter than the last	day of the month	for the precedi	ing month.
5,,,,,			GEOTHERMAL FLUID	DS INJECTED			Reservoir
Field and lease	: name	Well No.	Gallons per day	Galions per month	Average Temp.	Injection Pressure	depth & formation
Beowawe F Lease Batz		Batz 1	0.00 Mgal	0.00 Mgal	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe F Lease N-10		85-18	5.08 Mgal	142.24 Mgal	208 Deg F.	156 psig.	1630-1867' Tertiary Volcanics
Totals				142.24 Mgal			
This report to	be filed	i by the e	nd of the mont	h following the	month herein re	eported	
hereby certify the	at the abo	ove informat	ion given herewith	is true, correct, and	d complete to the be	st of my knowled	ge.
				Signature	4	Ha-JJ	ach
				Position	_!	Plant Manage	r
				Date		13/03/9	9

RECEIVED

STATE OF NEVADA ORIGINAL-Div. File **DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS**

DUPLICATE-DIV. NBMG TRIPLICATE-Company File

FEB 0 8 1999

Div. of Minerals

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Beowawe Geothermal Power Co.

Company

Company	Beowa	we Geothe	ermai Power Co.	Address	821		
Plant/Project	Beowa	we Unit	County	Lander	Month of	January	1999
Show each inje	ection w	ell separat	ely. File not lat	er than the last	day of the month	for the preced	ing month.
			GEOTHERMAL FLUIC	S INJECTED			Reservoir
Field and lease	e name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Beowawe F Lease Batz		Batz 1	0.00 Mgal	0.00 Mgai	0 Deg F.	0 psig.	1443-1693' Tertiary Volcanics
Beowawe F Lease N-10		85-18	5.08 Mgal	157.51 Mgal	208 Deg F.	156 psig.	1630-1867' Tertiary Volcanics
Totals				157.51 Mgal			<u> </u>
				n following the	month herein r	-	ge.
				Signature	Ç	Fail 9	reh
				Position	-	Plant Manage	r
				Date	-	FEB. 03,	1999