

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JAN 20 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of December 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.17	160.40	206 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals		160.40 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date January 14, 2004

RECEIVED

DEC 11 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of November 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.18	155.48	207 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals		155.48 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin Jackson

Position Plant Manager

Date December 8, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 DEC 01 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of October 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.20	161.38	206 Deg F.	151 psig.	1630-1867' Tertiary Volcanics
Totals			161.38 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date November 26, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 RECEIVED
 OCT 20 2003
 DIVISION OF MINERALS
 Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of September 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.18	155.37	207 Deg F.	152 psig.	1630-1867' Tertiary Volcanics
Totals		155.37 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date October 15, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
RECEIVED
 SEP 15 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of August 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.19	160.76	206 Deg F.	151 psig.	1630-1867' Tertiary Volcanics
Totals			160.76 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date September 11, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

AUG 25 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of July 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.24	162.19	206 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals		162.19 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date August 20, 2003

RECEIVED

JUL 21 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of June 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.27	158.06	206 Deg F.	153 psig.	1630-1867' Tertiary Volcanics
Totals			158.06 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin Jackson

Position Plant Manager

Date July 15, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUN 09 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of May 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.31	159.21	205 Deg F.	153 psig.	1630-1867' Tertiary Volcanics
Totals		159.21 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date June 5, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of April 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.21	153.33	205 Deg F.	157 psig.	1630-1867' Tertiary Volcanics
Totals			153.33 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date May 20, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 14 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of March 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.17	160.39	205 Deg F.	159 psig.	1630-1867' Tertiary Volcanics
Totals		160.39 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date April 7, 2003

RECEIVED

MAR 21 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

Division of Minerals
ORIGINAL-Div. File
DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of February 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.16	144.42	206 Deg F.	158 psig.	1630-1867' Tertiary Volcanics
Totals		144.42 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson
 Position Plant Manager
 Date March 17, 2003

RECEIVED

FEB 28 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of January 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	123.94	160.09	206 Deg F.	160 psig.	1630-1867' Tertiary Volcanics
Totals		160.09 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin Jackson

Position Plant Manager

Date February 25, 2003