

RECEIVED

JAN 24 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of December 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.09	157.82	205 Deg F.	161 psig.	1630-1867' Tertiary Volcanics
Totals			157.82 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date January 18, 2005

RECEIVED

DEC 27 2004

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of November 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.10	150.55	205 Deg F.	177 psig.	1630-1867' Tertiary Volcanics
Totals		150.55 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date December 20, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 15 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of October 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.12	142.74	206 Deg F.	153 psig.	1630-1867' Tertiary Volcanics
Totals		142.74 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date November 11, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 15 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of September 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.14	154.28	206 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals		154.28 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 

Position SITE MANAGER

Date November 11, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
RECEIVED

SEP 30 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of August 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.17	160.21	206 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals			160.21 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Position Missy Payne
Compliance Coordinator
 Date September 23, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 02 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of July 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.15	159.69	206 Deg F.	148 psig.	1630-1867' Tertiary Volcanics
Totals		159.69 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date August 27, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JUL 16 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of June 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.21	156.38	206 Deg F.	148 psig.	1630-1867' Tertiary Volcanics
Totals		156.38 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson
 Position Plant Manager
 Date July 13, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 02 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of May 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.20	161.34	206 Deg F.	147 psig.	1630-1867' Tertiary Volcanics
Totals			161.34 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date June 28, 2004

RECEIVED

MAY 28 2004

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of April 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.06	151.46	206 Deg F.	148 psig.	1630-1867' Tertiary Volcanics
Totals		151.46 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date May 24, 2004

RECEIVED

JUN 07 2004

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of March 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.19	160.82	206 Deg F.	150 psig.	1630-1867' Tertiary Volcanics
Totals		160.82 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin Jackson

Position Plant Manager

Date April 19, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NEMG

RECEIVED

MAR 26 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of February 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	4.99	144.76	206 Deg F.	149 psig.	1630-1867' Tertiary Volcanics
Totals		144.76 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date March 23, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 FEB 13 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of January 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.16	160.09	206 Deg F.	148 psig.	1630-1867' Tertiary Volcanics
Totals			160.09 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin Jackson

Position Plant Manager

Date February 10, 2004