

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JAN 30 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT** Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of December 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.00	154.86	203 Deg F.	174 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			154.86 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date January 20, 2006

RECEIVED

JAN 03 2006

cm

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

Division of Minerals
 ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of November 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.09	42.04	204 Deg F.	174 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		42.04 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date December 16, 2005

CAITHNESS
Beowawe Power, LLC

HC 66, Unit 1, Box 16
Beowawe, Nevada 89821
(775) 635-2130 • Fax (775) 635-2288

RECEIVED

JAN 03 2006

Division of Minerals

December 28, 2005

State of Nevada
Commission on Mineral Resources
Division of Minerals
400 W. King St., Suite 106
Carson City, NV 89703

Attention Ms. Christy Morris

SUBJECT: BEOWAWE POWER PLANT

GEOHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

GEOHERMAL SUBSURFACE INJECTION REPORT

Enclosed are the Beowawe Power Plant's "Geothermal Producer's Monthly Report," and "Report of Geothermal Subsurface Injection" for November 2005.

Should you have any questions, please contact me at (775) 635-2130.

Sincerely,



Kevin L. Jackson
Plant Manager

Enclosures

c: D. Wells
K. Hoffman
M. Miller
E. Allman
J. McCulloch

Beowawe Power, LLC

HC 66, Unit 1, Box 16
Beowawe, Nevada 89821
(775) 635-2130 * (775) 635-2288


RECEIVED

DEC 06 2005

Division of Minerals

November 30, 2005

State of Nevada
Commission on Mineral Resources
Division of Minerals
400 W. King St., Suite 106
Carson City, NV 89703

Attention Ms. Christy Morris

SUBJECT: BEOVAWE POWER PLANT

GEOHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

GEOHERMAL SUBSURFACE INJECTION REPORT

Enclosed are the Beowawe Power Plant's "Geothermal Producer's Monthly Report," and "Report of Geothermal Subsurface Injection" for October 2005.

Should you have any questions, please contact me at (775) 635-2130.

Sincerely,



Kevin L. Jackson
Plant Manager

Enclosures

c: D. Wells
K. Hoffman
M. Miller
E. Allman
J. McCulloch

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

DEC 06 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of October 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	0.02	0.02	0 Deg F.	0 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		0.02 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date November 29, 2005

Beowawe Plans down for the month.
Adm

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 07 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of September 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.03	151.04	205 Deg F.	160 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		151.04 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date October 28, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

OCT 03 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT** Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of August 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.10	158.01	205 Deg F.	161 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			158.01 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date September 26, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

OCT 03 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of July 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.14	159.32	205 Deg F.	161 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		159.32 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date August 27, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 01 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of July 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.12	153.71	205 Deg F.	161 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			153.71 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date July 27, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 05 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of May 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.11	158.54	205 Deg F.	159 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		158.54 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date June 27, 2005

RECEIVED

MAY 31 2005

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of April 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.03	146.38	205 Deg F.	147 psig.	1630-1867' Tertiary Volcanics
	Batz 1	Injectivity test	1.01	200 Deg F.	65 psig.	1443-1698' Tertiary Volcanics
Totals		147.39 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date May 25, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

RECEIVED

MAY 02 2005

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of March 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.05	155.38	205 Deg F.	168 psig.	1630-1867' Tertiary Volcanics
Totals		155.38 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date April 27, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 04 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of February 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.03	140.74	205 Deg F.	170 psig.	1630-1867' Tertiary Volcanics
Totals			140.74 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date March 25, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAR 03 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Beowawe Power, LLC Address HC66 Unit 1, Box 16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of January 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	4.98	154.46	205 Deg F.	165 psig.	1630-1867' Tertiary Volcanics
Totals		154.46 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date February 18, 2005