

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 02 2007

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of December 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.35	165.75	200 Deg F.	165 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			165.75 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date January 26, 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

DEC 26 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of November 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.34	160.28	200 Deg F.	169 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		160.28 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date December 13, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 09 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of October 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.42	165.43	200 Deg F.	171 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			165.43 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date November 06, 2006

a

Beowawe Power, LLC

HC 66, Unit 1, Box 16
Beowawe, Nevada 89821
(775) 635-2130 * (775) 635-2288

RECEIVED

NOV 09 2006

Division of Minerals

November 6, 2006

State of Nevada
Commission on Mineral Resources
Division of Minerals
400 W. King St., Suite 106
Carson City, NV 89703

Attention Ms. Christy Morris

SUBJECT: BEOVAWE POWER PLANT


GEOHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

GEOHERMAL SUBSURFACE INJECTION REPORT

Enclosed are the Beowawe Power Plant's "Geothermal Producer's Monthly Report," and "Report of Geothermal Subsurface Injection" for October 2006.

Should you have any questions, please contact me at (775) 635-2130.

Sincerely,



Kevin L. Jackson
Plant Manager

Enclosures

c: D. Wells
K. Hoffman
M. Miller
E. Allman
J. McCulloch

DOMMONRPT

RECEIVED

OCT 05 2006

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

Division of Minerals

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of September 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.44	163.23	202 Deg F.	171 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		163.23 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date October 02, 2006

RECEIVED

OCT 05 2006

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals
ORIGINAL-DIV. FILE

DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of August 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.44	168.78	202 Deg F.	171 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			168.78 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date September 28, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 10 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of July 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.40	167.43	202 Deg F.	166 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			167.43 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date August 07, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 10 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of June 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.27	158.20	204 Deg F.	167 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		158.20 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date July 28, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

AUG 10 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of May 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.55	162.86	205 Deg F.	185 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		162.86 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date June 30, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUN 05 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821
 Plant/Project Beowawe Unit County Lander Month of April 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.62	168.28	205 Deg F.	203 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			168.28 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson
 Position Plant Manager
 Date May 30, 2006

RECEIVED

APR 24 2006

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of March 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.60	173.61	204 Deg F.	202 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		173.61 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date April 18, 2006

RECEIVED

APR 03 2006

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

ORIGINAL-Div. File

DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of February 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.60	156.92	205 Deg F.	204 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals			156.92 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Kevin L. Jackson

Position Plant Manager

Date March 28, 2006

RECEIVED

MAR 03 2006

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals
ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of January 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.51	170.74	205 Deg F.	197 psig.	1630-1867' Tertiary Volcanics
	Batz 1	0.00	0.00	0 Deg F.	0 psig.	1443-1698' Tertiary Volcanics
Totals		170.74 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Kevin L. Jackson

Position Plant Manager

Date February 23, 2006