

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

**JAN 08 2010**

**Division of Minerals**

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of December / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.29	132.96	202 Deg F.	73 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.36	42.24	196 Deg F.	54 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>175.20 MMgal</b>				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date January 4, 2010

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

DEC 08 2009

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of November / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.32	126.35	201 Deg F.	72 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.35	39.59	194 Deg F.	53 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		165.94 MMgal				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar

Position Plant Manager

Date December 2, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

NOV 06 2009

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of October / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.73	129.97	204 Deg F.	89 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.01	27.81	199 Deg F.	49 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>157.78 MMgal</b>				

**This report to be filed by the end of the month following the month herein reported**

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date October 1, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

OCT 05 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of September / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.30	128.88	201 Deg F.	78 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.37	41.21	195 Deg F.	54 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		170.09 MMgal				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar

Position Plant Manager

Date October 1, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

SEP 11 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of August / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.38	135.87	202 Deg F.	76 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.33	41.34	196 Deg F.	53 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>177.20 MMgal</b>				

**This report to be filed by the end of the month following the month herein reported**

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature

  
 \_\_\_\_\_  
 Andy Kinkelaar

Position

\_\_\_\_\_ Plant Manager

Date

\_\_\_\_\_ September 3, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of July / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.43	137.32	201 Deg F.	82 psig.	1630-1867' Tertiary Volcanics
Batz	Batz 1	1.30	40.32	194 Deg F.	49 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>177.64 MMgal</b>				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar

Position Plant Manager

Date July 1, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

RECEIVED

JUL 10 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of June / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field  N-10916	85-18	4.44	133.23	202 Deg F.	86 psig.	1630-1867' Tertiary Volcanics
	Batz 1	1.27	38.06	195 Deg F.	48 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>171.29 MMgal</b>				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar

Position Plant Manager

Date July 1, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

**JUN 08 2009**

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of May / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	4.45	138.09	203 Deg F.	87 psig.	1630-1867' Tertiary Volcanics
	Batz 1	1.28	39.60	194 Deg F.	47 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		<b>177.69 MMgal</b>				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date June 1, 2009



STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

MAY 08 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821

Plant/Project Beowawe Unit County Lander Month of April / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field						
N-10916	85-18	4.87	142.00	207 Deg F.	118 psig.	1630-1867' Tertiary Volcanics
//	Batz 1	1.00	29.25	105 Deg F.	49 psig.	1443-1698' Tertiary Volcanics
<b>Totals</b>		171.25 MMgal				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar

Position Plant Manager

Date May 4, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**DIVISION OF MINERALS**

400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

RECEIVED

APR 09 2009

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT** Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of March / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.58	172.84	202 Deg F.	159 psig.	1630-1867' Tertiary Volcanics
<b>Totals</b>			<b>172.84 MMgal</b>			

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date April 1, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

MAR 05 2009

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT** Division of Minerals

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of February / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.62	157.27	202 Deg F.	159 psig.	1630-1867' Tertiary Volcanics
<b>Totals</b>			<b>157.27 MMgal</b>			

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date February 2, 2009

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**  
 FEB 09 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Beowawe Power, LLC Address HC66, Box 1-16, Beowawe, NV 89821


Plant/Project Beowawe Unit County Lander Month of January / 2009

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Beowawe Field N-10916	85-18	5.44	168.51	204 Deg F.	142 psig.	1630-1867' Tertiary Volcanics
<b>Totals</b>		168.51 MMgal				

This report to be filed by the end of the month following the month herein reported

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Andy Kinkelaar  
 Position Plant Manager  
 Date February 2, 2009