

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of December 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	6.01 Mgal	186.19 Mgal	240 Deg F.	58 psig.	550-580'
	MGI-2	6.59 Mgal	204.16 Mgal	240 Deg F.	48 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		390.35 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature William F. Dromie
Position Project Geologist
Date 1/2/96

RECEIVED

DEC 04 1995

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY **Div. of Minerals**
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of November 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	4.21 Mgal	126.44 Mgal	243 Deg F.	21 psig.	550-580'
	MGI-2	8.74 Mgal	262.19 Mgal	243 Deg F.	63 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		388.63 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William T. Doornick

Position

Project Geologist

Date

12/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

RECEIVED

NOV 02 1995

Div. of Minerals

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of October 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	3.27 Mgal	101.48 Mgal	245 Deg F.	15 psig.	550-580'
	MGI-2	9.86 Mgal	305.71 Mgal	244 Deg F.	69 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		407.19 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Dornier

Position

Project Geologist

Date

11/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of September 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.02 Mgal	0.61 Mgal	244 Deg F.	23 psig.	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	2.56 Mgal	76.89 Mgal	244 Deg F.	18 psig.	550-580'
	MGI-2	9.43 Mgal	282.88 Mgal	243 Deg F.	67 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		360.38 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Dornier

Position

Project Geologist

Date

10/2/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

SEP 06 1995

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Div. of Minerals

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of August 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	3.78 Mgal	117.19 Mgal	246 Deg F.	29 psig.	550-580'
	MGI-2	9.83 Mgal	304.69 Mgal	246 Deg F.	66 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		421.88 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Downie

Position

Project Geologist

Date

9/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

RECEIVED

AUG 03 1995

Div. of Minerals

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of July 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	0.62 Mgal	19.26 Mgal	248 Deg F.	20 psig.	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	6.08 Mgal	188.52 Mgal	246 Deg F.	59 psig.	550-580'
	MGI-2	7.24 Mgal	224.48 Mgal	246 Deg F.	48 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		432.26 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Droumeir

Position

Project Geologist

Date

8/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408
Plant/Project Brady SPL-6282 County Churchill Month of June 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	2.51 Mgal	75.23 Mgal	248 Deg F.	29 psig.	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	5.51 Mgal	165.43 Mgal	249 Deg F.	59 psig.	550-580'
	MGI-2	6.41 Mgal	192.44 Mgal	249 Deg F.	41 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	397-623'
Totals		433.09 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Downie

Position

Project Geologist

Date

7/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408
Plant/Project Brady SPL-6282 County Churchill Month of May 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.59 Mgal	18.26 Mgal	248 Deg F.	17 psig.	424-678'
	81A-1	6.95 Mgal	215.52 Mgal	247 Deg F.	51 psig.	485-704'
	18D-31	0.26 Mgal	8.12 Mgal	247 Deg F.	25 psig.	340-454'
	18B-31	4.36 Mgal	135.10 Mgal	247 Deg F.	54 psig.	550-580'
	MGI-2	2.82 Mgal	87.27 Mgal	247 Deg F.	18 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	MGI-1	0.57 Mgal	17.58 Mgal	92 Deg F.	31 psig.	397-623'
Totals		481.85 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature William L. Brown
Position Project Geologist
Date 6/4/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of April 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	6.43 Mgal	192.94 Mgal	246 Deg F.	33 psig.	485-704'
	18D-31	0.00 Mgal	0.00 Mgal	No Injection	No Injection	340-454'
	18B-31	4.64 Mgal	139.11 Mgal	246 Deg F.	49 psig.	550-580'
	MGI-2	2.74 Mgal	82.31 Mgal	247 Deg F.	16 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4077'
	82A-11	0.00 Mgal	0.00 Mgal	No Injection	No Injection	5709-5777'
	MGI-1	1.75 Mgal	52.43 Mgal	92 Deg F.	32 psig.	397-623'
Totals		466.79 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Quinlan

Position

Project Geologist

Date

5/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of March 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	5.56 Mgal	172.37 Mgal	245 Deg F.	50 psig.	485-704'
	18D-31	0.02 Mgal	0.51 Mgal	246 Deg F.	13 psig.	340-454'
	18B-31	4.92 Mgal	152.58 Mgal	245 Deg F.	63 psig.	550-580'
	MGI-2	0.75 Mgal	23.19 Mgal	244 Deg F.	14 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	0.24 Mgal	7.51 Mgal	245 Deg F.	8 psig.	4077'
	82A-11	0.10 Mgal	2.97 Mgal	243 Deg F.	11 psig.	5709-5777'
	MGI-1	1.76 Mgal	54.71 Mgal	93 Deg F.	29 psig.	397-623'
Totals		413.84 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Doornik

Position

Project Geologist

Date

4/3/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of February 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.


Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	3.54 Mgal	99.05 Mgal	245 Deg F.	50 psig.	485-704'
	18D-31	2.19 Mgal	61.32 Mgal	245 Deg F.	31 psig.	340-454'
	18B-31	4.73 Mgal	132.49 Mgal	245 Deg F.	56 psig.	550-580'
	MGI-2	1.30 Mgal	36.44 Mgal	245 Deg F.	17 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	2.28 Mgal	63.88 Mgal	245 Deg F.	12 psig.	4077'
	82A-11	0.00 Mgal	0.00 Mgal	No Injection	No Injection	5709-5777'
	MGI-1	1.45 Mgal	40.66 Mgal	92 Deg F.	31 psig.	397-623'
Totals			433.83 Mgal			

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Project Geologist

Date

3/1/95

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Power Services, Inc. Address P.O. Box 649, Fernley, NV 89408

Plant/Project Brady SPL-6282 County Churchill Month of January 1995

Show each injection well separately. File not later than the last day of the month for the preceding month.


Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation*
		Gallons per day	Gallons per month			
Brady Field (all) Lease SPL-6282 (all)	81B-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	424-678'
	81A-1	5.51 Mgal	170.68 Mgal	239 Deg F.	45 psig.	485-704'
	18D-31	0.08 Mgal	2.38 Mgal	248 Deg F.	43 psig.	340-454'
	18B-31	4.42 Mgal	137.07 Mgal	239 Deg F.	53 psig.	550-580'
	MGI-2	0.59 Mgal	18.32 Mgal	232 Deg F.	16 psig.	550-580'
	18-1	0.00 Mgal	0.00 Mgal	No Injection	No Injection	4560-5753'
	18A-1	1.52 Mgal	46.99 Mgal	243 Deg F.	21 psig.	4077'
	82A-11	0.00 Mgal	0.00 Mgal	No Injection	No Injection	5709-5777'
	MGI-1	1.46 Mgal	45.37 Mgal	91 Deg F.	33 psig.	397-623'
Totals		420.80 Mgal				

This report to be filed by the end of the month following the month herein reported

*All wells are in Cenozoic volcanic rocks with minor sedimentary units.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Position

Project Geologist

Date

2/1/95