

RECEIVED

JAN 16 2003

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: December 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average	Injection*	Reservoir
		MGal/day	MGal/month	Temp. F	Pres. psig	Depth
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.3	70.2	180.8	0.8	485-704'
SPL-6282	18D-31	3.5	109.1	180.8	0.8	340-454'
SPL-6282	18B-31	4.1	128.6	180.8	19.5	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.8	83.0	180.9	8.9	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.4	390.9			

This report to be filed by the end of the month following the month herein reported.

\*Note that with the OEC in service injection wells may run at vacume or near vacume.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: January 13, 2003

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project


Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: November 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.5	72.0	191.0	1.2	485-704'
SPL-6282	18D-31	3.0	91.1	190.3	0.8	340-454'
SPL-6282	18B-31	3.0	117.8	190.3	2.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	1.1	4.3	173.5	0.0	401-446'
N-62739	73-25	3.1	83.9	192.2	13.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		11.1	369.1			

This report to be filed by the end of the month following the month herein reported.

\*Note that with the OEC in service injection wells may run at vacume or near vacume.


I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: December 5, 2002



# Brady Power Partners

(An ORMAT Group Company)

January 15, 2003

State of Nevada  
Commission on Mineral Resources  
Division of Minerals  
400 West King Street, Suite 106  
Carson City, NV 89703

Subject: Monthly Reports for Desert Peak and Brady Power Plants

Brady Power Partners hereby submit the Commercial and Industrial Class Geothermal Electric Producers Monthly Reports and Geothermal Subsurface Injection Monthly Reports for Brady and Desert Peak Power Plants, both in Churchill County, for the month of November, 2002.

There was no injection testing of Desert Peak Well 22-22 this month. We will keep you informed of any further testing.

If you have any questions, or require further information, I can be reached at (775) 423-5800 or call Christy Morris at (775) 356-9029.

Sincerely,

Eric Sponsler  
Plant Manager

Office:  
980 Greg Street  
Sparks, NV 89431-6039  
Phone: (775) 356-9029  
Fax: (775) 356-9039

Coverlet DOM monthly 12-02  
Site:  
10750 I 80 East Exit 65  
Fallon, NV 89406  
Phone: (775) 423-5800  
Fax: (775) 423 5050

RECEIVED

NOV 13 2002

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: October 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.4	73.1	176.8	0.0	485-704'
SPL-6282	18D-31	2.0	60.5	176.8	0.0	340-454'
SPL-6282	18B-31	4.6	144.1	176.8	26.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	2.2	67.4	177.0	58.7	401-446'
N-62739	73-25	0.1	0.1	24.7	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>8.9</b>	<b>345.3</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note that with the OEC in service injection wells may run at vacume or near vacume.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: November 1, 2002

RECEIVED

OCT 08 2002

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES

Division of Minerals

**DIVISION OF MINERALS**

400 W.King Street, suite 106  
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: September 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.4	71.1	179.7	0.0	485-704'
SPL-6282	18D-31	1.9	56.6	179.7	0.0	340-454'
SPL-6282	18B-31	4.5	136.1	179.7	21.2	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.3	70.1	179.7	0.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		8.8	333.9			

This report to be filed by the end of the month following the month herein reported.

\*Note that with the OEC in service injection wells may run at vacume or near vacume.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: October 2, 2002

RECEIVED

SEP 09 2002

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, suite 106  
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: August 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.3	70.7	183.3	1.4	485-704'
SPL-6282	18D-31	2.2	67.8	182.9	2.2	340-454'
SPL-6282	18B-31	4.2	130.0	182.9	21.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.3	70.7	182.8	3.4	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		8.7	339.3			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: September 5, 2002

RECEIVED

AUG 22 2002

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: July 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.1	64.0	228.8	6.8	485-704'
SPL-6282	18D-31	2.8	87.1	228.8	4.7	340-454'
SPL-6282	18B-31	4.1	126.8	228.8	23.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	63.4	228.8	9.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>8.9</b>	<b>341.3</b>			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: August 20, 2002

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**RECEIVED**

JUL 10 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431


Plant/Project: Brady Power Project

County: Churchill Month: June 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.0	59.6	229.5	5.5	485-704'
SPL-6282	18D-31	3.4	100.6	229.5	4.5	340-454'
SPL-6282	18B-31	3.5	106.1	229.5	16.2	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.8	51.8	230.0	8.8	450-623'
N-62739	81-25	0.1	0.3	227.5	50.0	735-785'
N-62739	61-25	1.2	1.2	227.0	5.0	455-507'
<b>Total</b>		<b>10.0</b>	<b>319.5</b>			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: July 8, 2002



RECEIVED

JUN 10 2002

Division of Minerals

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
400 W.King Street, suite 106  
Carson City, Nevada 89703


COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners      Address: 980 Greg Street Sparks, NV 89431  
Plant/Project: Brady Power Project    County: Churchill    Month of: April 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month	Temp. F		
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.1	64.8	229.8	5.5	485-704'
SPL-6282	18D-31	3.6	111.9	229.8	4.7	340-454'
SPL-6282	18B-31	3.1	97.3	229.8	10.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.1	94.7	229.8	12.8	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.8	368.7			

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:   
Position: Eric Sponsler, Plant Manager  
Telephone: (775) 423-5800  
Date: June 6, 2002

RECEIVED

MAY 24 2002

Division of Minerals

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES

**DIVISION OF MINERALS**

400 W.King Street, suite 106  
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners      Address: 980 Greg Street Sparks, NV 89431  
Plant/Project: Brady Power Project    County: Churchill    Month of: April 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.0	60.5	229.1	5.3	485-704'
SPL-6282	18D-31	3.7	110.2	228.9	4.8	340-454'
SPL-6282	18B-31	3.2	94.7	228.9	10.3	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.4	103.5	228.9	15.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.3	368.8			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: May 22, 2002

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**RECEIVED**

**APR 17 2002**

Division of Minerals


**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners      Address: 980 Greg Street Sparks, NV 89431  
 Plant/Project: Brady Power Project    County: Churchill    Month of: February 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	3.2	99.9	231.4	8.8	340-454'
SPL-6282	18B-31	2.8	87.2	231.5	19.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.7	21.0	230.8	22.1	401-446'
N-62739	73-25	2.9	89.5	231.4	11.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>9.6</b>	<b>297.6</b>			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:  *C. Morris for*  
 Position: Eric Sponsler, Plant Manager  
 Telephone: (775) 423-5800  
 Date: April 15, 2002

RECEIVED

MAR 06 2002

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703


COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners      Address: 980 Greg Street Sparks, NV 89431  
 Plant/Project: Brady Power Project    County: Churchill    Month of: February 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	3.4	104.7	231.0	19.8	340-454'
SPL-6282	18B-31	2.7	84.1	230.9	36.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	1.1	33.1	231.2	57.1	401-446'
N-62739	73-25	1.4	42.3	231.1	8.5	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		8.5	264.2			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:   
 Position: Eric Sponsler, Plant Manager  
 Telephone: (775) 423-5800  
 Date: March 4, 2002

RECEIVED

MAR 04 2002

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners      Address: 980 Greg Street Sparks, NV 89431  
 Plant/Project: Brady Power Project    County: Churchill    Month of: January 2002

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	1.6	51.0	228.8	3.5	485-704'
SPL-6282	18D-31	3.9	121.3	228.5	29.6	340-454'
SPL-6282	18B-31	1.0	31.5	228.1	31.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	1.7	52.8	228.4	31.7	401-446'
N-62739	73-25	1.1	34.7	228.4	8.2	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		7.8	291.3			

This report to be filed by the end of the month following the month herein reported.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: February 26, 2002