

RECEIVED

JAN 26 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431
 County: Churchill Month: December 2003


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.7	144.2	180.9	0.0	340-454'
SPL-6282	18B-31	4.2	131.5	180.9	23.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.3	102.5	180.9	26.8	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		12.2	378.2			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: January 8, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

DEC 04 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431
 County: Churchill Month: November 2003


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.8	144.5	181.1	0.5	340-454'
SPL-6282	18B-31	4.4	126.8	181.3	20.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.2	95.6	181.1	20.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		12.4	366.9			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: December 1, 2003

RECEIVED

NOV 18 2003

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: October 2003


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.3	165.4	179.1	0.0	340-454'
SPL-6282	18B-31	3.9	119.5	179.1	14.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	62.5	179.1	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.2	347.4			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: November 13, 2003

RECEIVED

OCT 07 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W.King Street, suite 106
Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: September 2003


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.3	158.8	181.4	0.0	340-454'
SPL-6282	18B-31	4.0	119.5	181.4	18.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	61.3	181.4	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.3	339.5			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: October 6, 2003

RECEIVED

SEP 09 2003

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: July 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.8	135.0	182.7	0.0	340-454'
SPL-6282	18B-31	3.8	109.5	181.0	12.8	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.3	63.2	183.3	3.3	450-623'
N-62739	81-25	0.0	0.0	0.0	-0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.9	307.7			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: September 3, 2003

RECEIVED

AUG 08 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W.King Street, suite 106
Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: July 2003


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average	Injection*	Reservoir
		MGal/day	MGal/month	Temp. F	Pres. psig	Depth
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.4	136.4	183.1	0.0	340-454'
SPL-6282	18B-31	4.1	127.9	183.1	9.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.2	67.5	183.1	3.7	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.7	331.8			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells July run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: August 5, 2003

RECEIVED

JUL 11 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W.King Street, suite 106
Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners
Plant/Project: Brady Power Project


Address: 980 Greg Street Sparks, NV 89431
County: Churchill Month: June 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.4	133.0	181.6	0.0	340-454'
SPL-6282	18B-31	4.4	132.0	181.6	9.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.4	72.6	181.6	6.9	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.3	337.6			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells June run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: July 9, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

JUN 11 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project


County: Churchill Month: May 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	3.6	110.9	179.1	0.0	340-454'
SPL-6282	18B-31	4.6	142.8	179.1	9.8	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.6	80.4	179.1	8.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	1.1	18.3	181.7	0.0	455-507'
Total		11.9	352.3			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells may run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: June 9, 2003

RECEIVED

MAY 09 2003

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

Division of Minerals

DIVISION OF MINERALS

400 W.King Street, suite 106
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project


County: Churchill Month: April 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.2	125.4	181.1	0.0	340-454'
SPL-6282	18B-31	4.6	137.2	257.6	17.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.9	86.2	182.6	10.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	1.2	23.6	182.2	0.0	455-507'
Total		12.8	372.3			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells may run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: May 6, 2003

RECEIVED

APR 07 2003

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: March 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.5	133.7	183.3	2.5	340-454'
SPL-6282	18B-31	5.1	143.2	183.3	21.5	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.9	111.7	183.3	27.5	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		13.4	388.7			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells may run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: April 4, 2003

RECEIVED

MAR 20 2003

Division of Minerals

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES**DIVISION OF MINERALS**400 W.King Street, suite 106
Carson City, Nevada 89703COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project


County: Churchill Month: February 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.4	122.1	181.8	0.0	340-454'
SPL-6282	18B-31	4.6	128.4	181.8	19.8	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.8	102.7	181.4	27.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		12.7	353.2			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells may run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: March 7, 2003

RECEIVED

FEB 14 2003

Division of Minerals

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W.King Street, suite 106
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners
Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431
County: Churchill Month: January 2003

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.2	60.1	182.5	0.0	485-704'
SPL-6282	18D-31	3.9	118.5	182.6	0.0	340-454'
SPL-6282	18B-31	4.3	129.9	182.6	19.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.9	87.9	182.6	11.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.2	396.4			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells may run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: February 13, 2003