

RECEIVED

JAN 10 2006

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: December 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.0	155.1	175.6	14.6	340-454'
SPL-6282	18B-31	3.6	112.2	175.6	9.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.3	101.6	175.6	37.2	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.9	369.0			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: January 4, 2006

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**

400 W. King Street, suite 106  
 Carson City, Nevada 89703

**RECEIVED**

DEC 19 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: November 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.8	144.8	179.9	c	340-454'
SPL-6282	18B-31	3.7	110.4	179.9	11.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.3	98.8	179.9	34.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>11.8</b>	<b>354.0</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: December 12, 2005

RECEIVED

NOV 02 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: October 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.8	148.7	176.6	c	340-454'
SPL-6282	18B-31	3.7	114.5	176.6	0.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.1	63.9	176.6	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>10.6</b>	<b>327.2</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: November 1, 2005

RECEIVED

OCT 06 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: September 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.1	152.0	174.9	c	340-454'
SPL-6282	18B-31	3.7	110.8	174.9	0.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.8	54.9	174.9	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>10.6</b>	<b>317.7</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: October 3, 2005

RECEIVED

SEP 21 2005

Division of Minerals

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**

400 W.King Street, suite 106  
Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: August 2005


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.2	160.0	175.2	0.0	340-454'
SPL-6282	18B-31	3.7	115.0	175.2	14.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.8	55.2	175.2	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>10.6</b>	<b>330.1</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: September 14, 2005

RECEIVED

AUG 11 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: July 2005


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.4	166.7	182.6	0.0	340-454'
SPL-6282	18B-31	3.9	120.3	182.6	17.2	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	53.0	182.6	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>11.0</b>	<b>340.0</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: August 8, 2005

RECEIVED

JUL 13 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project

Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: June 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.1	153.8	179.7	0.0	340-454'
SPL-6282	18B-31	4.1	124.0	179.7	25.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.8	53.8	179.7	20.4	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		<b>11.1</b>	<b>331.6</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: July 8, 2005

RECEIVED

JUN 07 2005

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**

Division of Minerals

400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project


Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: May 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.4	136.8	179.7	0.0	340-454'
SPL-6282	18B-31	4.1	128.2	179.7	19.2	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	53.3	179.7	15.0	450-623'
N-62739	81-25	0.6	8.9	180.5	15.5	735-785'
N-62739	61-25	1.0	28.9	179.7	30.0	455-507'
<b>Total</b>		<b>11.9</b>	<b>356.1</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:   
 Position: Eric Sponsler, Plant Manager  
 Telephone: (775) 423-5800  
 Date: June 2, 2005



RECEIVED

MAY 05 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: April 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.7	140.5	174.8	0.0	340-454'
SPL-6282	18B-31	4.2	125.0	174.8	25.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.5	73.7	174.8	17.5	450-623'
N-62739	81-25	0.4	10.7	179.3	15.0	735-785'
N-62739	61-25	1.0	7.9	179.9	0.0	455-507'
<b>Total</b>		<b>12.7</b>	<b>357.6</b>			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: 

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: May 3, 2005

RECEIVED

APR 15 2005

Division of Minerals

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W.King Street, suite 106  
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners  
 Plant/Project: Brady Power Project


Address: 980 Greg Street Sparks, NV 89431  
 County: Churchill Month: March 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.4	137.5	172.7	0.0	340-454'
SPL-6282	18B-31	4.2	131.6	172.7	23.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.1	96.7	172.7	5.9	450-623'
N-62739	81-25	0.2	2.3	179.9	21.3	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
<b>Total</b>		12.0	368.1			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature:   
 Position: Eric Sponsler, Plant Manager  
 Telephone: (775) 423-5800  
 Date: April 8, 2005

RECEIVED

MAR 14 2005

Division of Minerals

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES

**DIVISION OF MINERALS**

400 W.King Street, suite 106  
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS  
GEOHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: February 2005

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.6	128.9	168.6	0.0	340-454'
SPL-6282	18B-31	4.1	113.7	168.7	12.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.3	92.3	165.4	0.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		12.0	334.9			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_

Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: March 8, 2005

RECEIVED

FEB 22 2005

STATE OF NEVADA  
COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**

400 W.King Street, suite 106  
Carson City, Nevada 89703

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: January 2005


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.9	151.0	173.9	0.0	340-454'
SPL-6282	18B-31	4.0	123.6	173.9	7.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.8	88.0	173.9	7.8	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.7	362.5			

This report to be filed by the end of the month following the month herein reported.

\*Note injection wells can run at or near vacuum with the OEC on line.

*I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.*

Signature: \_\_\_\_\_



Position: Eric Sponsler, Plant Manager

Telephone: (775) 423-5800

Date: February 15, 2005