

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

JAN 14 2008

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: December 2007

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.1	126.8	170.2	14.6	340-454'
SPL-6282	18B-31	3.7	115.8	170.2	11.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	42.4	175.8	7.7	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.5	284.9			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: January 7, 2008

RECEIVED

DEC 10 2007

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

Division of Minerals

400 W.King Street, suite 106
Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project


County: Churchill Month: November 2007

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.8	129.0	170.5	12.9	340-454'
SPL-6282	18B-31	4.2	113.6	170.5	10.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	47.6	175.2	20.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.0	290.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: December 4, 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

NOV 20 2007

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: October 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.9	151.7	173.2	14.4	340-454'
SPL-6282	18B-31	3.9	122.3	173.2	11.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.5	45.6	179.1	6.8	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.4	319.6			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: November 13, 2007

RECEIVED

OCT 10 2007

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: September 2007

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.0	150.4	177.9	13.3	340-454'
SPL-6282	18B-31	3.8	114.7	177.9	14.3	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.6	48.4	178.8	13.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.5	313.6			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: October 5, 2007

RECEIVED

OCT 04 2007

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: August 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.1	158.2	180.0	12.6	340-454'
SPL-6282	18B-31	3.9	122.1	178.6	17.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	49.5	176.8	11.8	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.8	329.9			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

RECEIVED

OCT 04 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: July 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.3	164.6	171.3	10.3	340-454'
SPL-6282	18B-31	3.7	115.9	171.3	15.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	53.2	171.4	15.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.8	333.6			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

RECEIVED

OCT 04 2007

Division of Minerals

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W.King Street, suite 106
Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project


County: Churchill Month: June 2007

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.4	161.7	179.6	13.4	340-454'
SPL-6282	18B-31	3.7	110.6	179.6	11.5	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.8	54.2	179.6	11.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.9	326.5			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

RECEIVED

OCT 04 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: May 2007

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.3	157.9	166.3	10.9	340-454'
SPL-6282	18B-31	3.5	105.6	166.3	18.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	58.7	166.3	18.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.8	322.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

RECEIVED

OCT 04 2007

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W. King Street, suite 106
Carson City, Nevada 89703

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: April 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	5.3	158.4	179.5	10.7	340-454'
SPL-6282	18B-31	3.7	107.6	179.5	18.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.8	79.5	179.5	39.4	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.8	345.5			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

RECEIVED

OCT 04 2007

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: March 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.3	133.6	178.4	4.9	340-454'
SPL-6282	18B-31	4.0	123.2	178.4	19.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.5	78.3	178.4	29.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.8	335.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature:



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

OCT 04 2007

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: February 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.9	137.7	174.0	11.3	340-454'
SPL-6282	18B-31	3.9	107.9	174.0	19.2	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.6	73.7	174.0	31.2	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.4	319.2			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

OCT 04 2007

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: 980 Greg Street Sparks, NV 89431

Plant/Project: Brady Power Project

County: Churchill Month: January 2007


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	4.9	151.5	173.4	12.6	340-454'
SPL-6282	18B-31	3.9	122.3	173.4	19.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.7	81.0	173.4	30.4	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		11.5	354.8			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: September 19, 2007