

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

JAN 15 2010

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners
 Plant/Project: Brady Power Project


Address: PO Box 649 Fernley, NV 89408
 County: Churchill Month: 12-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average	Injection*	Reservoir
		MGal/day	MGal/month	Temp. F	Pres. psig	Depth
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	1.5	38.2	211.4	0.0	485-704'
SPL-6282	18D-31	4.9	152.0	208.6	11.6	340-454'
SPL-6282	18B-31	3.1	95.9	208.6	9.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.9	72.8	208.5	21.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.9	358.8			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 
 Position: Dawn Clevenger, Compliance Specialist
 Telephone: (775) 423-5800 x 31221
 Date: January 11, 2010

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners
 Plant/Project: Brady Power Project


Address: PO Box 649 Fernley, NV 89408
 County: Churchill Month: 11-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.6	0.6	161.9	0.0	485-704'
SPL-6282	18D-31	4.0	120.7	168.8	14.1	340-454'
SPL-6282	18B-31	3.4	103.2	168.8	11.4	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.2	49.7	171.3	2.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.6	274.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 
 Position: Dawn Clevenger, Compliance Specialist
 Telephone: (775) 423-5800 x 31221
 Date: December 11, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

NOV 23 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 10-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	1.6	18.1	172.8	40.0	485-704'
SPL-6282	18D-31	3.1	96.8	169.5	13.0	340-454'
SPL-6282	18B-31	4.0	120.0	165.0	12.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	51.1	170.6	2.6	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.2	286.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____

Position: Dawn Clevenger, Compliance Specialist

Telephone: (775) 423-5800 x 31221

Date: November 20, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

OCT 21 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 09-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	3.5	104.7	175.7	13.9	340-454'
SPL-6282	18B-31	3.9	116.3	175.7	13.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.9	56.0	173.4	7.5	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.2	277.0			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Dawn Clevenger, Compliance Specialist

Telephone: (775) 423-5800 x 31221

Date: October 16, 2009

RECEIVED

SEP 21 2009

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 08-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	0.0	0.0	0.0	0.0	485-704'
SPL-6282	18D-31	3.7	113.5	179.4	13.0	340-454'
SPL-6282	18B-31	3.7	116.2	179.4	14.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.1	65.3	177.4	13.7	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.5	295.0			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____

Position: Dawn Clevenger, Compliance Specialist

Telephone: (775) 423-5800 x 31221

Date: September 15, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

AUG 17 2009

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Division of Minerals

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project


County: Churchill Month: 07-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	4.8	43.2	183.1	0.0	485-704'
SPL-6282	18D-31	4.1	98.4	179.2	6.3	340-454'
SPL-6282	18B-31	3.6	111.2	180.1	9.0	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.9	58.4	179.8	9.7	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.6	311.2			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 
 Position: Mike McVey, Plant Manager
 Telephone: (775) 423-5800
 Date: August 10, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

JUL 20 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 06-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	4.8	134.5	177.1	0.0	485-704'
SPL-6282	18D-31	5.0	10.0	177.0	1.0	340-454'
SPL-6282	18B-31	3.7	111.1	171.1	5.9	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.7	49.8	175.3	2.1	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		10.4	305.3			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: July 16, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

JUN 18 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 05-09


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.8	28.0	174.7	0.0	485-704'
SPL-6282	18D-31	6.4	165.5	190.0	6.0	340-454'
SPL-6282	18B-31	3.8	117.0	187.2	12.6	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.0	26.3	183.7	9.4	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		12.2	336.8			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: June 15, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

MAY 26 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 04-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	2.7	5.5	178.0	0.0	485-704'
SPL-6282	18D-31	2.8	83.3	169.6	12.8	340-454'
SPL-6282	18B-31	3.8	114.6	169.8	13.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.9	82.3	177.8	32.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.5	285.7			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: May 19, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W.King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

APR 20 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project

County: Churchill Month: 03-09


Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	4.7	71.1	177.7	45.0	485-704'
SPL-6282	18D-31	0.5	11.5	157.9	16.2	340-454'
SPL-6282	18B-31	3.9	119.9	155.9	13.7	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	3.1	86.6	177.8	32.3	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		7.5	289.1			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: _____



Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: April 9, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

MAR 20 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners

Address: PO Box 649 Fernley, NV 89408

Plant/Project: Brady Power Project


County: Churchill Month: 02-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	4.3	116.8	176.5	40.5	485-704'
SPL-6282	18D-31	2.9	11.5	100.1	0.0	340-454'
SPL-6282	18B-31	4.2	112.4	128.8	9.8	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	2.9	77.0	174.6	30.0	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		9.9	317.6			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: March 19, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, suite 106
 Carson City, Nevada 89703

RECEIVED

FEB 18 2009

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Operator: Brady Power Partners
 Plant/Project: Brady Power Project

Address: PO Box 649 Fernley, NV 89408
 County: Churchill Month: 01-09

Brady Hot Springs Lease Name	Well No.	Fluids Injected		Average Temp. F	Injection* Pres. psig	Reservoir Depth
		MGal/day	MGal/month			
SPL-6282	81B-1	0.0	0.0	0.0	0.0	424-678'
SPL-6282	81A-1	3.9	120.3	159.7	62.8	485-704'
SPL-6282	18D-31	0.0	0.0	105.9	0.0	340-454'
SPL-6282	18B-31	3.1	96.3	122.4	17.1	550-580'
SPL-6282	MGI-2	0.0	0.0	0.0	0.0	428-443'
N-62739	74-25	0.0	0.0	0.0	0.0	401-446'
N-62739	73-25	1.9	57.2	160.8	18.2	450-623'
N-62739	81-25	0.0	0.0	0.0	0.0	735-785'
N-62739	61-25	0.0	0.0	0.0	0.0	455-507'
Total		5.0	273.8			

This report to be filed by the end of the month following the month herein reported.

*Note injection wells can run at or near vacuum with the OEC on line.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature: 

Position: Pat Bonnett, Plant Manager

Telephone: (775) 423-5800

Date: February 13, 2009