

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: December, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,044,753	94,345,468	73.6		2030 - 3192
					Injecting hours this month (hrs): 743.67	
					Temperature metered at (F): 237.1	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: January 16, 1991

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: November, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,042,646	90,772,275	73.3		2030 - 3192
					Injecting hours this month (hrs): 716.00	
					Temperature metered at (F): 237.63	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: December 11, 1990

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: October, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,108,328	93,560,667	69.8		2030 - 3192
		Injecting hours this month (hrs):				
		Temperature metered at (F):			237.87	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: November 13, 1990

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: September, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,048,021	86,439,324	59.2		2030 - 3192
		Injecting hours this month (hrs):		680.62		
		Temperature metered at (F):		237.11		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: October 9, 1990

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: August, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,026,590	93,771,326	57.4		2030 - 3192
		Injecting hours this month (hrs): 743.58				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: September 4, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: July, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,003,583	92,825,726	49.98		2030 - 3192
					Injecting hours this month (hrs): 741.72	
					Temperature metered at (F): 239.45	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: August 13, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: June, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,999,713	89,991,396	90.04		2030 - 3192
		Injecting hours this month (hrs):		720.00		
		Temperature metered at (F):		238.07		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature :



Von W. Maynard

Position: Operations Superintendent

Date: July 6, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: May, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,026,094	93,808,913	152.1		2030 - 3192
					Injecting hours this month (hrs): 744.00	
					Temperature metered at (F): 237.29	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: June 6, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: April, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,992,961	89,598,016	141.9		2030 - 3192
					Injecting hours this month (hrs): 718.47	
					Temperature metered at (F): 238.48	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : F. L. Mann FOR

Von W. Maynard

Position: Operations Superintendent

Date: May 4, 1990

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: March, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,052,489	92,392,488	124.4		2030 - 3192
		Injecting hours this month (hrs):		726.43		
		Temperature metered at (F):		238.5		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: April 2, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: February, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,037,585	84,596,754	108.8		2030 - 3192
		Injecting hours this month (hrs):		668.40		
		Temperature metered at (F):		237.2		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: March 1, 1990

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: January, 1990

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,987,904	92,469,394	107		2030 - 3192
					Injecting hours this month (hrs): 742.75 Temperature metered at (F): 238	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature :

Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: February 26, 1990