

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: December 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,663,778	77,291,739	116.6		2030 - 3192
					Injecting hours this month (hrs): 696.38	
					Temperature metered at (F): 230.91	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : _____

Von W. Maynard

Position: Operations Superintendent

Date: January 5, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: November, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,820,801	83,900,020	126.6		2030 - 3192
		Injecting hours this month (hrs):			713.84	
		Temperature metered at (F):			231.05	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: December 2, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: October, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,698,983	80,488,163	110.5		2030 - 3192
		Injecting hours this month (hrs):			715.72	
		Temperature metered at (F):			233.4	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: November 22, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: September, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,845,103	74,648,390	122.8		2030 - 3192
		Injecting hours this month (hrs):		629.70		
		Temperature metered at (F):		237.23		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: October 31, 1993

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEF

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: August, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,794,236	86,621,331	131.0		2030 - 3192
		Injecting hours this month (hrs):			744.00	
		Temperature metered at (F):			236.71	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: September 8, 1993

DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: July, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,837,824	86,573,730	134.9		2030 - 3192
		Injecting hours this month (hrs):			732.17	
		Temperature metered at (F):			236.83	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: August 5, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: June, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	3,018,280	90,548,406	135.3		2030 - 3192
		Injecting hours this month (hrs):		720.00		
		Temperature metered at (F):		236.35		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: July 17, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DRP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: May, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,821,574	46,747,609	121.0		2030 - 3192
		Injecting hours this month (hrs):		397.63		
		Temperature metered at (F):		234.57		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: June 7, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: April, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,802,081	83,712,182	120.4		2030 - 3192
		Injecting hours this month (hrs):		717.00		
		Temperature metered at (F):		234.57		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: July 19, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: March, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,694,025	83,383,445	111.0		2030 - 3192
		Injecting hours this month (hrs):			742.83	
		Temperature metered at (F):			234.48	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: April 9, 1993

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: February, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,794,304	78,240,513	106.6		2030 - 3192
		Injecting hours this month (hrs):				
		Temperature metered at (F):			217.04	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: March 6, 1993

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: January, 1993

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,807,859	86,931,327	99.17		2030 - 3192
		Injecting hours this month (hrs):				
		Temperature metered at (F):			231.53	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: February 4, 1993