

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NBM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: December 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,571,829	79,726,691	55		2030 - 3192
		Injecting hours this month (hrs):		744.00		
		Temperature metered at (F):		228		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: January 2, 1996

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NBM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: November 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,598,775	77,096,981	53.63		2030 - 3192
					Injecting hours this month (hrs): 712.00	
					Temperature metered at (F): 226.5	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature :

*Von W. Maynard*  
*by Brett Cassell*

Von W. Maynard

Position: Operations Superintendent

Date: December 2, 1995

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NEM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: October 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,599,455	80,691,408	49.68		2030 - 3192
					Injecting hours this month (hrs): 745.00	
					Temperature metered at (F): 228.65	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: November 2, 1995

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDOM  
 Dup - NEM&G  
 Trip - DWR  
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: September 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,641,409	79,113,491	51.93		2030 - 3192
		Injecting hours this month (hrs):		718.83		
		Temperature metered at (F):		229.47		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: October 5, 1995

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NEM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: August 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,720,485	82,684,609	51.83		2030 - 3192
					Injecting hours this month (hrs): 729.44	
					Temperature metered at (F): 226.67	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: September 7, 1995

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NEM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: July 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,615,361	80,994,447	49.87		2030 - 3192
					Injecting hours this month (hrs): 743.25	
					Temperature metered at (F): 229.77	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature :



Von W. Maynard

Position: Operations Superintendent

Date: August 4, 1995

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDCM  
 Dup - NEM&G  
 Trip - DWR  
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: June 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,546,753	75,386,023	38.5		2030 - 3192
					Injecting hours this month (hrs): 710.42	
					Temperature metered at (F): 227.23	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: July 3 1995

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDOM  
 Dup - NEM&G  
 Trip - DWR  
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: May 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,591,235	80,328,281	27.06		2030 - 3192
		Injecting hours this month (hrs):			744.00	
		Temperature metered at (F):			225.81	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: June 2 1995



DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NBM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: April 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,488,794	74,335,092	11.33		2030 - 3192
					Injecting hours this month (hrs): 716.83	
					Temperature metered at (F): 222.33	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: May 4 1995

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NEM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: March 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,469,304	74,135,702	0		2030 - 3192
					Injecting hours this month (hrs): 720.55	
					Temperature metered at (F): 221.71	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: April 6 1995

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDOM  
 Dup - NBM&G  
 Trip - DWR  
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: February 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,153,673	59,928,648	91.57		2030 - 3192
		Injecting hours this month (hrs): 667.83				
		Temperature metered at (F): 219.79				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: March 1, 1995

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NEM&G  
Trip - DWR  
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: January 1995

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,583,896	80,100,762	113.2		2030 - 3192
					Injecting hours this month (hrs): 744.00	
					Temperature metered at (F): 225.81	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: February, 1995