

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: December, 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,504,735	76,497,725	56.7		2030 - 3192
		Injecting hours this month (hrs):		732.99		
		Temperature metered at (F):		221.68		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: January 8, 1997

DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NEM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: November, 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,498,242	72,903,894	61		2030 - 3192
		Injecting hours this month (hrs):		700.37		
		Temperature metered at (F):		223.27		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Vns W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: December 3, 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: October, 1996


Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,414,193	70,698,622	69.47		2030 - 3192
		Injecting hours this month (hrs):		702.83		
		Temperature metered at (F):		228.17		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : 

Von W. Maynard

Position: Operations Superintendent

Date: November 6, 1996

DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: September, 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press.	Res. Form.	Reservoir depth
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,513,294	73,513,859	62		2030 - 3192
		Injecting hours this month (hrs):			702.00	
		Temperature metered at (F):			226	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: October 5, 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: August, 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,544,154	77,747,211	62		2030 - 3192
					Injecting hours this month (hrs): 733.42 Temperature metered at (F): 228	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: September 8, 1996

DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDM
 Dup - NEM&G
 Trip - DWR
 Quad - DRP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: July 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,563,475	78,799,076	73.13		2030 - 3192
		Injecting hours this month (hrs):				737.74
		Temperature metered at (F):		227.94		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: August, 2 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NEM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: June 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,496,989	74,909,675	66.9		2030 - 3192
					Injecting hours this month (hrs): 720.00	
					Temperature metered at (F): 224.5	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: July 3, 1996

DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: May 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,522,254	78,189,870	52		2030 - 3192
		Injecting hours this month (hrs):			744.00	
		Temperature metered at (F):			228	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: June 3, 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: April 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,536,520	75,989,912	52.07		2030 - 3192
		Injecting hours this month (hrs):			719.00	
		Temperature metered at (F):			228	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature :

Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: May 6, 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: March 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,617,049	80,277,972	53.94		2030 - 3192
		Injecting hours this month (hrs):			736.20	
		Temperature metered at (F):			226.13	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : *Von W. Maynard*

Von W. Maynard

Position: Operations Superintendent

Date: April 4, 1996

DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: February 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,555,551	74,110,965	52		2030 - 3192
		Injecting hours this month (hrs):			696.00	
		Temperature metered at (F):			228	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: March 7, 1996

DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: Western States Geothermal Co. Month: January 1996

Address: P. O. Box 2627, Sparks, NV 89432-2627

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir depth (feet)
		Gallons per day (operating)	Gallons per month			
Desert Peak	21-2	2,564,089	79,486,750	52		2030 - 3192
		Injecting hours this month (hrs):			744.00	
		Temperature metered at (F):			228	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature : Von W. Maynard

Von W. Maynard

Position: Operations Superintendent

Date: February 8, 1996