

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

Orig - NDOM  
Dup - NBMG

Page 1 of 2

RECEIVED

JAN 14 1999

Div. of Minerals

## REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: December, 1998

Address: P.O. Box 649, Fernley, Nv. 89408

Telephone: (702) 423-5800

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,251,808	68,414,308	172.2	2030-3192

Injecting hours this month: 729.17  
Injection temperature at wellhead: 218.9

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Missy Payne  
Missy Payne  
Position: Agent, Brady Power Partners

Date: January 4, 1999

**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

Orig - NDOM  
 Dup - NBMG  
 Page 1 of 2

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

RECEIVED

DEC 04 1998

Div. of Minerals

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: **November, 1998**

Address: P.O. Box 649, Fernley, Nv. 89408


Telephone: (702) 423-5800

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,307,880	69,108,176	165.8	2030-3192

Injecting hours this month: 718.67  
 Injection temperature at wellhead: 217.1

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature:   
 Missy Payne  
 Position: Agent, Brady Power Partners

Date: December 1, 1998

RECEIVED

DIVISION OF MINERALS NOV 16 1998 Orig - NDOM  
400 W. King Street, Suite 106 Div. of Minerals Dup - NBMG  
Carson City, Nevada 89710  
(702) 687-5050 Page 1 of 2

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Owner: Western States Geothermal Co.  
Operator: Brady Power Partners Month: October, 1998  
Address: P.O. Box 649, Fernley, Nv. 89408  
Telephone: (702) 423-5800

Field and Lease Name	Well No. Permit No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,312,953	70,980,342	163.1	2030-3192

Injecting hours this month: 736.52  
Injection temperature at wellhead: 220.4

Remarks:  
I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Missy Payne  
Missy Payne  
Position: Agent, Brady Power Partners

Date: November 2, 1998

RECEIVED

OCT 05 1998

DIVISION OF MINERALS

Orig - NDOM

400 W. King Street, Suite 106  
Carson City, Nevada 89710

Div. of Minerals

Dup - NBMG

(702) 687-5050

Page 1 of 2

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: September, 1998

Address: P.O. Box 649, Fernley, Nv. 89408

Telephone: (702) 423-5800

Field and Lease Name	Well No. Permit No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,210,691	58,710,734	159.1	2030-3192

Injecting hours this month: 637.38  
Injection temperature at wellhead: 219.9

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Missy Payne  
Missy Payne

Position: Agent, Brady Power Partners

Date: October 1, 1998

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

Orig - NDOM  
Dup - NBMG

Page 1 of 2

RECEIVED

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

SEP 02 1998

Div. of Minerals

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: August, 1998

Address: P.O. Box 649, Fernley, Nv. 89408

Telephone: (702) 423-5800

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,283,222	70,779,874	158.7	2030-3192

Injecting hours this month: 744  
Injection temperature at wellhead: 219.5

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Missy Payne  
Missy Payne  
Position: Agent, Brady Power Partners

Date: September 1, 1998

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

Orig - NDOM  
Dup - NBMG

Page 1 of 2

RECEIVED

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

AUG 06 1998

Div. of Minerals

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: July, 1998

Address: P.O. Box 649, Fernley, Nv. 89408

Telephone: (702) 423-5800

Field and Lease Name	Well No. Permit No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,318,523	71,874,214	160.0	2030-3192

Injecting hours this month: 744  
Injection temperature at wellhead: 221.1

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Missy Payne  
Missy Payne  
Position: Agent, Brady Power Partners

Date: August 4, 1998

JUL 06 1998

Div. of Minerals

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

Orig - NDOM  
 Dup - NBMG  
 Page 1 of 2

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

Month: June, 1998

Address: P.O. Box 649, Fernley, Nv. 89408


Telephone: (702) 423-5800

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,339,276	68,626,567	148.7	2030-3192

Injecting hours this month: 704.08  
 Injection temperature at wellhead: 220.1

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature:   
 Missy Payne  
 Position: Agent, Brady Power Partners

Date: July 1, 1998

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

Orig - NDOM  
Dup - NBMG

Page 1 of 2

**RECEIVED**

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

JUN 09 1998

*Div. of Minerals*

Owner: Western States Geothermal Co.

Operator: Brady Power Partners  
Address: P.O. Box 649, Fernley, Nv. 89408  
Telephone: (702) 423-5800

Month: May, 1998

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,356,259	73,044,030	134.0	2030-3192

Injecting hours this month: 744  
Injection temperature at wellhead: 219.1

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: *Missy Payne*  
Missy Payne  
Position: Agent, Brady Power Partners

Date: June 8, 1998



JUN 25 1998

Div. of Minerals

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

Orig - NDOM  
 Dup - NBMG

Page 1 of 2

## REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Owner: Western States Geothermal Co.

Operator: Brady Power Partners

April 5-30, 1998

Address: P.O. Box 649, Fernley, Nv. 89408

Revised June 19, 1998


Telephone: (702) 423-5800

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
	Permit No.	Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,366,739	59,133,961	127.7	2030-3192

Injecting hours this month: 599.65  
 Injection temperature at wellhead: 211.3

Remarks:

This report covers April 5 - 30, beginning at 1845 hours on April 5, when the Desert Peak Plant line was connected with the Brady Power Plant.

Signature:   
 Missy Payne

Position: Agent, Brady Power Partners

Date: June 19, 1998

JUN 25 1998

Div. of Minerals

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

Orig - NDOM  
 Dup - NBMG

Page 1 of 2

## REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Owner: Western States Geothermal Co.  
 Operator: Brady Power Partners April 1-4, 1998  
 Address: P.O. Box 649, Fernley, Nv. 89408  
 Telephone: (702) 423-5800 Revised 6/19/98

Field and Lease Name	Well No. Permit No.	Geothermal Fluids Injected		Inj. Press. (psig)	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month		
Desert Peak	21-2	2,356,923	7,944,795	127.5	2030-3192

Injecting hours this month: 80.9  
 Injection temperature at wellhead: 218.5

### Remarks:

This report covers the period of April 1-4, 1998, prior to disconnection from SPPCo. and activation of Sublease Agreement with Brady Power Partners.

Signature:   
 Missy Payne  
 Position: Agent, Brady Power Partners

Date: June 19, 1998

RECEIVED

MAY 20 1998

Div. of Minerals

DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 885-5050

Orig - NDOM  
Dup - NBM&G

Page 1 of 2

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Operator: Brady Power Partners  
Owner: Western States Geothermal Co. Month: April, 1998  
Address: P.O. Box 649, Fernley, Nv. 89408  
Telephone: (702) 423-5800

Each injection well to be shown separately. File not later than the last day of the following month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month			
Desert Peak	21-2	2,362,600	66,994,486	131.9		2030-3192

Injecting hours this month: 680.55  
Injection temperature at wellhead 219.3

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Don Wells  
Don Wells  
Position: Plant General Manager  
Date: May 12, 1998

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 865-5050

Orig - NDOM  
 Dup - NBM&G  
 Trip - DWR  
 Quad - DEP

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Producer : Western States Geothermal Co.                      Month:      March, 1998  
 Address:    P.O. Box 2627, Sparks, Nv. 89432-2627

Each injection well to be shown separately. File not later than the last day of the following month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month			
Desert Peak	21-2	2,362,779	73,246,155	137.1		2030- 3192

Injecting hours this month:                      744  
 Injection temperature at wellhead            219.3

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: *Von W. Maynard*  
 Von W. Maynard  
 Position:    Operations Superintendent  
 Date:                      April 3, 1998

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDOM  
 Dup - NBM&G  
 Trip - DWR  
 Quad - DEP

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Producer : Western States Geothermal Co. Month: February, 1998  
 Address: P.O. Box 2627, Sparks, Nv. 89432-2627

Each injection well to be shown separately. File not later than the last day of the following mor

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month			
Desert Peak	21-2	2,377,628	66,316,007	120.7		2030-3192

Injecting hours this month: 669.4  
 Injection temperature at wellhead 222.2

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Von W. Maynard  
 Von W. Maynard  
 Position: Operations Superintendent  
 Date: March 4, 1998

DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 885-5050

Orig - NDOM  
 Dup - NBM&G  
 Trip - DWR  
 Quad - DEP

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**

Producer : Western States Geothermal Co.                      Month:      January, 1998  
 Address:    P.O. Box 2627, Sparks, Nv. 89432-2627

Each injection well to be shown separately. File not later than the last day of the following mor

Field and Lease Name	Well No.	Geothermal Fluids Injected		Inj. Press. (psig)	Res. Form.	Reservoir Depth (feet)
		Gallons per Day Operating	Gallons per Month			
Desert Peak	21-2	2,405,109	74,067,312	123.5		2030- 3192

Injecting hours this month:                      739  
 Injection temperature at wellhead            219.6

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: Von W. Maynard  
 Von W. Maynard  
 Position: Operations Superintendent  
 Date: