

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of December 1992

Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	5.50 Mgal	170.53 Mgal	19 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.34 Mgal	41.49 Mgal	24 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.14 Mgal	35.24 Mgal	28 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.17 Mgal	36.40 Mgal	45 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.51 Mgal	15.66 Mgal	44 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.16 Mgal	36.04 Mgal	52 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.57 Mgal	17.59 Mgal	21 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.22 Mgal	37.79 Mgal	26 psig.	Miocene Basalt	7070-7450'
Totals			390.74 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

11/30/92



DIXIE VALLEY GEOTHERMAL UNIT QUARTERLY PROGRESS REPORT FOURTH QUARTER 1992

Oxbow's Dixie Valley geothermal power plant completed this quarter with only minor curtailments, maintenance outages, and unscheduled trips.

POWER PLANT

The plant operated through the months of October, November and December at capacity factors of 110%, 110% and 110%, respectively. The annual capacity factor to date is 110% and the availability factor for the year is 99%.

TRANSMISSION LINE

There have been various curtailments by SCE while performing line maintenance.

INJECTION SYSTEM

All eight injection wells were in-service this quarter. All brine is being injected.

PRODUCTION WELLS

Production Well 76-7 was closed in due to cooling and poor performance.

All other production wells were in-service this quarter. The production wells are throttled back to maintain a net 56 MW at Bishop.

PARTICIPATING AREA

There were no changes in the P.A. during this quarter.

SURFACE DISCHARGE

There were a couple of incidences when there were brief surface discharges for various maintenance work. All surface discharges were within allowable permit requirements.

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer Oxbow Geothermal Corp. Month of November 1992
 Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	5.05 Mgal	151.48 Mgal	12 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.43 Mgal	42.76 Mgal	16 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.11 Mgal	33.29 Mgal	19 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.20 Mgal	36.11 Mgal	36 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.46 Mgal	13.86 Mgal	35 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.10 Mgal	32.91 Mgal	43 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.55 Mgal	16.57 Mgal	11 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.29 Mgal	38.73 Mgal	17 psig.	Miocene Basalt	7070-7450'
Totals			365.72 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name 
 Stephen Schumacher
 Position Project Manager
 Date 12/30/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of October 1992

Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.81 Mgal	149.13 Mgal	26 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.35 Mgal	41.96 Mgal	30 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.04 Mgal	32.30 Mgal	28 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.22 Mgal	37.77 Mgal	45 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.43 Mgal	13.47 Mgal	44 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.10 Mgal	33.99 Mgal	53 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.56 Mgal	17.39 Mgal	19 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.31 Mgal	40.64 Mgal	25 psig.	Miocene Basalt	7070-7450'
Totals			366.65 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

12/1/92

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of September 1992
Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.76 Mgal	142.78 Mgal	36 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.36 Mgal	40.77 Mgal	39 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	0.99 Mgal	29.63 Mgal	37 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.10 Mgal	33.01 Mgal	51 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.36 Mgal	10.87 Mgal	50 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	0.96 Mgal	28.80 Mgal	60 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.50 Mgal	15.01 Mgal	29 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.26 Mgal	37.84 Mgal	35 psig.	Miocene Basalt	7070-7450'
Totals			338.72 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name



Stephen Schumacher

Position

Project Manager

Date

10/25/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of August 1992
 Address 5250 S. Virginia St., Suite 304, Reno, NV 89502


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.91 Mgal	152.19 Mgal	46 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.47 Mgal	45.51 Mgal	48 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.01 Mgal	31.44 Mgal	52 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.21 Mgal	37.54 Mgal	67 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.44 Mgal	13.71 Mgal	66 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.09 Mgal	33.73 Mgal	72 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.57 Mgal	17.82 Mgal	43 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.37 Mgal	42.48 Mgal	49 psig.	Miocene Basalt	7070-7450'
Totals			374.43 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

9/29/92

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of July 1992

Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.92 Mgal	152.50 Mgal	39 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.30 Mgal	40.22 Mgal	41 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.01 Mgal	31.39 Mgal	39 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.25 Mgal	38.84 Mgal	54 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.46 Mgal	14.35 Mgal	53 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.12 Mgal	34.68 Mgal	59 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.59 Mgal	18.27 Mgal	30 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.38 Mgal	42.85 Mgal	36 psig.	Miocene Basalt	7070-7450'
Totals		373.10 Mgal				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name

Stephen E Schumacher
Stephen Schumacher

Position

Project Manager

Date

8/27/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

RECEIVED
 AUG 03 1992
 Dept. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of June 1992

Address 5250 S. Virginia St., Suite 304, Reno, NV 89502


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.95 Mgal	148.47 Mgal	37 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.30 Mgal	39.11 Mgal	38 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.05 Mgal	31.41 Mgal	33 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.31 Mgal	39.19 Mgal	49 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.42 Mgal	12.60 Mgal	48 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.12 Mgal	33.72 Mgal	55 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.60 Mgal	17.87 Mgal	24 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.43 Mgal	42.91 Mgal	31 psig.	Miocene Basalt	7070-7450'
Totals			365.28 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

7/30/92

RECEIVED

JUL 14 1992

OXBOW GEOTHERMAL

Dept. of Minerals

July 13, 1992

Mr. Tom Gallagher
Division of Water Resources
123 West Nye Lane
Carson City, Nevada 89710

Subject: Second Quarter, 1992, Dixie Valley water
production, injection and consumption.

Dear Tom:

Enclosed is the second quarter report on the 1992 water
production, injection and consumption for the Dixie Valley
geothermal power plant. Also included are the yearly
cumulative and the totals for the first quarter.

If you have any questions please call me or Dick Benoit.
Thank you.

Sincerely,



William L. Desormier
Geologist

Distribution: T. Diehl
C.D. Wells
R. Hoops, BLM
K. Loomis, DOM

Division Of Water Resources
 123 West Nye Lane
 Carson City, Nevada 89710
 (702) 687-4380

Oxbow Geothermal Corporation
 5250 South Virginia Street, Suite 304
 Reno, Nevada 89502
 (702) 825-4345

Dixie Valley Power Plant

Well	Second Quarter	1992		Geothermal Water Produced	
	April	May	June	Total	
27-33	95.59	106.30	107.41	309.30	
28-33	241.34	268.38	271.18	780.90	
45-33	93.65	104.15	105.23	303.03	
63-7	187.65	196.15	196.15	579.96	
73-7	170.80	191.86	197.89	560.55	
74-7	189.20	197.77	197.77	584.74	
76-7	125.42	52.87	0.00	178.29	
82-7	222.56	250.01	257.87	730.44	
84-7	121.04	126.51	126.52	374.07	
Total	1447.24	1494.01	1460.02	4401.27 acre-feet	

Well	Second Quarter	1992		Potable Water Produced	
	April	May	June	Total	
W62-7	0.1	0.07	0.09	0.26	
W45-5	0.00	0.00	0.00	0.00	
Total	0.10	0.07	0.09	0.26 acre-feet	

Well	Second Quarter	1992		Injected Water	
	April	May	June	Total	
25-5	451.14	465.98	454.07	1371.19	
45-5	119.40	120.61	119.61	359.61	
32-18	104.07	99.69	96.06	299.82	
41-18	124.44	122.80	119.86	367.10	
52-18	42.77	42.37	38.54	123.68	
65-18	99.09	106.16	103.14	308.39	
SWL-1	55.72	57.16	54.64	167.53	
SWL-3	134.79	136.79	131.24	402.82	
Total	1131.42	1151.56	1117.16	3400.14 acre-feet	

Potable	Second Quarter	Totals		(acre-feet)	
	Geothermal	Production	Total	Injection	Consumption
0.26	4401.27	4401.53		3400.14	1001.39

Potable	1992	Cumulative		(acre-feet)	
	Geothermal	Production	Total	Injection	Consumption
0.68	8791.35	8792.03		6880.57	1911.45

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of May 1992
 Address 5250 S. Virginia St., Suite 304, Reno, NV 89502


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.91 Mgal	152.36 Mgal	39 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.27 Mgal	39.43 Mgal	41 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.05 Mgal	32.60 Mgal	32 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.30 Mgal	40.15 Mgal	48 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.45 Mgal	13.85 Mgal	48 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.12 Mgal	34.71 Mgal	55 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.60 Mgal	18.69 Mgal	24 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.44 Mgal	44.73 Mgal	30 psig.	Miocene Basalt	7070-7450'
Totals			376.53 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

6/22/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of April 1992


Address 200 S. Virginia St., #450, Reno, NV 89501

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.92 Mgal	147.51 Mgal	43 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.30 Mgal	39.04 Mgal	45 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.13 Mgal	34.03 Mgal	35 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.36 Mgal	40.69 Mgal	52 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.47 Mgal	13.99 Mgal	51 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.08 Mgal	32.40 Mgal	59 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.61 Mgal	18.22 Mgal	27 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.47 Mgal	44.07 Mgal	32 psig.	Miocene Basalt	7070-7450'
Totals			369.94 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name 
 Stephen Schumacher

Position Project Manager

Date 5/26/92

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of March 1992

Address 200 S. Virginia St., #450, Reno, NV 89501

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	4.81 Mgal	149.19 Mgal	39 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.32 Mgal	40.91 Mgal	41 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.16 Mgal	35.99 Mgal	30 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.36 Mgal	42.20 Mgal	46 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.46 Mgal	14.28 Mgal	46 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.00 Mgal	30.94 Mgal	54 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.59 Mgal	18.14 Mgal	22 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.48 Mgal	45.76 Mgal	28 psig.	Miocene Basalt	7070-7450'
Totals			377.40 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name

Stephen E. Schumacher
Stephen Schumacher

Position

Project Manager

Date

4/24/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of February 1992
 Address 200 S. Virginia St., #450, Reno, NV 89501


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	5.08 Mgal	147.35 Mgal	59 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.29 Mgal	37.36 Mgal	60 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.16 Mgal	33.66 Mgal	49 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.45 Mgal	42.07 Mgal	68 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.54 Mgal	15.55 Mgal	67 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.03 Mgal	29.86 Mgal	74 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.63 Mgal	18.16 Mgal	43 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.47 Mgal	42.64 Mgal	48 psig.	Miocene Basalt	7070-7450'
Totals			366.65 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name



Stephen Schumacher

Position

Project Manager

Date

3/31/92

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Oxbow Geothermal Corp. Month of January 1992

Address 200 S. Virginia St., #450, Reno, NV 89501


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name Dixie Valey (all)	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir Depth
		Gallons per day	Gallons per month			
N-12393	25-5	5.25 Mgal	162.68 Mgal	64 psig.	Miocene Basalt	6193-6215'
N-12393	45-5	1.01 Mgal	31.28 Mgal	65 psig.	Miocene Basalt	6200-6300'
Lamb Fee	32-18	1.16 Mgal	36.06 Mgal	49 psig.	Miocene Basalt	7360-7374'
Lamb Fee	41-18	1.53 Mgal	47.53 Mgal	67 psig.	Jurassic Gabbro	9635-9700'
Lamb Fee	52-18	0.59 Mgal	18.18 Mgal	66 psig.	Jurassic Gabbro	9500-9600'
N-12862	65-18	1.05 Mgal	32.46 Mgal	74 psig.	Jurassic Gabbro	9265-9417'
Lamb Fee	SWL-1	0.65 Mgal	20.06 Mgal	42 psig.	Miocene Basalt	7191-7256'
Lamb Fee	SWL-3	1.47 Mgal	45.70 Mgal	47 psig.	Miocene Basalt	7070-7450'
Totals			393.94 Mgal			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Name


 Stephen Schumacher

Position

Project Manager

Date

2/25/92