

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

RECEIVED

JAN 29 2002

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT** Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511
Plant/Project Dixie Valley Unit County Churchill Month of December 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.55	141.17	230 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.21	68.55	230 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.85	26.42	230 Deg F.	42 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.77	23.90	230 Deg F.	56 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.27	8.26	229 Deg F.	58 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.61	18.88	228 Deg F.	71 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.89	27.47	229 Deg F.	43 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.47	14.45	230 Deg F.	42 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.63	81.44	65 Deg F.	-11 psig.	3535-3832 Jur/Tri Breccia
Totals			410.54 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
Missy Payne
Position Sr. Compliance Coordinator
Date January 17, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

DEC 24 2001

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511
 Plant/Project Dixie Valley Unit County Churchill Month of November 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	4.40	132.02	230 Deg F.	9 psig.	6193-6215' Miocene Basalt
N-12393	Goerenger 45-5	2.15	64.63	229 Deg F.	6 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.90	27.08	229 Deg F.	35 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.77	22.96	229 Deg F.	47 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17	5.05	228 Deg F.	50 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.63	18.97	217 Deg F.	63 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.86	25.83	229 Deg F.	36 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.44	13.20	229 Deg F.	34 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.41	72.28	69 Deg F.	4 psig.	3535-3832 Jur/Tri Breccia
Totals			382.02 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


 Missy Payne

Position

Sr. Compliance Coordinator

Date

December 20, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

RECEIVED
DEC 04 2001

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of October 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.56 Mgal	141.45 Mgal	232 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.24 Mgal	69.53 Mgal	231 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.84 Mgal	25.94 Mgal	232 Deg F.	37 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.76 Mgal	23.57 Mgal	231 Deg F.	50 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.18 Mgal	5.64 Mgal	231 Deg F.	52 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.61 Mgal	18.80 Mgal	227 Deg F.	62 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.90 Mgal	27.75 Mgal	231 Deg F.	37 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.47 Mgal	14.45 Mgal	231 Deg F.	36 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00 Mgal	0.00 Mgal	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.67 Mgal	82.91 Mgal	73 Deg F.	3 psig.	3535-3832 Jur/Tri Breccia
Totals			410.05 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
Missy Payne

Position Sr. Compliance Coordinator

Date December 3, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

OCT 22 2001

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of September 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.50 Mgal	135.06 Mgal	232 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.20 Mgal	65.91 Mgal	231 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.83 Mgal	24.81 Mgal	231 Deg F.	36 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.75 Mgal	22.42 Mgal	231 Deg F.	48 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.21 Mgal	230 Deg F.	51 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.65 Mgal	19.64 Mgal	229 Deg F.	62 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.89 Mgal	26.59 Mgal	230 Deg F.	35 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.46 Mgal	13.71 Mgal	231 Deg F.	34 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00 Mgal	0.00 Mgal	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.46 Mgal	73.79 Mgal	70 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
Totals			387.16 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

Don Wells
Don Wells

Position

Plant General Manager

Date

October 18, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

OCT 18 2001

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of August 2001


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.59 Mgal	142.39 Mgal	232 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.23 Mgal	69.17 Mgal	231 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.77 Mgal	23.87 Mgal	231 Deg F.	39 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.74 Mgal	22.94 Mgal	231 Deg F.	51 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.23 Mgal	230 Deg F.	54 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.69 Mgal	21.53 Mgal	229 Deg F.	65 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.91 Mgal	28.13 Mgal	231 Deg F.	39 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.45 Mgal	13.92 Mgal	231 Deg F.	38 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00 Mgal	0.00 Mgal	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.22 Mgal	68.79 Mgal	81 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
Totals			395.98 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


Don Wells

Position

Plant General Manager

Date

October 16, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

AUG 30 2001

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of July 2001


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.70 Mgal	145.62 Mgal	232 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.18 Mgal	67.43 Mgal	231 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.73 Mgal	22.54 Mgal	231 Deg F.	41 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.72 Mgal	22.30 Mgal	231 Deg F.	54 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.29 Mgal	231 Deg F.	55 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.78 Mgal	24.22 Mgal	225 Deg F.	66 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.90 Mgal	27.90 Mgal	231 Deg F.	41 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.45 Mgal	13.87 Mgal	231 Deg F.	39 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00 Mgal	0.00 Mgal	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.15 Mgal	66.76 Mgal	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
Totals			395.92 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


Don Wells

Position

Plant General Manager

Date

August 14, 2001

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 26 2001

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of June 2001


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.62 Mgal	138.68 Mgal	231 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.12 Mgal	63.49 Mgal	230 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.86 Mgal	25.78 Mgal	231 Deg F.	36 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.66 Mgal	19.74 Mgal	230 Deg F.	49 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.18 Mgal	5.41 Mgal	230 Deg F.	50 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.86 Mgal	25.69 Mgal	227 Deg F.	61 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.85 Mgal	25.40 Mgal	230 Deg F.	36 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.40 Mgal	12.12 Mgal	230 Deg F.	35 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00 Mgal	0.00 Mgal	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.38 Mgal	71.38 Mgal	84 Deg F.	-14 psig.	3535-3832 Jur/Tri Breccia
Totals			387.70 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


 Don Wells

Position

Plant General Manager

Date

July 24, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

JUN 22 2001

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of May 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	4.05 Mgal	125.46 Mgal	223 Deg F.	9 psig.	6193-6215' Miocene Basalt
N-12393	45-5	1.52 Mgal	47.18 Mgal	220 Deg F.	4 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	2.20 Mgal	68.27 Mgal	220 Deg F.	20 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.57 Mgal	17.64 Mgal	216 Deg F.	34 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.31 Mgal	9.58 Mgal	216 Deg F.	36 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	1.12 Mgal	34.81 Mgal	156 Deg F.	43 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.87 Mgal	26.98 Mgal	215 Deg F.	22 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.40 Mgal	12.28 Mgal	216 Deg F.	20 psig.	7070-7450' Miocene Basalt
N-61706	27-32	1.62 Mgal	49.89 Mgal	73 Deg F.	43 psig.	450-900' Jurassic Quartzite
N-61706	38-32	7.29 Mgal	2.05 Mgal	78 Deg F.	42 psig.	3535-3832 Jur/Tri Breccia
Totals			394.15 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

Don Wells
Don Wells

Position

Plant General Manager

Date

June 15, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

MAY 07 2001

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals


Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of April 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	6.18 Mgal	185.35 Mgal	231 Deg F.	13 psig.	6193-6215' Miocene Basalt
N-12393	45-5	0.67 Mgal	20.13 Mgal	230 Deg F.	1 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.12 Mgal	33.52 Mgal	230 Deg F.	49 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.72 Mgal	21.68 Mgal	230 Deg F.	64 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.07 Mgal	230 Deg F.	65 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	1.33 Mgal	39.80 Mgal	141 Deg F.	74 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.92 Mgal	27.53 Mgal	230 Deg F.	50 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.36 Mgal	10.72 Mgal	230 Deg F.	49 psig.	7070-7450' Miocene Basalt
N-61706	27-32	1.72 Mgal	51.60 Mgal	69 Deg F.	35 psig.	450-900' Jurassic Quartzite
Totals			395.40 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Don Wells
Position Plant General Manager
Date May 2, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

MAY 07 2001

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals


Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of March 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	6.03 Mgal	187.02 Mgal	231 Deg F.	13 psig.	6193-6215' Miocene Basalt
N-12393	45-5	0.70 Mgal	21.59 Mgal	230 Deg F.	1 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.11 Mgal	34.30 Mgal	230 Deg F.	43 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.72 Mgal	22.29 Mgal	230 Deg F.	57 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.42 Mgal	229 Deg F.	60 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	1.41 Mgal	43.56 Mgal	136 Deg F.	69 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.89 Mgal	27.71 Mgal	230 Deg F.	44 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.37 Mgal	11.52 Mgal	230 Deg F.	42 psig.	7070-7450' Miocene Basalt
N-61706	27-32	1.76 Mgal	54.53 Mgal	72 Deg F.	36 psig.	450-900' Jurassic Quartzite
Totals			407.94 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Don Wells
Position Plant General Manager
Date April 30, 2001

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

FEB 27 2001

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT

Div. of Minerals


Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of January 2001

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
N-12393	25-5	5.80 Mgal	179.84 Mgal	230 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	0.00 Mgal	0.00 Mgal			6200-6300' Miocene Basalt
Lamb Fee	32-18	1.61 Mgal	50.02 Mgal	230 Deg F.	38 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.71 Mgal	21.96 Mgal	229 Deg F.	49 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17 Mgal	5.27 Mgal	228 Deg F.	56 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	1.61 Mgal	49.99 Mgal	118 Deg F.	59 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.87 Mgal	26.88 Mgal	229 Deg F.	41 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.03 Mgal	0.90 Mgal	221 Deg F.	7 psig.	7070-7450' Miocene Basalt
N-61706	27-32	1.64 Mgal	50.77 Mgal	63 Deg F.	35 psig.	450-900' Jurassic Quartzite
Totals			385.61 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Missy Payne
Position Sr. Compliance Coordinator
Date February 6, 2001