

RECEIVED

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES JAN 29 2004

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106 Division of Minerals
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of December 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.29	133.09	231 Deg F.	9 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.38	73.93	230 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.21	37.56	230 Deg F.	32 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.41	12.75	229 Deg F.	46 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17	5.25	229 Deg F.	52 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.44	13.54	227 Deg F.	65 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.51	15.86	230 Deg F.	33 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.34	10.40	230 Deg F.	32 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.73	84.60	77 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	230 Deg F.	33 psig.	Miocene Basalt
Totals			389.66 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
Missy Payne

Position Sr. Compliance Coordinator

Date January 28, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of November 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.26	127.86	230 Deg F.	9 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.48	74.34	229 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.51	45.24	230 Deg F.	32 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.46	13.78	229 Deg F.	52 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	6.77	229 Deg F.	53 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.45	13.45	226 Deg F.	67 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.85	25.45	229 Deg F.	33 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.34	10.24	229 Deg F.	32 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.01	0.17	78 Deg F.	12 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.69	80.65	78 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	229 Deg F.	33 psig.	Miocene Basalt
Totals			400.55 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date December 19, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 DEC 05 2003

COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION REPORT Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of October 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	3.60	50.12	230 Deg F.	9 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.09	29.08	229 Deg F.	6 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.56	21.65	228 Deg F.	21 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.55	7.65	229 Deg F.	40 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	3.14	229 Deg F.	38 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.44	6.16	227 Deg F.	52 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.67	8.07	227 Deg F.	21 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.30	4.24	228 Deg F.	20 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.11	2.06	77 Deg F.	6 psig.	450-900' Jurassic Quartzite
N-61706	38-32	3.33	46.09	77 Deg F.	-13 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	1.19	227 Deg F.	21 psig.	Miocene Basalt
Totals		179.46 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date December 3, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File

DUPLICATE **RECEIVED**

NOV 03 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of September 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.47	134.08	232 Deg F.	11 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.36	70.73	231 Deg F.	8 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.31	39.37	231 Deg F.	55 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.56	16.91	231 Deg F.	72 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.23	6.75	230 Deg F.	75 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.42	12.46	228 Deg F.	88 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.97	28.04	231 Deg F.	54 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.30	8.85	231 Deg F.	55 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.07	2.16	80 Deg F.	9 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	2.78	83.46	80 Deg F.	-10 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	231 Deg F.	54 psig.	
						Miocene Basalt
Totals			404.02 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date October 29, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 29 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of August 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.76	144.05	231 Deg F.	11 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.46	74.45	230 Deg F.	8 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.45	43.54	230 Deg F.	36 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.61	18.42	230 Deg F.	55 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.23	7.04	230 Deg F.	54 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.45	13.58	228 Deg F.	67 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.99	28.45	229 Deg F.	35 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.32	9.71	230 Deg F.	35 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.07	2.20	81 Deg F.	10 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	2.67	82.91	81 Deg F.	-10 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	229 Deg F.	35 psig.	
						Miocene Basalt
Totals			425.53 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date September 25, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 SEP 03 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511
 Plant/Project Dixie Valley Unit County Churchill Month of July 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.92	152.55	232 Deg F.	12 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.52	78.25	231 Deg F.	9 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.53	46.19	229 Deg F.	31 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.61	18.41	229 Deg F.	47 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.23	7.04	228 Deg F.	49 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.44	13.42	227 Deg F.	62 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.95	27.68	229 Deg F.	31 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.34	10.17	229 Deg F.	30 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.07	2.22	80 Deg F.	10 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	2.66	82.41	81 Deg F.	-10 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	229 Deg F.	31 psig.	
						Miocene Basalt
Totals			439.52 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date August 29, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 28 2003

COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION REPORT

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511

Plant/Project Dixie Valley Unit County Churchill Month of June 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5 Goerenger	5.00	150.12	232 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.54	76.34	231 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.21	35.46	230 Deg F.	32 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.57	16.67	229 Deg F.	48 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.21	6.17	229 Deg F.	49 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.48	13.98	228 Deg F.	61 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.96	26.88	230 Deg F.	31 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.25	229 Deg F.	31 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.09	2.84	80 Deg F.	11 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.54	76.23	80 Deg F.	-11 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	230 Deg F.	31 psig.	Miocene Basalt
Totals			415.13 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date July 24, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

RECEIVED

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

JUL 02 2003

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511

Plant/Project Dixie Valley Unit County Churchill Month of May 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.86	142.80	228 Deg F.	10 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.50	73.33	228 Deg F.	7 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.43	41.93	226 Deg F.	23 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.57	17.35	223 Deg F.	39 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.23	7.03	223 Deg F.	39 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.62	18.65	209 Deg F.	48 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.86	24.78	223 Deg F.	23 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.34	10.26	224 Deg F.	22 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.18	5.41	77 Deg F.	14 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	2.14	64.72	77 Deg F.	-18 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	223 Deg F.	23 psig.	
						Miocene Basalt
Totals			407.45 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date June 30, 2003

RECEIVED

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

MAY 30 2003

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS Division of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511

Plant/Project Dixie Valley Unit County Churchill Month of April 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5 Goerenger	5.10	152.86	232 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.59	77.69	231 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.05	31.51	232 Deg F.	30 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.57	17.04	231 Deg F.	47 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.20	5.98	231 Deg F.	47 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.44	13.27	225 Deg F.	58 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.88	25.08	231 Deg F.	31 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	10.04	231 Deg F.	29 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.56	16.78	71 Deg F.	8 psig.	450-900' Jurassic Quartzite
N-61706	38-32	1.30	39.05	71 Deg F.	-22 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.04	1.19	231 Deg F.	31 psig.	Miocene Basalt
Totals			390.48 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date May 29, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

RECEIVED

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

APR 28 2003

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511

Plant/Project Dixie Valley Unit County Churchill Month of March 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.08	154.81	232 Deg F.	12 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.58	78.58	231 Deg F.	8 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.15	35.14	231 Deg F.	23 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.60	18.24	231 Deg F.	36 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.20	6.21	231 Deg F.	40 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.47	14.24	228 Deg F.	54 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.77	22.92	231 Deg F.	24 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.35	10.58	231 Deg F.	23 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.86	26.22	70 Deg F.	-5 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	1.80	54.83	70 Deg F.	-22 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.05	0.58	231 Deg F.	24 psig.	
						Miocene Basalt
Totals			422.35 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date April 24, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 RECEIVED
 DUPLICATE-Div. NBMG

MAR 25 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511


Plant/Project Dixie Valley Unit County Churchill Month of February 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5 Goerenger	5.19	143.97	233 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.61	72.56	232 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.01	28.09	233 Deg F.	29 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.56	15.67	232 Deg F.	42 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.20	5.58	232 Deg F.	47 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.46	12.65	229 Deg F.	61 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.76	21.13	232 Deg F.	32 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.36	9.89	232 Deg F.	30 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.95	26.32	66 Deg F.	-19 psig.	450-900' Jurassic Quartzite
N-61706	38-32	1.91	52.88	66 Deg F.	-22 psig.	3535-3832 Jur/Tri Breccia
Totals			388.75 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date March 21, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 19 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89511

Plant/Project Dixie Valley Unit County Churchill Month of January 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.18	160.43	233 Deg F.	12 psig.	6193-6215'
	Goerenger					Miocene Basalt
N-12393	45-5	2.56	79.42	232 Deg F.	8 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	1.16	36.00	232 Deg F.	18 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.58	17.95	232 Deg F.	31 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.22	6.72	231 Deg F.	36 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.46	14.35	229 Deg F.	49 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.70	21.65	232 Deg F.	19 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.37	11.42	232 Deg F.	18 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	1.15	35.64	69 Deg F.	-20 psig.	450-900'
						Jurassic Quartzite
N-61706	38-32	1.78	55.07	69 Deg F.	-22 psig.	3535-3832
						Jur/Tri Breccia
Totals			438.65 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date February 18, 2003