

RECEIVED

JAN 10 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of December 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.06	151.84	233 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.91	87.27	233 Deg F.	9 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.96	28.69	233 Deg F.	51 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.38	11.45	232 Deg F.	64 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.15	4.36	232 Deg F.	72 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.36	10.84	228 Deg F.	86 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.74	22.30	232 Deg F.	51 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.34	10.11	232 Deg F.	52 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.33	69.77	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	232 Deg F.	51 psig.	Miocene Basalt
Totals			399.23 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date January 7, 2005

RECEIVED

JAN 10 2005

Division of Minerals

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

January 7, 2005

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

DEC 15 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of November 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.95	148.53	234 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.83	84.98	233 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.00	30.13	234 Deg F.	50 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.36	10.67	233 Deg F.	59 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.14	4.25	233 Deg F.	71 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.36	10.73	229 Deg F.	84 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.69	20.67	233 Deg F.	50 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	9.83	233 Deg F.	50 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.37	71.03	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	233 Deg F.	50 psig.	Miocene Basalt
Totals			393.42 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date December 13, 2004

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

DEC 15 2004

Division of Minerals

December 13, 2004


Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 15 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of October 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.79	143.58	230 Deg F.	11 psig.	6193-6215'
N-12393	45-5	2.79	83.64	230 Deg F.	8 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	0.85	25.55	229 Deg F.	53 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.34	10.20	229 Deg F.	66 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.11	3.20	229 Deg F.	73 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.36	10.78	225 Deg F.	84 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.69	20.55	227 Deg F.	52 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.33	9.79	228 Deg F.	52 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	Miocene Basalt 450-900'
N-61706	38-32	2.41	72.17	79 Deg F.	-15 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.09	2.59	227 Deg F.	52 psig.	Jur/Tri Breccia
						Miocene Basalt
Totals			382.05 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date November 11, 2004

RECEIVED

OCT 19 2004

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of September 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.17	154.51	233 Deg F.	12 psig.	6193-6215'
N-12393	45-5	3.01	89.82	232 Deg F.	9 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	0.92	27.56	233 Deg F.	58 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.35	10.36	232 Deg F.	73 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.10	2.97	232 Deg F.	78 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.37	11.09	229 Deg F.	91 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.74	22.18	232 Deg F.	56 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.33	10.01	232 Deg F.	57 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	Miocene Basalt 450-900'
N-61706	38-32	2.31	69.06	81 Deg F.	-15 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.09	2.59	232 Deg F.	56 psig.	Jur/Tri Breccia Miocene Basalt
Totals			400.15 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date October 15, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

SEP 28 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of August 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation.
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.94	148.17	232 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.81	84.42	231 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.98	29.40	231 Deg F.	51 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.33	9.92	231 Deg F.	70 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.10	2.94	231 Deg F.	71 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.37	11.20	228 Deg F.	83 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.69	20.82	231 Deg F.	49 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.68	231 Deg F.	50 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.27	68.16	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	231 Deg F.	49 psig.	Miocene Basalt
Totals			387.31 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date September 24, 2004

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

RECEIVED

AUG 26 2004

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of July 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.11	153.18	233 Deg F.	12 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.92	87.53	232 Deg F.	9 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.01	30.18	232 Deg F.	49 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.34	10.25	232 Deg F.	68 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.12	3.49	231 Deg F.	70 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.48	228 Deg F.	82 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.72	21.62	232 Deg F.	48 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	9.87	232 Deg F.	48 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.16	64.73	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	232 Deg F.	48 psig.	Miocene Basalt
Totals			393.92 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
Missy Payne

Position Sr. Compliance Coordinator

Date August 25, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 28 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of June 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	4.73	140.80	229 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.69	80.34	229 Deg F.	10 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.98	29.52	229 Deg F.	37 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.29	8.64	229 Deg F.	52 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.11	3.18	228 Deg F.	56 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.60	226 Deg F.	69 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.68	20.26	229 Deg F.	36 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.34	10.07	229 Deg F.	36 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.35	70.54	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	229 Deg F.	36 psig.	Miocene Basalt
Totals			376.55 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date July 27, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JUN 07 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of May 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.71	141.16	230 Deg F.	10 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.58	77.34	229 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.97	29.21	229 Deg F.	32 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.26	7.71	229 Deg F.	50 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.10	3.04	229 Deg F.	51 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.37	11.08	226 Deg F.	63 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.65	19.42	229 Deg F.	32 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.52	229 Deg F.	32 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.01	Not Flowed	21 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.57	77.11	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	229 Deg F.	32 psig.	Miocene Basalt
Totals			378.20 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date June 3, 2004

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

RECEIVED

JUN 02 2004

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of April 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.07	151.96	231 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.86	85.77	231 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.90	26.98	231 Deg F.	45 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.28	8.26	230 Deg F.	64 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.10	3.05	230 Deg F.	64 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	10.08	215 Deg F.	68 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.72	21.61	230 Deg F.	44 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.74	231 Deg F.	44 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.72	81.46	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	230 Deg F.	44 psig.	Miocene Basalt
Totals			401.50 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Missy Payne

Position Sr. Compliance Coordinator

Date May 28, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 29 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of March 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.91	152.20	233 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.79	86.35	232 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.01	31.19	232 Deg F.	57 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.30	9.39	231 Deg F.	78 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.10	3.02	231 Deg F.	78 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.40	12.40	228 Deg F.	91 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.75	23.39	232 Deg F.	56 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	10.23	232 Deg F.	57 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.67	82.86	79 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	232 Deg F.	56 psig.	Miocene Basalt
Totals			413.70 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date April 27, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of February 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.88	141.62	233 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.78	80.72	232 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.20	34.70	231 Deg F.	54 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.35	10.20	232 Deg F.	74 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.11	3.21	231 Deg F.	76 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.49	14.26	229 Deg F.	88 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.75	21.66	230 Deg F.	53 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	9.63	230 Deg F.	53 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.12	72 Deg F.	0 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.67	77.48	78 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.51	230 Deg F.	53 psig.	Miocene Basalt
Totals			396.10 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date March 5, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

FEB 06 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of January 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.89	151.66	233 Deg F.	11 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.76	85.70	232 Deg F.	8 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.17	36.14	232 Deg F.	57 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.43	13.36	231 Deg F.	73 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17	5.25	231 Deg F.	79 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.55	16.98	214 Deg F.	93 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.61	18.97	232 Deg F.	57 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.34	10.42	232 Deg F.	58 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.75	85.15	78 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	232 Deg F.	57 psig.	Miocene Basalt
Totals			426.31 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date February 5, 2004