

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

JAN 18 2006

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of December 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.05	156.67	235 Deg F.	14 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.82	87.29	234 Deg F.	12 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.29	39.86	234 Deg F.	62 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.49	15.10	234 Deg F.	90 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.12	3.57	233 Deg F.	80 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.85	229 Deg F.	94 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.64	19.78	234 Deg F.	60 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.47	234 Deg F.	62 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Used	Not Used	450-900' Jurassic Quartzite
N-61706	38-32	1.89	58.54	66 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.27	8.41	223 Deg F.	10 psig.	Miocene Basalt
Totals			409.52 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Don Wells

Position Plant Manager

Date January 10, 2006

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

JAN 18 2006

Division of Minerals

January 16, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

mw

RECEIVED
 DEC 15 2005
 Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of November 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	5.41	162.19	234 Deg F.	17 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.92	87.69	233 Deg F.	15 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.86	25.76	233 Deg F.	69 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.86	25.76	232 Deg F.	97 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	7.05	232 Deg F.	89 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.50	229 Deg F.	102 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.70	20.96	233 Deg F.	66 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.45	233 Deg F.	68 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Used	Not Used	450-900' Jurassic Quartzite
N-61706	38-32	2.30	69.08	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.30	8.86	222 Deg F.	11 psig.	Miocene Basalt
Totals			427.31 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Don Wells*
 Don Wells

Position Plant Manager

Date December 8, 2005

NOV 18 2005

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of October 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.28	164.29	233 Deg F.	15 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.97	88.33	233 Deg F.	14 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.94	27.26	233 Deg F.	64 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	14.98	232 Deg F.	86 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	7.13	232 Deg F.	83 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.33	10.85	229 Deg F.	95 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.68	21.78	232 Deg F.	61 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.54	233 Deg F.	62 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.42	73.62	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	8.08	222 Deg F.	4 psig.	Miocene Basalt
Totals			425.86 MMgal			

This report to be filed by the end of the month following the month herein reported

Wells 38-32 and 27-32 accept injection augmentation and cooling tower water.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Date November 1, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

OCT 19 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of September 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.19	155.57	234 Deg F.	15 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.92	87.62	233 Deg F.	13 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.92	27.48	233 Deg F.	64 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.50	15.05	233 Deg F.	77 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	7.03	232 Deg F.	85 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.52	229 Deg F.	97 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.69	20.70	233 Deg F.	62 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.23	233 Deg F.	63 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Used	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.46	73.79	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	233 Deg F.	62 psig.	Miocene Basalt
Totals			409.58 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Date October 17, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 26 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of August 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.27	163.33	234 Deg F.	15 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.91	90.15	233 Deg F.	14 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.92	28.52	233 Deg F.	66 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.48	14.91	233 Deg F.	77 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.24	7.29	232 Deg F.	84 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.33	10.36	229 Deg F.	98 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.70	21.83	233 Deg F.	64 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.70	233 Deg F.	65 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Used	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.52	78.18	81 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	233 Deg F.	64 psig.	Miocene Basalt
Totals			426.97 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Date September 21, 2005

Amended

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 06 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of July 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.28	163.56	234 Deg F.	13 psig.	6193-6215'
						Miocene Basalt
N-12393	45-5	2.97	92.21	233 Deg F.	11 psig.	6200-6300'
						Miocene Basalt
Lamb Fee	32-18	0.94	29.20	233 Deg F.	62 psig.	7360-7374'
						Miocene Basalt
Lamb Fee	41-18	0.47	14.64	233 Deg F.	88 psig.	9635-9700'
						Jurassic Gabbro
Lamb Fee	52-18	0.23	7.08	232 Deg F.	83 psig.	9500-9600'
						Jurassic Gabbro
N-12862	65-18	0.33	10.11	229 Deg F.	92 psig.	9265-9417'
						Jurassic Gabbro
Lamb Fee	SWL-1	0.68	21.22	233 Deg F.	61 psig.	7191-7256'
						Miocene Basalt
Lamb Fee	SWL-3	0.32	9.78	233 Deg F.	60 psig.	7070-7450'
						Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900'
						Jurassic Quartzite
N-61706	38-32	2.42	75.07	82 Deg F.	-15 psig.	3535-3832
						Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	233 Deg F.	61 psig.	
						Miocene Basalt
Totals			425.55 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Revised

Date September 1, 2005

Revised

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

RECEIVED

SEP 02 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of July 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	5.28	158.31	234 Deg F.	13 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.98	89.25	233 Deg F.	11 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.94	28.25	233 Deg F.	62 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	14.17	233 Deg F.	88 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	6.85	232 Deg F.	83 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	10.11	229 Deg F.	92 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.68	20.52	233 Deg F.	61 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.46	233 Deg F.	60 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.42	72.71	82 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	233 Deg F.	61 psig.	Miocene Basalt
Totals			412.24 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Miller
Missy Miller

Position Sr. Compliance Coordinator

Date August 26, 2005

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

JUL 18 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of June 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.30	159.00	234 Deg F.	13 psig.	6193-6215' Miocene Basalt
N-12393	45-5	3.01	90.26	233 Deg F.	9 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.92	27.54	233 Deg F.	57 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	14.16	232 Deg F.	83 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	6.75	232 Deg F.	78 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	10.21	229 Deg F.	88 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.69	20.59	232 Deg F.	56 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.49	233 Deg F.	56 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.44	73.22	79 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	232 Deg F.	56 psig.	Miocene Basalt
Totals			413.81 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Miller
Missy Miller

Position Sr. Compliance Coordinator

Date July 14, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUN 09 2005

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of May 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.15	149.49	231 Deg F.	16 psig.	6193-6215'
N-12393	45-5	2.97	86.15	230 Deg F.	13 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	0.96	27.86	229 Deg F.	52 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.50	14.54	229 Deg F.	70 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.23	6.80	229 Deg F.	70 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.35	10.15	226 Deg F.	82 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.71	20.55	227 Deg F.	51 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.32	9.28	227 Deg F.	51 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	Miocene Basalt 450-900'
N-61706	38-32	2.30	71.23	79 Deg F.	-15 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.09	2.51	227 Deg F.	51 psig.	Jur/Tri Breccia Miocene Basalt
Totals			398.54 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Miller

Position Sr. Compliance Coordinator

Date June 7, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAY 24 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of April 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.98	149.49	234 Deg F.	18 psig.	6193-6215' Miocene Basalt
N-12393	45-5	3.06	91.74	233 Deg F.	15 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.82	24.58	233 Deg F.	59 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.52	15.59	232 Deg F.	78 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	6.94	232 Deg F.	80 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.33	9.75	229 Deg F.	92 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.71	21.37	232 Deg F.	59 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.43	233 Deg F.	59 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.45	73.41	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.59	232 Deg F.	59 psig.	Miocene Basalt
Totals			404.89 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Miller
 Missy Miller

Position Sr. Compliance Coordinator

Date May 23, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 08 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of March 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.93	152.94	234 Deg F.	16 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.98	92.47	233 Deg F.	13 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.00	30.92	242 Deg F.	62 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.49	15.27	232 Deg F.	72 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	7.20	232 Deg F.	83 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.36	11.11	229 Deg F.	96 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.73	22.52	233 Deg F.	62 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	9.85	233 Deg F.	63 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.54	78.68	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.68	233 Deg F.	62 psig.	Miocene Basalt
Totals			423.66 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Date April 5, 2005
 Revised

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAR 09 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of February 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.00	139.90	233 Deg F.	15 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.92	81.68	232 Deg F.	9 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.36	38.11	233 Deg F.	55 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.50	13.92	232 Deg F.	68 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.23	6.52	232 Deg F.	76 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	9.58	228 Deg F.	89 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.71	20.01	232 Deg F.	54 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	9.11	232 Deg F.	55 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	450-900' Jurassic Quartzite
N-61706	38-32	2.62	73.22	80 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.09	2.42	232 Deg F.	54 psig.	Miocene Basalt
Totals			394.47 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date March 8, 2005
 Revised

RECEIVED

MAR 09 2005

Division of Minerals

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220

Reno, Nevada 89521

(775) 851-1125 • Fax: (775) 851-8240

March 8, 2005

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 10 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of January 2005

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.87	151.08	233 Deg F.	12 psig.	6193-6215'
N-12393	45-5	2.87	89.12	233 Deg F.	9 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	1.28	39.77	233 Deg F.	50 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.46	14.28	232 Deg F.	61 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.21	6.50	232 Deg F.	72 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.24	7.59	228 Deg F.	84 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.67	20.85	232 Deg F.	50 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.32	9.94	232 Deg F.	50 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Not Flowed	Not Flowed	Miocene Basalt 450-900'
N-61706	38-32	2.38	73.63	80 Deg F.	-15 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.09	2.68	232 Deg F.	50 psig.	Jur/Tri Breccia Miocene Basalt
Totals			415.43 MMgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date February 7, 2005