

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JAN 24 2007

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of December 2006


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	3.95	122.47	231 Deg F.	52 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.84	88.17	230 Deg F.	51 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.84	25.99	230 Deg F.	76 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.53	16.57	230 Deg F.	92 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.22	6.68	230 Deg F.	93 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.44	13.63	224 Deg F.	109 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.43	13.21	224 Deg F.	71 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.81	25.06	230 Deg F.	77 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	1.06	32.74	78 Deg F.	-16 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.34	10.49	213 Deg F.	10 psig.	Miocene Basalt
Totals			355.00 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date January 2, 2007

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

DEC 11 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of November 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.36	130.77	231 Deg F.	54 psig.	6193-6215'
N-12393	45-5	3.00	89.86	231 Deg F.	53 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	0.90	26.93	231 Deg F.	88 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.52	15.66	230 Deg F.	104 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.20	5.91	230 Deg F.	105 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.42	12.61	227 Deg F.	119 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.60	18.10	231 Deg F.	78 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.88	26.27	231 Deg F.	87 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Shut In	Shut In	Miocene Basalt 450-900'
N-61706	38-32	1.05	31.62	82 Deg F.	-19 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.34	10.15	220 Deg F.	13 psig.	Jur/Tri Breccia Miocene Basalt
Totals		367.88 MMgal				

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date December 4, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 NOV 22 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521


Division of Minerals

Plant/Project Dixie Valley Unit County Churchill Month of October 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.60	142.71	231 Deg F.	33 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.87	89.03	230 Deg F.	31 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.16	35.98	227 Deg F.	70 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.45	13.97	227 Deg F.	87 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.13	4.18	227 Deg F.	90 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.42	13.00	227 Deg F.	102 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.59	18.17	227 Deg F.	65 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.85	26.47	227 Deg F.	69 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Shut In	Shut In	450-900' Jurassic Quartzite
N-61706	38-32	1.38	42.70	77 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.33	10.24	216 Deg F.	11 psig.	Miocene Basalt
Totals			396.45 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date November 1, 2006

Caithness Dixie Valley, LLC

9590 Prototype Court, Suite 200
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

NOV 22 2006

Division of Minerals

November 21, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller
Sr. Compliance Coordinator

RECEIVED

OCT 23 2006

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Caithness Dixie Valley, LLC Address 9590 Prototype Court, Ste. 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of September 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.21	150.96	239 Deg F.	22 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.80	81.23	238 Deg F.	22 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.36	39.33	238 Deg F.	73 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.42	12.31	237 Deg F.	90 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.15	4.40	237 Deg F.	90 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.43	12.48	235 Deg F.	105 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.62	17.91	237 Deg F.	73 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	1.02	29.51	238 Deg F.	72 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.71	80 Deg F.	14 psig.	450-900' Jurassic Quartzite
N-61706	38-32	1.75	50.85	80 Deg F.	-9 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.33	9.63	226 Deg F.	12 psig.	Miocene Basalt
Totals			409.32 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 was in service 9/12-13
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date October 10, 2006

Caithness Dixie Valley, LLC

9590 Prototype Court, Suite 200
Reno, Nevada 89521

(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

OCT 23 2006

Division of Minerals

October 20, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller
Sr. Compliance Coordinator

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 SEP 08 2006
 Division of Minerals


**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of August 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.87	146.04	232 Deg F.	31 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.83	84.90	232 Deg F.	30 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.33	39.77	232 Deg F.	67 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	13.96	231 Deg F.	84 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.16	4.71	231 Deg F.	86 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.43	13.05	229 Deg F.	99 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.53	15.86	231 Deg F.	68 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	1.01	30.24	232 Deg F.	66 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Shut In	Shut In	450-900' Jurassic Quartzite
N-61706	38-32	2.21	66.24	75 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.34	10.13	221 Deg F.	12 psig.	Miocene Basalt
Totals			424.89 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date September 5, 2006

Caithness Dixie Valley, LLC

9590 Prototype Court, Suite 200
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

SEP 08 2006

Division of Minerals

September 6, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller
Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 AUG 08 2006
 Division of Minerals


**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of July 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	5.01	155.39	232 Deg F.	29 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.95	91.60	232 Deg F.	28 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.34	41.39	232 Deg F.	68 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.48	15.03	231 Deg F.	84 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.15	4.63	231 Deg F.	86 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.38	11.91	228 Deg F.	97 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.57	17.67	231 Deg F.	74 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	1.03	31.83	232 Deg F.	66 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	78 Deg F.	4 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.33	72.15	81 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.33	10.36	221 Deg F.	11 psig.	Miocene Basalt
Totals		451.94 MMgal				

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date August 1, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 11 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of June 2006


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	4.96	148.77	232 Deg F.	18 psig.	6193-6215' Miocene Basalt
N-12393	45-5	3.02	90.55	232 Deg F.	16 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.30	38.89	232 Deg F.	65 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	13.99	231 Deg F.	82 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.13	3.99	231 Deg F.	85 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	10.26	228 Deg F.	96 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.57	17.10	231 Deg F.	72 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.56	16.67	231 Deg F.	64 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	78 Deg F.	4 psig.	450-900' Jurassic Quartzite
N-61706	38-32	0.82	24.57	79 Deg F.	-15 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.33	9.87	221 Deg F.	11 psig.	Miocene Basalt
Totals			374.67 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells
 Position Plant Manager
 Date July 5, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 JUN 08 2006
 Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of May 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	4.92	147.73	239 Deg F.	18 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.82	84.47	238 Deg F.	17 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.31	39.29	236 Deg F.	68 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.51	15.27	237 Deg F.	98 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.14	4.08	237 Deg F.	86 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.36	10.88	233 Deg F.	100 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.64	19.22	234 Deg F.	74 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.37	11.08	234 Deg F.	67 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Shut in	Shut in	450-900' Jurassic Quartzite
N-61706	38-32	2.06	61.81	84 Deg F.	-14 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.32	9.57	223 Deg F.	11 psig.	Miocene Basalt
Totals		403.41 MMgal				

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells
 Position Plant Manager
 Date June 5, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAY 08 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of April 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field N-12393	25-5	5.08	152.30	233 Deg F.	14 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.88	86.49	232 Deg F.	14 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.29	38.57	232 Deg F.	73 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.51	15.39	232 Deg F.	91 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.13	3.90	231 Deg F.	91 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.39	228 Deg F.	105 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.66	19.90	232 Deg F.	76 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.32	232 Deg F.	72 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.37	78 Deg F.	4 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.32	69.72	78 Deg F.	-14 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.30	9.11	221 Deg F.	11 psig.	Miocene Basalt
Totals		415.47 MMgal				

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 was
 accepting injection augmentation and cooling tower water from 4/17- 4/30

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Date May 1, 2006

RECEIVED

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

APR 06 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of March 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.15	159.56	233 Deg F.	15 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.95	91.41	232 Deg F.	14 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.27	39.41	232 Deg F.	70 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.52	16.02	232 Deg F.	98 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.12	3.83	231 Deg F.	91 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.34	10.66	227 Deg F.	103 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.66	20.34	232 Deg F.	67 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.31	9.66	232 Deg F.	70 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Shut In	Shut In	450-900' Jurassic Quartzite
N-61706	38-32	1.80	55.91	80 Deg F.	-16 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.30	9.17	221 Deg F.	10 psig.	Miocene Basalt
Totals			415.98 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Date April 3, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 MAR 08 2006

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of February 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.13	143.72	233 Deg F.	20 psig.	6193-6215'
N-12393	45-5	2.93	81.93	232 Deg F.	19 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	1.29	36.04	232 Deg F.	71 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.51	14.26	232 Deg F.	109 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.12	3.43	232 Deg F.	91 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.34	9.56	228 Deg F.	104 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.66	18.53	232 Deg F.	70 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.32	8.88	232 Deg F.	71 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	Shut In	Shut In	Miocene Basalt 450-900'
N-61706	38-32	2.03	56.84	80 Deg F.	-16 psig.	Jurassic Quartzite 3535-3832
N-12863	SWL-2	0.30	8.45	221 Deg F.	11 psig.	Jur/Tri Breccia Miocene Basalt
Totals			381.64 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Date March 2, 2006

RECEIVED

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

FEB 16 2006

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Dr., Ste. 220, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of January 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	5.13	158.96	233 Deg F.	18 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.96	91.68	232 Deg F.	17 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.32	40.86	233 Deg F.	68 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.50	15.56	232 Deg F.	100 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.12	3.87	232 Deg F.	88 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.35	10.85	228 Deg F.	101 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.65	20.10	232 Deg F.	65 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.32	10.01	232 Deg F.	68 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	Not Used	Not Used	450-900' Jurassic Quartzite
N-61706	38-32	1.63	50.53	40 Deg F.	-17 psig.	3535-3832 Jur/Tri Breccia
N-12863	SWL-2	0.29	8.96	222 Deg F.	10 psig.	Miocene Basalt
Totals			411.39 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Date February 2, 2006

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

MAY 08 2006

Division of Minerals

May 4, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller
Sr. Compliance Coordinator

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

FEB 16 2006

Division of Minerals

February 14, 2006

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller
Sr. Compliance Coordinator