

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JAN 14 2009

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of December 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	1.43	22.85	226 Deg F.	105 psig.	6193-6215' Miocene Basalt
N-12393	45-5	3.06	94.72	224 Deg F.	111 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.50	15.40	225 Deg F.	57 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.78	24.03	225 Deg F.	72 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.24	7.52	225 Deg F.	77 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.24	7.36	224 Deg F.	65 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.60	18.52	225 Deg F.	50 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.84	26.15	225 Deg F.	57 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	2.95	91.38	81 Deg F.	-10 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.58	18.06	214 Deg F.	5 psig.	8069-8588' Miocene Basalt
Totals			325.99 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date January 12, 2009

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG


**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of November 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	1.59	47.70	227 Deg F.	100 psig.	6193-6215'
N-12393	45-5	2.93	87.83	226 Deg F.	97 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	0.45	13.54	227 Deg F.	60 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.74	22.33	227 Deg F.	73 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.25	7.41	226 Deg F.	76 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.25	7.39	226 Deg F.	73 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.61	18.33	226 Deg F.	49 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.86	25.83	227 Deg F.	59 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	No Injection	No Injection	Miocene Basalt 450-900'
N-61706	38-32	2.89	86.65	82 Deg F.	-8 psig.	Jurassic Quartzite 3535-3832'
N-12863	SWL-2	0.56	16.81	216 Deg F.	8 psig.	Jur/Tri Breccia 8069-8588'
Totals			333.82 MMgal			Miocene Basalt

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date December 9, 2008

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

NOV 13 2008

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of October 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	1.60	49.52	227 Deg F.	103 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.94	91.22	227 Deg F.	100 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	0.61	18.99	227 Deg F.	62 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.48	14.87	227 Deg F.	77 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.21	6.60	227 Deg F.	86 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.26	7.93	226 Deg F.	74 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.61	18.98	227 Deg F.	65 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.85	26.26	227 Deg F.	62 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	2.84	87.97	80 Deg F.	-6 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.57	17.79	216 Deg F.	10 psig.	8069-8588' Miocene Basalt
Totals			340.11 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 11/11/08

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

OCT 07 2008

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of September 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation	
		MM Gallons per day	MM Gallons per month				
Dixie Valley Field							
N-12393	25-5	1.70	51.00	228 Deg F.	102 psig.	6193-6215'	
N-12393	45-5	2.98	89.35	227 Deg F.	98 psig.	Miocene Basalt 6200-6300'	
Lamb Fee	32-18	1.48	44.33	228 Deg F.	61 psig.	Miocene Basalt 7360-7374'	
Lamb Fee	41-18	0.48	14.52	227 Deg F.	77 psig.	Miocene Basalt 9635-9700'	
Lamb Fee	52-18	0.22	6.66	227 Deg F.	93 psig.	Jurassic Gabbro 9500-9600'	
N-12862	65-18	0.26	7.95	226 Deg F.	75 psig.	Jurassic Gabbro 9265-9417'	
Lamb Fee	SWL-1	0.61	18.23	227 Deg F.	67 psig.	Jurassic Gabbro 7191-7256'	
Lamb Fee	SWL-3	0.85	25.61	228 Deg F.	61 psig.	Miocene Basalt 7070-7450'	
N-61706	27-32	0.00	0.00	No Injection	No Injection	Miocene Basalt 450-900'	
N-61706	38-32	2.79	83.56	81 Deg F.	-6 psig.	Jurassic Quartzite 3535-3832'	
N-12863	SWL-2	0.60	18.06	217 Deg F.	7 psig.	Jur/Tri Breccia 8069-8588'	
Totals		359.25 MMgal					Miocene Basalt

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 10/6/08

RECEIVED

SEP 09 2008

Division of Minerals

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG


**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of August 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	1.70	52.62	227 Deg F.	94 psig.	6193-6215'
N-12393	45-5	3.01	93.38	226 Deg F.	91 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	1.48	45.86	227 Deg F.	57 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.47	14.72	227 Deg F.	70 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.21	6.58	226 Deg F.	92 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.28	8.75	226 Deg F.	66 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.59	18.34	227 Deg F.	71 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.87	27.01	227 Deg F.	56 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	No Injection	No Injection	Miocene Basalt 450-900'
N-61706	38-32	2.71	83.98	82 Deg F.	-6 psig.	Jurassic Quartzite 3535-3832'
N-12863	SWL-2	0.60	18.59	216 Deg F.	6 psig.	Jur/Tri Breccia 8069-8588'
Totals			369.84 MMgal			Miocene Basalt

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 9/8/08

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 13 2008

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of July 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	1.88	58.17	228 Deg F.	97 psig.	6193-6215'
N-12393	45-5	2.97	92.22	227 Deg F.	93 psig.	Miocene Basalt 6200-6300'
Lamb Fee	32-18	1.47	45.55	228 Deg F.	66 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.48	14.91	227 Deg F.	80 psig.	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.22	6.72	227 Deg F.	102 psig.	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.27	8.29	227 Deg F.	80 psig.	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.61	18.95	227 Deg F.	82 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.86	26.78	228 Deg F.	66 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	No Injection	No Injection	Miocene Basalt 450-900'
N-61706	38-32	2.64	81.85	82 Deg F.	-6 psig.	Jurassic Quartzite 3535-3832'
N-12863	SWL-2	0.58	17.83	217 Deg F.	15 psig.	Jur/Tri Breccia 8069-8588' Miocene Basalt
Totals			371.27 MMgal			

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 8/12/08

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of June 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	2.07	61.97	228 Deg F.	96 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.97	88.97	228 Deg F.	92 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.17	35.10	228 Deg F.	65 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.48	14.47	228 Deg F.	80 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.20	5.98	228 Deg F.	99 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.27	8.09	227 Deg F.	81 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.63	18.81	228 Deg F.	77 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.87	26.19	228 Deg F.	64 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	2.70	81.01	82 Deg F.	-7 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.58	17.55	217 Deg F.	13 psig.	8069-8588' Miocene Basalt
Totals			358.13 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 7/2/08

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NEMG

RECEIVED

JUN 10 2008

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Division of Minerals

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521
 Plant/Project Dixie Valley Unit County Churchill Month of May 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	2.18	67.53	228 Deg F.	93 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.99	92.65	228 Deg F.	89 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.16	35.86	228 Deg F.	64 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.49	15.07	228 Deg F.	79 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.20	6.06	228 Deg F.	91 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.28	8.75	227 Deg F.	79 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.77	24.00	228 Deg F.	66 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.88	27.24	228 Deg F.	63 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	2.94	91.10	83 Deg F.	-7 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.46	14.16	217 Deg F.	11 psig.	8069-8588' Miocene Basalt
Totals		382.42 MMgal				

This report to be filed by the end of the month following the month herein reported
 Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
 I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 6/9/08

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAY 09 2008

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of April 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	2.19	65.84	229 Deg F.	87 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.96	88.70	228 Deg F.	83 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.03	30.78	229 Deg F.	58 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.47	14.24	228 Deg F.	73 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.18	5.37	228 Deg F.	85 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.28	8.50	227 Deg F.	74 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.70	20.98	228 Deg F.	59 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.84	25.15	228 Deg F.	58 psig.	7070-7450' Miocene Basalt
N-61706	27-32	1.35	1.35	60 Deg F.	135 psig.	450-900' Jurassic Quartzite
N-61706	38-32	2.81	84.22	89 Deg F.	-5 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.57	17.21	218 Deg F.	8 psig.	8069-8588' Miocene Basalt
Totals			362.32 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 5/8/08

RECEIVED

APR 23 2008

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG Division of Minerals

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521


Plant/Project Dixie Valley Unit County Churchill Month of March 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	2.14	57.83	222 Deg F.	46 psig.	6193-6215' Miocene Basalt
N-12393	45-5	2.95	79.61	222 Deg F.	41 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.21	37.56	225 Deg F.	55 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.44	13.52	225 Deg F.	70 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.17	4.46	224 Deg F.	83 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.28	7.65	219 Deg F.	85 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.71	22.08	225 Deg F.	55 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.81	24.98	224 Deg F.	48 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.65	13.74	80 Deg F.	106 psig.	450-900' Jurassic Quartzite
N-61706	38-32	1.03	31.82	176 Deg F.	9 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.53	16.57	214 Deg F.	9 psig.	8069-8588' Miocene Basalt
Totals			309.83 MMgal			

This report to be filed by the end of the month following the month herein reported
 3/1-11 Well 38-32 is accepting injection augmentation and cooling tower water. 3/12-31 Well 38-32 is accepting hot brine. 3/11-31 Well 27-32 accepting cooling tower water

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 4/21/08

RECEIVED

MAR 07 2008

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Division of Minerals

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of February 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	0.00	0.00	No Injection	No Injection	6193-6215'
N-12393	45-5	0.00	0.00	No Injection	No Injection	Miocene Basalt 6200-6300'
Lamb Fee	32-18	1.50	43.48	224 Deg F.	26 psig.	Miocene Basalt 7360-7374'
Lamb Fee	41-18	0.00	0.00	No Injection	No Injection	Miocene Basalt 9635-9700'
Lamb Fee	52-18	0.00	0.00	No Injection	No Injection	Jurassic Gabbro 9500-9600'
N-12862	65-18	0.00	0.00	No Injection	No Injection	Jurassic Gabbro 9265-9417'
Lamb Fee	SWL-1	0.55	16.00	223 Deg F.	29 psig.	Jurassic Gabbro 7191-7256'
Lamb Fee	SWL-3	0.67	15.44	278 Deg F.	8 psig.	Miocene Basalt 7070-7450'
N-61706	27-32	0.00	0.00	No Injection	No Injection	Miocene Basalt 450-900'
N-61706	38-32	2.41	70.00	80 Deg F.	-9 psig.	Jurassic Quartzite 3535-3832'
N-12863	SWL-2	0.50	14.58	212 Deg F.	3 psig.	Jur/Tri Breccia 8069-8588'
Totals			159.49 MMgal			Miocene Basalt

This report to be filed by the end of the month following the month herein reported
Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in
I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Doug Brown
Position Site Manager
Date 3/6/08

RECEIVED

FEB 11 2008

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Division of Minerals

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Terra-Gen Dixie Valley, LLC Address 9590 Prototype Court, Suite 200, Reno, NV 89521

Plant/Project Dixie Valley Unit County Churchill Month of January 2008


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Dixie Valley Field						
N-12393	25-5	0.49	11.65	270 Deg F.	19 psig.	6193-6215' Miocene Basalt
N-12393	45-5	1.62	38.85	268 Deg F.	29 psig.	6200-6300' Miocene Basalt
Lamb Fee	32-18	1.03	31.88	212 Deg F.	8 psig.	7360-7374' Miocene Basalt
Lamb Fee	41-18	0.16	4.97	268 Deg F.	14 psig.	9635-9700' Jurassic Gabbro
Lamb Fee	52-18	0.27	6.60	268 Deg F.	15 psig.	9500-9600' Jurassic Gabbro
N-12862	65-18	0.01	0.23	267 Deg F.	19 psig.	9265-9417' Jurassic Gabbro
Lamb Fee	SWL-1	0.17	5.38	165 Deg F.	10 psig.	7191-7256' Miocene Basalt
Lamb Fee	SWL-3	0.33	10.20	212 Deg F.	8 psig.	7070-7450' Miocene Basalt
N-61706	27-32	0.00	0.00	No Injection	No Injection	450-900' Jurassic Quartzite
N-61706	38-32	2.22	68.68	71 Deg F.	-7 psig.	3535-3832' Jur/Tri Breccia
N-12863	SWL-2	0.13	4.16	155 Deg F.	1 psig.	8069-8588' Miocene Basalt
Totals			182.59 MMgal			

This report to be filed by the end of the month following the month herein reported

Well 38-32 is accepting injection augmentation and cooling tower water and well 27-32 is shut in

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Doug Brown
 Position Site Manager
 Date 2/1/08