

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. MRRD  
 TRIPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Prwy. Ste 456 Reno

Plant/Project Warren & Marzanita Estates County Washoe Month of                      20          

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	490,518	13,244,000	158°	-7.75'	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature  *Gordon McKay*

Position SEC

Date 1-5-07

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. Record  
 TRIPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy Ste 456 Reno  
 Plant/Project Warren & Manzanita Estates County Washoe Month of November 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moang	3	421,260	11,374,000	162°	-7ft	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature [Signature]  
 Position Sec  
 Date 12-4-06

*cm*

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. Record  
 TRIPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy. Ste 456 Reno  
 Plant/Project Warren & Marzanita Estates County Washoe Month of October, 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	425,193	13,181,000	167°	-11 ft	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature *[Signature]*  
 Position Sec  
 Date 10-31-06

(REV 6/10/2004 LV)

*en*

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. NEBRG  
 TRIPPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy. Ste 456 Reno

Plant/Project Warren & Manzanita Estates County Washoe Month of September 25, 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moans	3	385,000	10,791,000	170°	-9 ft	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature *Mark Murray*

Position Sec

Date 10-3-06

*BR*

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. NSMIG  
 TRIPPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy. Ste 456 Reno  
 Plant/Project Warren & Manzanita Estates County Washoe Month of August, 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	366,000	10,248,000	170 F	-11 ft TOC	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature *[Signature]*  
 Position Controller  
 Date 9-4-06

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. NBMS  
 TRIPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy. Ste 456 Reno  
 Plant/Project Warren & Manzanita Estates County Washoe Month of July, 2006

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	WE-3		2,917,000	170°	-16 ft TDC	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature Thomas McKay  
 Position Contractor  
 Date 8-9-06