

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7062

ORIGINAL - Div. File  
 TRANSLUCENT - Div. 12000  
 REPRODUCTION - Computer File

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Company Nevada Geothermal Utility Address 4790 Coughlin Pkwy, Ste 456 Reno  
 Project Warren & Mesquite Estates County Washoe Month of September, 2008

File one report for each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	358,555	11,566,650	144°F	#1 93	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature [Handwritten Signature]

Position Sec

Date 10-7-08

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 884-7040 • Fax (775) 884-7052

GENERAL - 20% FEE  
 CONTRACTORS - 15% FEE  
 INVESTIGATE - Company Fee

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Company Nevada Geothermal Utility Address 4790 Coughlin Pkwy. Ste 456 Reno  
 rd/Project Warren & Marston Estates County Nevada Month of August 2008

For each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	396,000	12,302,350	149°F	#1 94'	1040 ft Kale Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given hereon is true, correct and complete to the best of my knowledge.

Signature [Handwritten Signature]

Position Sec

Date 9-5-08

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. NRS&G  
 TRIPPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Caughlin Pkwy. Ste 456 Reno  
 Plant/Project Warren & Manzanita Estates County Washoe Month of July 20 08

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	342,607	9,593,000	147°F	* 1 90'	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature [Signature]

Position Sec

Date 8-1-08

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 100  
 Carson City, Nevada 89703  
 (775) 884-7040 • Fax (775) 884-7052

ORIGINAL - One File  
 DUPLICATE - One File  
 TELETYPE - Computer File

COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Company Nevada Geothermal Utility Address 4790 Cassia Plng Ste 456 Reno  
 Well/Project Warren & Maganin Estates County Washoe Month of June 2008

File one for each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
MOANA	3	344,170	10,325,000	148° F	#1	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature [Handwritten Signature]

Position Sr. E

Date 7-9-08

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 100  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - See File  
 DUPLICATE - See Record  
 REPLICABLE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

County Nevada Geothermal Utility Address 4790 Caughlin Pkwy Ste 456 Reno  
 Project Warren & Meserich Estates County Washoe Month of MAY 2008

File each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	342,194	10,608,000	158° F	#141'	1040 ft Kala Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given hereon is true, correct and complete to the best of my knowledge.

Signature [Handwritten Signature]  
 Position Sec  
 Date 6-6-08

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 108  
 Carson City, Nevada 89703  
 (775) 864-7040 • Fax (775) 864-7052

ORIGINAL - DR. FILE  
 DUPLICATE - DR. FILE  
 REPLACED - DR. FILE

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

County Nevada Geothermal Unit Whitt Address 4790 Caughlin Pkwy Ste 456 Reno  
 Project Warren & Maszenta Estates County Washoe Month of April 2008

File for each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	320,973	9,629,200	164°F	#1 39'	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herein is true, correct and complete to the best of my knowledge.

Signature [Signature]  
 Position Sec  
 Date 5-1-08

## Weekly measurements of production and injection activities at Nevada Geothermal

DATE	TIME	TEMP OF PRODUCED FLUID	INSTANTANEOUS FLOW	INJECTION #1 WATER LEVEL	TOTALIZING READING X 1000 GPM	INJECTION #2 WATER LEVEL	Pump #	TEMP OF INJECTION FLUID
12-31	7:05	205	270	53	902462	no	2	148
1-7	6:58	205	260	51	904875	no	2	149
1-14	7:00	205	260	49	907287	no	2	148
1-21	6:48	205	250	59	909703	no	2	147
1-28	6:52	205	250	50	912131	no	2	148
2-4	7:01	205	260	49	914548	no	2	147
2-11	6:58	205	250	58	916983	no	2	152
2-18	7:03	205	250	56	919432	no	2	151
2-25	7:00	205	240	57	921952	no	2	153
3-3	7:04	205	240	52	924499	no	2	152
3-10	7:05	205	250	48	927042	no	2	157
3-17	6:58	205	240	39	929496	no	2	150
3-24	7:03	205	240	40	931935	no	2	160
3-31	7:08	205	250	33	934316	no	2	152
4-7	6:59	205	240	38	936644	no	2	158
4-14	7:10	205	240	37	938971	no	2	172
4-21	7:04	205	230	43	941293	no	2	152
4-28	7:00	205	230	37	943614	no	2	173

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 100  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. 80800  
 TERTIARY - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Coughlin Pkwy Ste 456 Reno

Plant/Project Warren & Muzanita Estates County Washoe Month of March, 2008

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	350,000	10,850,000	154°F	#1 42'	1040 ft Kata Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.


Signature [Handwritten Signature]  
 Position Sec  
 Date 4-1-08



**McKay Drilling, Inc.**  
**4850 Joule St A-5**  
**Reno, Nevada 89502**  
**(775)825-8692**  
**Fax 856-1620**  
**Email: Gordon@McKayDrilling.com**  
**Internet: www.McKayDrilling.com**

---

*Serving Northern Nevada Since 1960*  
*Lic. #14170, limit \$350,000*  
*#22763, limit \$350,000*



Date: 4-4-08

Attention: Lynda

From: Gordon McKay

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040 • Fax (775) 684-7062

GENERAL - 10% FEE  
 DUPLICATE - DEL. FEE  
 TELETYPE - CARRY CHG

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Coughlin Pkwy Ste 456 Reno

Plant/Project Warren & Mezzanin Estates County Washoe Month of February, 2008

Report for each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	343,130	9,951,000	150°F	#1 57'	1040 ft Kate Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature *Mark McKay*  
 Position Sec  
 Date 3-4-08

**McKay Drilling, Inc.**

**4850 Joule St A-5  
Reno, Nevada 89502**

**(775)825-8692**

**Fax 856-1620**

**Email: Gordon@McKayDrilling.com**


**Internet: www.McKayDrilling.com**

---

*Serving Northern Nevada Since 1960*

*Lic. #14170, limit \$350,000*

*#22763, limit \$350,000*



Date: 3-4-08

Attention: Lynda

From: Gordon McKay

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 884-7040 • Fax (775) 884-7052

ORIGINAL - Div. File  
 DUPLICATE - Div. 10000  
 TRIPPLICATE - Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT**

Company Nevada Geothermal Utility Address 4790 Carablin Pkwy Ste 456 Reno  
 Plant/Project Warren & Mesquite Estates County Washoe Month of JANUARY, 2008

Report each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Moana	3	356,410	11,049,000	148°F	#1 54'	1040 ft Kale Peak Andesite

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Signature [Handwritten Signature]  
 Position Sec  
 Date 2-1-08

**McKay Drilling, Inc.**

**4850 Jonte St A-5  
Reno, Nevada 89502**

**(775)825-8692**

**Fax 856-1620**

**Email: Gordon@McKayDrilling.com**


**Internet: www.McKayDrilling.com**

---

**Serving Northern Nevada Since 1960**

**Lic. #14170, limit \$350,000**

**#22763, limit \$350,000**



Date: <sup>2</sup> 10-10-08

Attention: Lynda

From: Gordon McKay