400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. File DUPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

		GEOTHERMAL I	FLUIDS INJECTED			
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Commercial Well Peppermill Hotel Casino Property	4	154.2 x1000 154,500	4,626.3 ×1000 4636,300	100° F	145 psig	2,800-3,000 Alta

This report to be filed by the end of the month following the month herein reported.

Signature	1		Dal	ou)			
'Position_	Civil	Engr.,	Loran	Engr	&	Inspection,	Inc
Date		Jai	nuary	7, 200	00		,

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. File DUPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

	GEOTHERMAL FLUIDS INJECTED			I		
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Commercial Well Peppermill Hotel Casino Property	4	154.1 ×1000 /5 ² /,/00	2,928.6* x1000 2938400	101° F	142.5 psig	2,800-3,00 Alta
				• •		
*Geothermal System put in on 11-10-99 following repi supply pump replacement.	o Service ping and	•	·.		,	

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Date_

'Position Civil Engr., Loran Engr & Inspection, Inc.

<u>November 15, 1999</u>

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

ORIGINAL - Div. File DUPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT Minerals

Plant/Project Peppermill Hote	l Casino	County	Washoe	_Month of	October	, 19 <u>99</u>
Show each injection well separately.	File not later	than the last day	of the month for t	he preceding m	ionth.	
		GEOTHERMAL	FLUIDS INJECTED		Injection Pressure	Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.		depth & formation
Commercial Well Peppermill Hotel Casino Property	4	-0-*	-0-	N/A	N/A	2,800-3,00 Alta
Geothermal System Shut-ou replace Supply Well Pump	. to					

Signature	110	afor		
Position Ci vil	Engr., Lora	n Engineering	&	Inspection
Date	November			Inc.
15410	·			····

(702) 687-5050

400 W. King Street, Suite 106 Carson City, Nevada 89710

ORIGINAL - Div. File **DUPLICATE - DIV. NBMG**

JAN 1 1 2000

Div. of Minerals COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

		GEOTHERMAL F	LUIDS INJECTED			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Commercial Well Peppermill Hotel Casino Property	4	-0-*	-0-	N/A	N/A	2,800-3,00 Alta
*Geothermal System Shut- above ground piping relo	out to all					

Signature		MK		alow)		
' Position	Civil	Engr.,	Loran	Engineering	å	Inspection.
Date		er 15,	Inc.			

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

ORIGINAL, - Div. 176 DUPLICATE - DIV. NBMG TRIPLICATE - Company File

REGEIVED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORTMINERALS

		GEOTHERMAL F	LUIDS INJECTED			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Commercial Well Peppermill Hotel Casino Property	4	-0-*	-0-	N/A	N/A	2,800-3,00 Alta
*Geothermal System Shut- above ground piping relo						

Signature	ac	Sa	ulow)		
'Position_	Civil Engr.,	Loran	Engineering	&	Inspection
Date	September 13	Inc. 1999			

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - DIV. File
DUPLICATE - DIV. NBMG
TRIPLICATE - Company File
PECEWED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS Div. of Minerals GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

		GEOTHERMAL FLUIDS INJECTED				Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Commercial Well Peppermill Hotel Casino Property	4	-0-*	-0-	N/A	N/A	2,800-3,00 Alta
				· ·		

I hereby certify that the information given herewith is true, correct and complete to the best of my knowledge.

Date

Civil Engr., Loran Engineering & Inspection.

August 15, 1999

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. File DUPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

COMMERCIAL AND INDUSTRIAL CLASS JAN 1 1 2000 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT Div. of Minerals

Plant/Project Peppermill Hotel	el Casino	_ CountyWa	shoe	_Month of	June	, 1999
Show each injection well separately.	File not later	than the last day	of the month for the	he preceding m	onth.	
		GEOTHERMAL FLUIDS INJECTED				Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Commercial Well Peppermill Hotel Casino Property	4	-0-*	-0-	N/A	N/A	2,800-3,00 Alta
Geothermal System Shut-out above ground piping to be below ground.	to allow relocated					\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.

This report to be filed by the end of the month following the month herein reported.

Signature	UC Balow
	Engr., Loran Engineering & Inspection,
Inc. Date	July 12, 1999

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. File DUPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

JAN 1 1 2000

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

Plant/Project_	Peppermill Hote	1 Casino	County_Was ho	98	_Month of	May	, 19_99
Show each in	jection well separately.	File not later	than the last day	of the month for t	he preceding m	onth.	
<u></u>			GEOTHERMAL I	FLUIDS INJECTED		Injection Pressure	Reservoir depth & formation
Field :	and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.		
Commercial Peppermill Property	Well Hotel Casino	4	-0- *	-0-	'N/A	N/A	2,800-3,000 Alta
							-
						mental and a second a second and a second an	
					·		
		·	•			,	
Geothermal above grou ground.	System Shut-out nd piping to be	to allow relocated	below	,			No.

This report to be filed by the end of the month following the month herein reported.

Signature_	Malerel	"Bu	for	·····
`Position	Civil Engineer,	Loran	Engineering	& Inspect
***************************************	ion, Inc.			
Date	June 11, 1999			······································



RECEIVED

JAN 1 1 2000

Div. of Winerals

January 7, 2000

State of Nevada Division of Minerals Ms. Linda Wells 400 West King Street, Ste. 106 Carson City, NV 89703

RE:

Peppermill Hotel Casino-Reno

Geothermal Injection

This letter provides a status report of the geothermal system and conveys Geothermal Subsurface Injection Monthly Reports for the Peppermill Hotel Casino located at 2707 South Virginia Street in Reno, Nevada. Monthly reports were previously submitted for the period January through May 1999. As noted on the May 1999 Report, the geothermal supply well was shut-out on April 19, 1999 to allow a portion of the conveyance piping to be relocated below ground. This piping project was completed by Savage & Sons Plumbing, Inc., as a part of the Peppermill expansion program and did not affect either the geothermal production or injection well. However, when the geothermal production well was put back into service following the piping project, Peppermill Engineering noticed a substantial decrease in flow rates and temperatures. It was determined that the production well pump was defective and required replacement. A new pump and associated electrical wiring was installed by Aqua Drilling. The system was tested and placed back in service on November 10, 1999. The geothermal production and injection wells have operated normally without interruption since that time.

We trust that this provides the information required at this time. If you have any questions, please contact our office.

Sincerely,

Loran Engineering & Inspection, Inc.

Darlene Crawford Barlow Civil Engineer - 9908

LC Backer

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. File
DUPLICATE - Div. NBMG
TRIPLICATE - Company File

MAY 2 5 1999

Div. of Minerals

Position Civil Engr., Loran Engr. & Inspection, Inc.

May 20, 1999

Date_

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT

		GEOTHERMAL F	LUIDS INJECTED			
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Commercial Well Peppermill Hotel Casino Reno Property	4	1527.0 X 1000	2901.3* X 1000	108°F	158 ps gi	2,800-3,00
	TOTAL COLUMN TO THE COLUMN TO					
* Geothermal Production April 19, 1999 to geothermal piping	allow ab	ove around l	ound.		,	
		-				



RECEIVED

MAY 2 5 1999

Div. of Winerals

LETTER OF TRANSMITTAL

Date:

May 20, 1999

Attention:

Ms. Linda Wells

Company:

State of Nevada Department of Business and Industry

Division of Minerals

Sender:

Darlene Barlow

Project:

Peppermill Hotel Casino - Reno

Documents:

Commerical and Industrial Class

Geothermal Subsurface Injection Monthly Report

Please find one copy of the report for April 1999.

Feel free to contact our office if you have any questions.

Commission of the second control of the control of the second of the sec

400 W. King Street, Suite 106

00 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Div. Pile DEPLICATS - Div. NBMG TRIPLICATE - Company File

RECEIVED

COMMERCIAL AND INDUSTRIAL CLASS APR 2 8 1999 GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT DIV. Of Minerals

Company Peppermill Hotel	Casino, Inc	Address	2707 S. Virg			V 89502
Plant/ProjectPeppermill Hotel	Casino	County_Washc	oe	Month of Fe	bruary	, 19 <mark>99</mark>
Show each injection well separately. * Gallons per month figure			f the month for th	e preceding m	onth.	
		GEOTHERMAL F	LUIDS INJECTED			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month *	Average Temp.	Injection Pressure	depth & formation
Commercial Well Peppermill Hotel Casino Reno Property	4	152.6 x 1000	4576.5 x 1000	108°F	147.5psig	2,800-3,000

This report to be filed by the end of the month following the month herein reported.

Signature	; <i>G</i>	W	V	<u> Sulo.</u>	w			
Position_						å	Inspection,	Inc.
Date	April	20,	19	99				························

STATE OF NEVADA DEPARTMENT OF BUSINESS AND INDUST

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 ORIGINAL - Dhv. File DEPLICATE - Div. NBMG TRIPLICATE - Company File

RECEIVED

FEB 1 7 1999

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION MONTHLY REPORT Minerals

Company Peppermill Hotel						
Plant/ProjectPeppermill Hotel	Casino	_ County_ Wash	oe j	Month of Ja	nuary	, ₁₉ <u>99</u>
Show each injection well separately.	File not later	than the last day o	of the month for th	e preceding mo	onth.	
		GEOTHERMAL F	LUIDS INJECTED			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp. F	Injection Pressure psig	depth & formation
Commercial Well Peppermill Hotel Casino Reno Property	4	161.3 x1,000	4999.9 x1,000 4,999,00	109	159	2,800-3,000

This report to be filed by the end of the month following the month herein reported.

Signature	Al	C Sa	dow	······································			
Position	Civil	Engr.,	Loran	Engr.	&	Inspection,	Inc.
Date		Februar	y 10,	1999			