

STATE OF NEVADA
DEPARTMENT OF MINERALS
 407 King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of December, 1991
 Address PO Box 480, Round Mountain NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25 IJ #1	1,123,283	34,821,800			
N-46200	36-25 IJ #2	1,215,854	37,691,500			

Remarks: The system operated 31 days in December.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Gary McCurry*
 Position Environmental Engineer
 Date Jan. 27, 1992

ROUND MOUNTAIN GOLD CORPORATION
SMOKY VALLEY COMMON OPERATIONS
P.O. BOX 480
ROUND MOUNTAIN, NEVADA 89045
(702) 377-2366

DEC 20 1991

Dept. of Minerals

December 17, 1991


Mr. Russell A. Fields
Department of Minerals
400 West King Street Suite #106
Carson City, NV 89710

Dear Mr. Fields:

Enclosed is the November 1991 report for the RMGC geothermal system. The system operated for 21 days during the month of November.

If you have any questions, please call me at 702-377-2366.

Sincerely,


Paul Dusenbury
Environmental Engineer

Encl: (as noted)

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of November, 19 91

Address P.O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25 IJ-#1	1,151,619	24,184,000			
N-46200	36-25 IJ-#2	1,080,314	22,686,600			

Remarks: The system operated for 21 days during November.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Paul Dusenbury*
 Paul Dusenbury
 Position Environmental Engineer
 Date December 16, 1991

STATE OF NEVADA
DEPARTMENT OF MINERALS
 J. W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer Round Mountain Gold Corporation Month of October, 1991
 Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25 IJ#1	8,961	17,921			
N-46200	36-25 IJ#2	13,060	26,119			

Remarks: The system operated for the last two days of October.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Paul Dusenbury
Environmental Engineer
 Date Nov. 27, 1991

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - OWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of September, 1991

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25	-0-	-0-			
N-46200	36-25	-0-	-0-			

Remarks: The system did not operate during September.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Paul Dusenbury*
 Position Paul Dusenbury, Environ. Engr.
 Date Oct. 29, 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of August, 1991

Address P.O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25	-0-	-0-			
N-46200	36-25	-0-	-0-			

Remarks: The system did not operate during August

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Paul Dusenbury*
 Paul Dusenbury
 Position Environmental Engineer
 Date Sept. 27, 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of July, 1991

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25	-0-	-0-			
N-46200	36-25	-0-	-0-			

Remarks: System did not operate during the month of July.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Paul Dusenbury*
 Paul Dusenbury
 Position Environmental Engineer
 Date 10/9/91

STATE OF NEVADA
 DEPARTMENT OF MINERALS

100 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of June, 1991

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25 #1	8,299	49,794			
N-46200	36-25 #2	11,107	66,646			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Paul Dusenbury*
 Paul Dusenbury
 Position Environmental Engineer
 Date 10/9/91

ROUND MOUNTAIN GOLD CORPORATION

SMOKY VALLEY COMMON OPERATION

P. O. BOX 480

ROUND MOUNTAIN, NEVADA 89045

(702) 377-2366

RECEIVED

JUN 27 1991

June 24, 1991

Mr. Russell A. Fields
Department of Minerals
400 West King Street
Suite #106
Carson City, NV 89710

Dear Mr. Fields:

Enclosed are the May 1991 reports for the RMGC geothermal system. The system only operated for a short time during May.

If you have any questions, please call me at (702) 377-2366.

Sincerely,



Doug Barto
Environmental Engineer

DB:vt

Encl: (as noted)

STATE OF NEVADA
DEPARTMENT OF MINERALS
 100 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of May, 19 91

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
N-46200	34-25	1,110,611	9,995,500			
N-46200	36-25	1,138,422	10,245,800			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Doug Barto*
 Position Environmental Engineer
 Date June 24, 1991

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corp Month of April, 1991
 Address Po 480 Round Mt Nevada 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain						
N-46200	34-25	665800	1,336,600			
N-46200	36-25	634500	1,269,000			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature Doug B. B.
 Position Engineer
 Date 5-28-91

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DECEIVED

MAY 30 1991

Dept. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corp. Month of March, 19 91

Address P.O. 420 Round Mt NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain						
N-46200	34-25	979,326	30,359,100			
N-46200	36-25	1,227,655	38,054,200			
			68,413,303			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature Day B. B. B.
 Position Engineer
 Date 5-28-91

ROUND MOUNTAIN GOLD CORPORATION

SMOKY VALLEY COMMON OPERATION

P. O. BOX 480

ROUND MOUNTAIN, NEVADA 89045

(702) 377-2366

RECEIVED

MAR 31 1991

DEPT. OF MINERALS

March 28, 1991


Mr. Russell A. Fields
Department of Minerals
400 West King Street
Suite #106
Carson City, NV 89710

Dear Mr. Fields:

Enclosed are the February 1991 reports for the RMGC geothermal system. The system operated intermittently during February.

If you have any questions, please contact me at (702) 377-2366.

Sincerely,



Doug Barto

Doug Barto
Environmental Engineer

DB:vt

Encl: (as noted)

cc: Richard Hoops, BLM

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of February, 1991

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain						
N-46200	34-25	1,314,243	9,199,700			
N-46200	36-25	1,329,385	9,305,700			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Doug Barto*
 Doug Barto
 Position Environmental Engineer
 Date March 28, 1991

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Round Mountain Gold Corporation Month of January, 19 91

Address P. O. Box 480, Round Mountain, NV 89045

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Round Mountain N-46200	34-25	1,541,519	40,079,500			
N-46200	36-25	1,497,700	38,940,200			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Doug Barto*
 Doug Barto
 Position Environmental Engineer
 Date February 7, 1991