

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of DECEMBER, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,347,724 | 40,431,719 | 10.4 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark Collins*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date JANUARY 15, 1990

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of NOVEMBER, 19 89


Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,387,969 | 41,639,080 | 12.7 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date DECEMBER 14, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of OCTOBER, 19 89


Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,425,060 | 44,176,860 | 13.0 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date DECEMBER 4, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of SEPTEMBER, 19 89
 Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|---|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,389,446 | 6,947,231 | 14.0 (While Operating) 2.3 (Monthly Average) | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Photo G. Shaw*
 Position OPERATIONS COORDINATOR - NV POWER PLANTS
 Date OCTOBER 25, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of AUGUST, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,292,908 | 40,080,155 | 16.3 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Monte B. Brown*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date SEPTEMBER 27, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of JULY, 19 89
 Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,359,641 | 42,148,863 | 25.0 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark O. Morrison*
 Position OPERATIONS COORDINATOR - NV POWER PLANTS
 Date August 17, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of JUNE, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,298,369 | 27,265,740 | 24.8 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Monte C. [Signature]*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date JULY 12, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of MAY, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,343,550 | 41,650,048 | 26 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mark C. Maurer*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date JUNE 9, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of APRIL, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,328,894 | 39,866,825 | 26.2 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Mate C. [unclear]*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date MAY 24, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

RECEIVED

APR 19 1989

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of MARCH, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,314,793 | 40,758,600 | 23.0 | | |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Monte E. Moore*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date APRIL 17, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

RECEIVED

MAR 17 1989

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS DEPT OF MINERALS

Producer AMOR III CORPORATION Month of FEBRUARY, 19 89

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,339,780 | 37,513,848 | 20.3 | | 791-980' |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Monte C. Mann*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date MARCH 16, 1989

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

RECEIVED

FEB 29 1989

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer AMOR III CORPORATION Month of JANUARY, 1989

Address 5000 SODA LAKE ROAD, FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

| Field and lease name | Well No. | Geothermal Fluids Injected | | Injection pressure | Reservoir formation | Reservoir depth |
|----------------------|----------|----------------------------|-------------------|--------------------|---------------------|-----------------|
| | | Gallons per day | Gallons per month | | | |
| SODA LAKE | 1-29 | 1,334,856 | 41,228,539 | 46.0 | | 791-980' |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *Monte C. Mason*

Position OPERATIONS COORDINATOR - NV POWER PLANTS

Date FEBRUARY 27, 1989