

RECEIVED

DEC 15 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY

Div. of Minerals

Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX Month of: November 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,054,400	61,632,000	142	45	
SODA LAKE KGRA	87-29	2,256,000	67,680,000	147	6	
SODA LAKE KGRA	64-33	868,800	26,064,000	146	147	
SODA LAKE KGRA	81-33	1,101,600	33,048,000	148	0	
SODA LAKE KGRA	77-29	66,820	2,004,600	146	17	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: December 13, 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP
RECEIVED
NOV 15 2000
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX , Month of: October 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,032,600	63,012,000	155	*I/F	
SODA LAKE KGRA	87-29	2,354,200	72,980,400	159	7	
SODA LAKE KGRA	64-33	631,200	19,567,200	158	*I/F	
SODA LAKE KGRA	81-33	1,502,400	46,574,400	174	*I/F	
SODA LAKE KGRA	77-29	1,260,000	1,260,000	160	*I/F	

Remarks: *Injection well pressures I/F (instrument failure) awaiting replacement parts.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: November 13, 2000

RECEIVED

OCT 26 2000

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

Div. of Minerals

Orig-NDOM
 Dup-NBM&G
 Trip-DWR
 Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX Month of: September 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	1,958,700	52,885,700	176	106	
SODA LAKE KGRA	87-29	2,264,600	61,143,000	176	11	
SODA LAKE KGRA	64-33	224,500	5,836,800	177	132	
SODA LAKE KGRA	81-33	1,280,100	34,562,500	179	3	
SODA LAKE KGRA	77-29	748,000	2,244,000	176	30	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: October 20, 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP

RECEIVED
OCT 31 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX, Month of: August, 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,191,900	67,950,900	164	96	
SODA LAKE KGRA	87-29	2,257,400	69,979,800	164	9	
SODA LAKE KGRA	64-33	564,800	17,511,200	169	145	
SODA LAKE KGRA	81-33	1,397,800	43,332,800	182	3	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: September 25, 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

Orig-NDOM
Dup-NBM&G
Trip-DWR
Quad-DEP

RECEIVED

AUG 22 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX , Month of: July, 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,436,000	75,516,000	164	123	
SODA LAKE KGRA	87-29	2,061,600	63,909,600	164	7	
SODA LAKE KGRA	64-33	592,800	18,376,800	170	144	
SODA LAKE KGRA	81-33	1,545,600	47,913,600	173	1	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: August 17, 2000

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

Orig-NDOM
 Dup-NBM&G
 Trip-DWR
 Quad-DEP

RECEIVED

JUL 18 2000

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Div. of Minerals
 Month of: June, 2000

Producer: AMOR IX

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
 the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,520,000	75,600,000	165	128	
SODA LAKE KGRA	87-29	2,191,200	65,736,000	170	8	
SODA LAKE KGRA	64-33	585,600	17,568,000	171	143	
SODA LAKE KGRA	81-33	1,329,600	39,888,000	162	0	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: July 15, 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED
Orig-NDOM
Dup-NBM&G
JUN 16 2000
Trip-DWR
Quad-DEP
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX _____, Month of: May, 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,714,400	82,435,200	158	128	
SODA LAKE KGRA	87-29	1,900,800	62,570,400	162	6	
SODA LAKE KGRA	64-33	772,800	23,064,000	162	142	
SODA LAKE KGRA	81-33	1,425,600	42,928,800	164	0	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: June 15, 2000

RECEIVED

MAY 18 2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY

Div. of Minerals

Orig-NDOM
Dup-NBM&G

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

Trip-DWR
Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX, Month of: April, 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,714,400	81,432,000	156	126	
SODA LAKE KGRA	87-29	1,900,800	57,024,000	159	5	
SODA LAKE KGRA	64-33	772,800	23,184,000	158	142	
SODA LAKE KGRA	81-33	1,425,600	42,768,000	162	0	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: May 17, 2000

RECEIVED

APR 17 2000

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

Div. of Minerals

Orig-NDOM
 Dup-NBM&G
 Trip-DWR
 Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX Month of: March, 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,767,200	85,783,200	155	127	
SODA LAKE KGRA	87-29	1,927,200	59,743,200	152	4	
SODA LAKE KGRA	64-33	801,600	24,849,600	154	140	
SODA LAKE KGRA	81-33	1,456,600	47,913,000	163	1	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: April 15, 2000

RECEIVED

MAR 16 2000

Div. of Minerals

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

Orig-NDOM
 Dup-NBM&G
 Trip-DWR
 Quad-DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX Month of: February 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,767,200	80,248,800	153	127	
SODA LAKE KGRA	87-29	1,924,800	55,819,200	156	4	
SODA LAKE KGRA	64-33	847,200	24,568,800	153	140	
SODA LAKE KGRA	81-33	1,368,000	39,672,000	154	1	
SODA LAKE KGRA	77-29	0	0	0	0	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: Allen D. Schindler

Print Name: Allen D. Schindler

Position: Plant Manager

Date: March 15, 2000

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

Orig-NDOM
 Dup-NBM&G
 Trip-DWR
 Quad-DEP

RECEIVED

FEB 17 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer: AMOR IX, Month of: January 2000

Address: 5500 SODA LAKE ROAD FALLON, NEVADA 89406

Show each injection well separately. File not later than
 the last day of the month for the preceding month.

Field and Lease Name	Well #	Geothermal Fluids Injected			Injection Pressure	Reservoir Depth & Formation
		Gallons Per Day	Gallons Per Month	Average Temp.		
SODA LAKE KGRA	45-28	2,652,200	63,652,300	154	124	
SODA LAKE KGRA	87-29	2,047,200	63,463,200	153	6	
SODA LAKE KGRA	64-33	847,200	26,263,200	152	140	
SODA LAKE KGRA	81-33	1,353,600	41,961,600	153	1	
SODA LAKE KGRA	77-29	1,547,800	13,929,800	157	62	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Submitted for: AMOR IX by Constellation Operating Services, Operator

Signature: *Allen D. Schindler*

Print Name: Allen D. Schindler

Position: Plant Manager

Date: February 15, 2000