DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 . (702) 885-5050

Producer

SB GEO, INC.

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer .	SB GE	O, INC.		Month o	of <u>Dece</u>	mber	, 19 90
Address	1010 M	t. Rose H	lighway, Reno	, Nevada			
	Show each injemonth for the	ection wel preceding	l separately. month.	File not late	r than the	last day o	f the
Field	and lease name	Well No.	Geothermal F Gallons per day	Tuids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
	mboat Springs	IW-2	0	0	0		
Stea	mboat Springs	IW-3	4,971,299	154,110,282	21.8		
		energy of the second					
							·
•						-	
					-		
Remarks:							

I certify this information to be true, correct, and complete and that no pertinent

Signature

Position

Date

Controller

February 14, 1991

matter inquired about in this report has been omitted.

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 . (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	SB GE	O, INC.		Month	of Nov	ember	, 19 ₉₀
Address	1010 M	1t. Rose F	lighway, Reno	, Nevada			
S	show each injononth for the	ection wel preceding	l separately. month.	File not late	r than the	last day of	f the
Field and	d lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
Steam b	ooat Springs	IW-2	0	0	0		
Steamb	oat Springs	IW-3	5,125,485	153,764,543	2100		
						,	
		The second secon					
					•		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature	
Position	Controller
Date	February 14, 1991



Far West Capital

JAN 28 1991

Dopt. of Minerals

January 24, 1991

State of Nevada Department of Minerals 400 West King Street, Suite 106 Carson City, Nevada 89710

Attention:

Ms. Kathy Loomis

Mr. Russ Field

RE: SB GEO, INC.

Steamboat Project

Dear Kathy:

You will find enclosed the Report of Geothermal Surface Injections and Industrial Class Geothermal Electric Producers Monthly Report for the period 10/11 - 10/31/90.

If you have any questions or comments on the reports, please let me know.

Sincerely,

John S. Bo Controller

JSB:im

Enclosure

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 . (702) 885-5050 Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO,	INC.		Period Mesth		1 - 10/31	, 19 90
Address 1010 Mt.	Rose High	way, Reno, N	evada			
Show each injomenth for the	ection wel preceding	1 separately. month.	File not late	r than the	last day of	fthe
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
Steamboat Springs	IW-2	-0-	-0-	-0-		
Steamboat Springs	IW-3	5,134,968	154,049,040	24.9		
	***************************************			. To the control of t		
		·				
·			·			
· · · · · · · · · · · · · · · · · · ·				•		

Remarks:

I certify this in	iformation to be true	, correct, and complete and that no pertinent	
matter inquired a	about in this report h	has been omitted	
		Signature	
		Position Controller	
		Position Controller	

Date

24/91

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENERGY	SYSTEMS	S, INC.	Month (of OCTOB	ER ————	, 19 <u>90</u>
Address 1010 MT. ROS	SE HIGHWA	AY, RENO, NE	EVADA			
Show each injection month for the	ection wel preceding	1 separately. month.	File not late	r than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,115,984	51,159,840	21.5		
					-	
			,			
					The Waldship of the Control of the C	
	<u> </u>					

Remarks:

matter	inquired	about	in	this	report	has	been	omit	ted.		101			
							Signa	ature		1 his	t Man	www.company.com		
							D = 4.24		ODEDA:	TTANC	COODINIA	TOD	NTT T	ואר א אויי

I certify this information to be true, correct, and complete and that no pertinent

Position OPERATIONS COORDINATOR - NV PLANT

Date 12/2/90

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	ORMAT ENERGY	Y SYSTEMS	SYSTEMS, INC. Month o			ofSEPTEMBER		
Address	1010 MT. ROS	SE HIGHWA	AY, RENO, NE	EVADA				
	Show each injemonth for the	ection wel preceding	l separately. month.	File not late	er than the	last day o	f the	
Field	and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth	
			0					

Tota and Touse mane	1	day	month	pressure	formation	depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,125,485	153,764,540	24.0		
				The state of the s	,	
	ver de de comment la					

Remarks:

Ì	certi	ty tr	ารา	ntorma	tion	to	be	true,	correct	and.	complete	and	that	no	pert	inent
mā	atter	inqui	ired	about	in th	iis	rep	ort ha	s been	omitte	ed.	1 1		2/		

Position OPERATIONS COORDINATOR - NV PLANTS

October 12, 1990 Date

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ₋	ORMAT ENERGY SYSTEMS, INC.	Month of	AUGUST	, 19 <u>90</u>
Address	1010 MT. ROSE HIGHWAY, RENO, NEVA	DA		
	Show each injection well separately. Fmonth for the preceding month.	ile not later	than the last	day of the

Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,101,854	158,157,480	22.2		
				1970.		
				-		
	The state of the s					,

Remarks:

1	certi	ty this	s intorm	ation	i to	be t	crue,	correct	and:	complete	and	that	no	pertinent
та	tter	inquire	ed about	in t	this	repo	ort ha	s been	omitte	ed <i></i>	. /	1	ور س	/

Position OPERATIONS COORDINATOR - NV PLANTS

Date

OCTOBER 12, 1990

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENERGY	Y SYSTEMS	S, INC.	Month	of	· ·	, 19 90
Address 1010 MT. ROS	SE HIGHWA	AY, RENO, NE	EVADA	· · · · · · · · · · · · · · · · · · ·		
Show each injection month for the	ection wel preceding	l separately. month.	File not late	er than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,015,925	150,477,763	20.5		
					-	
			. ,			
					·	

Remarks:

I certify this information to be true, c matter inquired about in this report has	orrect, an been omit	d complete and that no pertinent ted.
	Signature	ted. Mate & Man-
	Position	OPERATIONS COORDINATOR - NV PLANT
	Date	August 21, 1990

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENERGY	SYSTEMS	S, INC.	Month	of JUN	Е	, 19 90
Address 1010 MT. ROS	SE HIGHWA	AY, RENO, NE	EVADA			
Show each injementh for the	ection wel preceding	I separately. month.	File not late	r than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	4,884,500	146,536,900	18.2		
				-		
					·	-
		,				

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Position OPERATIONS COORDINATOR - NV PLANTS

Date

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENERGY	SYSTEMS	S, INC.	Month	of MAY		, 19 90
Address 1010 MT. ROS	SE HIGHWA	AY, RENO, NI	EVADA			
Show each injomonth for the	ection wel preceding	I separately. month.	File not late	er than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,119,400	158,701,400	19.1		
				,		
					77.55.0.0	
The state of the s						

Remarks:

I certify this information to be true, commatter inquired about in this report has	orrect, and been omit	d complete and ted.	d that no perti	nent
matter inquired about in this report has	Signature	Marie	6 Man	
	D==1+1==	ODEDATIONS	COODDINATOD	MITT DT AME

OPERATIONS COORDINATOR - NV

Date

JUNE 15, 1990

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENERGY	Y SYSTEMS	S, INC.	Month	of APRII	J	, 19 90
Address 1010 MT. ROS	SE HIGHWA	AY, RENO, NI	EVADA			
Show each injomonth for the	ection wel preceding	I separately. month.	File not lat	er than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,058,607	151,758,209	20.6		
			-			

Remarks:

matter inquired about in this				nent	
matter inquired about in this	Signature	Mat	5/4au-	Marve ^d	
	Position	OPERATIONS	COORDINATOR	- NV	PLANI

Position OPERATIONS COORDINATOR - NV PLANT

Date ____ May 22, 1990

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050 Orig - NDOM
Dup - NBM&G
Trip - DWR
Quad - DEP

RECEIVED

APR 84 1990

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

DEPT OF MINEPAIS

Producer	ORMAT ENERGY SYSTEMS, INC.	_ Month of	MARCH	, 19 <u>90</u>
Address	1010 MT. ROSE HIGHWAY, RENO, NEVADA			
	Show each injection well separately. File month for the preceding month.	not later	than the last day	of the

STEAMBOAT SPRINGS IW-2 5,116,000 158,595,500 20.7 STEAMBOAT SPRINGS IW-3 0 0 0	Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS IW-3 0 0 0	STEAMBOAT SPRINGS	IW-2	5,116,000	158,595,500	20.7		
	STEAMBOAT SPRINGS	IW-3	0	0	0		
					77		
							`
						·	

Remarks:

		fy this												ent
lì	natter	inquire	d about	in t	his	repo	rt ha	as been	omitt	ed./	7 1	n/	5	

Signature

Position OPERATIONS COORDINATOR - NV PLANTS

Date

APRIL 23, 1990

EPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer ORMAT ENER	GY SYSTEMS	, INC.	Month o	of FEBRU	ARY	, 19 90
Address 1010 MT. R	OSE HIGHWA	Y, RENO, NEVAI	DA 89511		· ·	
Show each ing month for the	jection wel preceding	l separately. month.	File not late	r than the	last day o	f the
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	TW-3	5,045,960	141,286,900	21.3		

I	cert	ify	this	informa	ition	to be	true,	, correct,	and	comp	lete	and	that	no	pertir	ient
ma	tter	inc	quirec	labout	in th	nis re	port h	, correct, nas been o	mitte	ed.	711		7. J.	1		J. S. 3.
	en de la companya de					100							1.111			

Signature / Take to Wain

Position

OPERATIONS COORDINATOR - NV POWER PLANTS

Date

MARCH 29, 1990

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 885-5050

Orig - NDOM Dup - NBM&G Trip - DWR Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer OR	MAT ENERGY	SYSTEMS	, INC.	Month o	ARY	<u>, 19 90</u>					
Address 10	10 MT. ROS	E HIGHWAY, RENO, NEVADA 89511									
Show each injection well separately. File not later than the last day of the month for the preceding month.											
Field and le	ase name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Injection pressure	Reservoir formation	Reservoir depth				
STEAMBOAT SPRIN	GS	IW-2	0	0	0						
STEAMBOAT SPRIN	GS	IW-3	5,067,300	157,088,100	26.5						
	1 2 44 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										
	Ti construe ann				To the second se						
			:								
	T PLANE TO THE PARTY OF THE PAR										
	11				77.						

Remarks:

I	certi	fy this	informat	tion t	o be	true,	correct	, and	complete	and	that	no	pertinent
m	atter	inquired	l about i	in thi	s re	port ha	is been	omitte	ed.	1	,	/	•

Signature

Position

OPERATIONS COORDINATOR - NV POWER PLANTS

FEBRUARY 22, 1990

Date