

State of Nevada
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, Inc. / Steamboat II/III Month of December, 1992


Address P.O. Box 18087, Reno, 89511

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat KGRA, Towne Permit # 300	45-28	7,400,828.9	229,425,695.3	178.8	114.2	2706'
Steamboat KGRA, Towne Permit # 299	35-28	7,259,848.6	225,055,305.4	178.8	108.3	1793'
Steamboat KGRA, Towne Permit # 341	46-28	7,085,058.5	219,636,812.9	178.8	104.1	1080'

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Operations Supervisor
 Date 18-May-93

STATE OF NEVADA

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, NV 89710
 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer SB Geo, Inc. Month of December 1992
 Address 1010 Power Plant Drive Reno, NV

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir Depth & Formation
		Gallons per Day	Gallons per Month			
STEAMBOAT SPRINGS	IW-2	1,458,504	43,755,120	195.4	9.9	
STEAMBOAT SPRINGS	IW-3	4,375,512	131,265,360	195.4	39.6	
TOTAL:		5,834,016	175,020,480			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: 
 Position: CONTROLLER
 Date: 1/15/93

STATE OF NEVADA

DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, NV 89710
 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS


Producer SB Geo, Inc. Month of November 1992
 Address 1010 Power Plant Drive Reno, NV

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and Lease Name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir Depth & Formation
		Gallons per Day	Gallons per Month			
STEAMBOAT SPRINGS	IW-2	1,429,416	42,882,480	193.7	9.8	
STEAMBOAT SPRINGS	IW-3	4,288,248	128,647,440	193.7	30.7	
TOTAL:		5,717,664	171,529,920		40.5	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: 
 Position: CONTROLLER
 Date: 12/16/92

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106

Carson City, Nevada 89710

(702) 885-5050

Dup - NBM&G

Trip - DWR

Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB* GEO, INC. Month of October, 19 92


Address 1010 POWER PLANT DRIVE, RENO NEVADA

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
STEAMBOAT SPRINGS	IW-2	1,451,376	44,992,656	206.6	Instrument Failure	
STEAMBOAT SPRINGS	IW-3	4,354,128	134,977,968	206.6	Instrument Failure	
TOTAL:		5,805,504	179,970,624			

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position CONTROLLER

Date 11/10/92

DEPARTMENT OF MINERALS

100 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB*GEO, INC. Month of SEPTEMBER, 19 92


Address 1010 POWER PLANT DRIVE, RENO NEVADA

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
STEAMBOAT SPRINGS	IW-2					
STEAMBOAT SPRINGS	IW-3	5,321,088	159,632,640	211.2	46.6	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position CONTROLLER
 Date 10/12/92

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106

Carson City, Nevada 89710

(702) 885-5050

Dup - NBM&G

Trip - DWR

Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB*GEO, INC. Month of AUGUST, 19 92

Address 1010 POWER PLANT DRIVE, RENO NEVADA

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
STEAMBOAT SPRINGS	IW-2	0	0	0		
STEAMBOAT SPRINGS	IW-3	5,055,408	156,717,648	206.9	38.1	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

John S. Bo

Position

CONTROLLER

Date

SEPTEMBER 14, 1992

DEPARTMENT OF MINERALS

400 W. King Street, Suite 106

Carson City, Nevada 89710

(702) 885-5050

Dup - NBM&G

Trip - DWR

Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of July, 19 92

Address 1010 POWER PLANT DRIVE, RENO NEVADA

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
STEAMBOAT SPRINGS	IW-2	0	0	212.7		
STEAMBOAT SPRINGS	IW-3	5,602,608	173,680,848	212.7	40.7	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position CONTROLLER

Date August 27, 1992

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of June, 1992


Address 1010 Mt. Rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,700,672	171,020,160	45.1		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Controller
 Date August 7, 1992

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of May, 1992


Address 1010 Mt. Rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,704,128	176,827,968	42.1		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Controller
 Date June 8, 1992

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

RECEIVED

JUN 04 1992

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Dept. of Minerals

Producer SB GEO, INC. Month of April, 19 92


Address 1010 Mt. Rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,217,696	156,530,880	35.3		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Controller
 Date May 29, 1992

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of March, 19 92

Address 1010 Mt. Rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,153,904	159,771,024	33.9		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature *John S. B...*
 Position Controller

Date April 27, 1992

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of February, 19 92


Address 1010 Mt. rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,529,168	160,345,872	40.7		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 

Position Controller

Date March 9, 1992

STATE OF NEVADA
DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

Orig - NDOM
 Dup - NBM&G
 Trip - DWR
 Quad - DEP

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB GEO, INC. Month of January, 1992


Address 1010 Mt. Rose Highway, Reno, Nevada

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Injection pressure	Reservoir formation	Reservoir depth
		Gallons per day	Gallons per month			
Steamboat Springs	IW-2	-0-	-0-			
Steamboat Springs	IW-3	5,417,136	167,931,216	37.4		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature 
 Position Controller
 Date February 27, 1992