400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050

RECEIVED

JAN 1 0 2000

Div. of Winerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, I	SB Geo, Inc. / Steamboat I/IA					, 1999
Address P.O. Box 181	99, Reno,	89511	Phone: (702)	352-1912	··-	
Show each inje month for the p			e not later than	the last d	ay of the	
· · · · · · · · · · · · · · · · · · ·		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	0	0	205.3	18.6	1414
Steamboat KGRA, SPP Permit # 34	IW-3	5,857,748	181,590,184	205.3	54.8	517
Total Gallons Injected	-	5,857,748	181,590,184	-	~	-

Remarks:

Signature	July Jan
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Dec-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 687-5050 RECEIVED

JAN 1 0 2000

Div. of Winerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer S	SB Geo, Inc. / Steamboat II/III				Month of December, 1999		
Address P.O.	Box 1819	99, Reno,	9, Reno, 89511 Phone: (702) 852-1912				
		ction well : receding n	separately. File	e not later than	the last d	ay of the	
			Geothermal F	luids Injected		777777	Reservoir
Field and lease n	name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, Permit # 30		45-28	5,262,325.5	163,132,092.0	192.1	90.7	2706
Steamboat KGRA, Permit # 29		35-28	9,252,103.6	286,815,211.2	192.1	57.2	2950
Steamboat KGRA, Permit # 34		46-28	12,267,098.7	380,280,060.0	192.1	42.4	1080
Total Gallons In	njected	-	26,781,527.8	830,227,363.2	-	-	-
		**************************************				·	

centry	y this inte	ormation	to be true,	correct,	and	complete	and t	that no	pertin	ient
matter	inquired	l about in	this repor	t has bee	en on	nitted.	0	000	} ~!	

Signature	- Drull Heath
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Dec-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

DEC 0 7 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, Inc. / Steamboat I/IA Month of November, 1999						<u>. 1999</u>
Address P.O. Box 18199, Reno, 89511 Phone: (702) 852-1912						
Show each inje month for the p			e not later than	the last d	ay of the	
A STATE OF THE STA		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	0	0	208.3	14.3	1414'
Steamboat KGRA, SPP Permit # 34	IW-3	5,780,774	173,423,212	208.3	56.9	517'
Total Gallons Injected	-	5,780,774	173,423,212	-	-	.
						;
			į.			

I certify this information to	be true, correct, and	l complete and	that no pertinent
matter inquired about in the	nis report has been o	mitted.	~ 1011
		The 11	/ // Sair

Signature	1) W Haw
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Nov-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

DEC 0 7 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer _	SB Geo, In	ic. / St	eamboat II/III		Month of	November	, 1999
Address _	P.O. Box 18199, Reno, 89511 Phone: (702) 852-1912						
Show each injection well separately. File not later than the last day of the month for the preceding month.							
			Geothermal F	luids Injected			Reservoir
Field and	lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KC Permi	GRA, Towne t # 300	45-28	4,990,022.9	149,700,686.4	195.9	95.2	2706
Steamboat KC Permi	GRA, Towne t # 299	35-28	9,513,938.9	285,418,166.4	195.9	59.6	2950'
Steamboat KC Permi	GRA, Towne t # 341	46-28	12,667,921.7	380,037,650.4	195.9	46.0	1080'
Total Gall	lons Injected	-	27,171,883.4	815,156,503.2	-	-	-
				1			

I certify this information to be tru matter inquired about in this rep		d. p amal
	Signature	Dullett
	Print Name	Brad A. Platt
	Position	Operations Supervisor
	Date	30-Nov-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 POLIVER

NOV 0 5 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	SB Geo, It	nc. / St	eamboat I/IA		Month of	October,	1999_
Address	P.O. Box 1819	99, Reno, 89511 Phone: (702)			852-1912		
	Show each inje month for the p			e not later than	the last d	ay of the	
			Geothermal F	luids Injected			Reservoir
Field a	and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
			day	month	Temp.	Pressure	formation
	KGRA, SPP 47366 (DWR)	IW-2	0	0	214.0	21.5	1414
	KGRA, SPP ermit # 34	IW-3	5,860,432	181,673,391	214.0	60.0	517
Total	Gallons Injected		5,860,432	181,673,391	-	_	-

Remarks:

Signature	- Alul JAGII				
Print Name	Brad A. Platt				
Position	Operations Superviso				
Date	31-Oct-99				

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

NOV 0 5 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, Inc. / Steambo			eamboat II/III		October, 1999			
Address	P.O. Box 1819	P.O. Box 18199, Reno, 89511 Phone: (702) 852-1912						
	Show each inje month for the p			e not later than	the last d	ay of the		
	***************************************		Geothermal F	luids Injected			Reservoir	
Field a	and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation	
	KGRA, Towne	45-28	4,683,567.5	145,190,592.0	200.1	94.3	2706	
Steamboat	KGRA, Towne	35-28	10,325,661.2	320,095,497.6	200.1	57.8	2950	
	KGRA, Towne ormit # 341	46-28	11,966,247.4	370,953,669.6	200.1	44.4	1080	
Total (Gallons Injected	-	26,975,476.1	836,239,759.2	_	-	_	

certify this information to be true	, corre	ct, and	i complete	and that no	pertinent
matter inquired about in this repo	t has b	een o	mitted. 🥖	αM	
•	α.		XS.	. 0/1////	A

Signature	- y Vial C/Atall
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Oct-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

RECEIVED

OCT 2 2 1999

Div. of Winerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

roducer SB Geo, Inc. / Steamboat I/IA				Month of September, 1999			
Address P.O. Box 1819	99, Reno, 8	39511	Phone: (702) 8	852-1912			
Show each injection month for the property of			not later than	the last d	ay of the		
17/444		Geothermal F			Reservoir		
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &	
		day	month	Temp.	Pressure	formation	
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	0	0	214.7	18.5	1414'	
Steamboat KGRA, SPP Permit # 34	IW-3	5,839,746	175,192,376	214.7	60.9	517'	
Total Gallons Injected	•	5,839,746	175,192,376	•	-	-	

Remarks:

Signature	- Muly Suk
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Sep-99

State of Nevada

DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

RECEIVED

OCT 2 2 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

oducer SB Geo, inc. / Steamboat II/III			Month of	September	<u>, 1999</u>	
Address P.O. Box 181	P.O. Box 18199, Reno, 89511 Phone: (702					
Show each inje month for the p			e not later than	the last d	ay of the	
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	4,628,534.9	138,856,046.4	202.8	94.4	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,511,280.9	285,338,426.4	202.8	58.4	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,595,943.0	377,878,291.2	202.8	44.8	1080'
Total Gallons Injected	-	26,735,758.8	802,072,764.0	-	-	-
			:			

i certify this information to be true, correct, and complete and that	
matter inquired about in this report has been omitted. 🖊 🛴 🦯	λ
matter inquired about in this report has been omitted.	0 741

Signature	- Mul Sall
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Sep-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 **RECEIVED** SEP 1 5 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	SB Geo, Ir	ic. / S	teamboat I/IA		Month of	August,	1999
Address P.O. Box 181		9, Reno,	89511	Phone: (702)	852-1912		-
	how each injeo onth for the pr		separately. File nonth.	e not later than	the last da	ay of the	
viirar		2	Geothermal F	luids Injected			Reservoir
Field and lease name		Well No.	Gallons per day	er Gallons per Average month Temp.		Injection	depth &
Steamboat KG Permit # 47	FRA, SPP 366 (DWR)	IW-2	538,334	16,688,358	215.8	Pressure	formation 1414'
Steamboat KG Permi	FRA, SPP et # 34	IW-3	5,302,735	164,384,778	215.8	56.6	517'
Total Gal	lons Injected	•	5,841,069	181,073,136	-	-	-
			3	i		í .	

Remarks:

Signature	Mull Hall
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Aug-99

400 W. King Street, Suite 106

Carson City, Nevada 89710 (702) 687-5050

RECEIVED

SEP 1 5 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, In	nc. / Si	teamboat II/III	-	Month of	August,	1999
Address P.O. Box 1819	Phone: (702)	852-1912				
Show each inje month for the p	ction well : receding n	separately. File nonth.	e not later than	the last d	ay of the	
- V	T	Geothermal F			Reservoir	
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	4,747,616.7	147,176,118.0	204.2	94.6	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,385,963.9	290,964,880.8	204.2	58.7	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,952,554.0	401,529,175.2	204.2	41.8	1080'
Total Gallons Injected	-	27,086,134.6	839,670,174.0	-	-	-

I certify this information to be true, correct, and compl		
matter inquired about in this report has been omitted.	1	200
•	14	$\Delta M / M$

Signature	Am Hail
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Aug-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

AUG 1 3 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, In	nc. / St	eamboat I/IA		Month of	July,	1999_
Address P.O. Box 1819	99, Reno, 8	39511	Phone: (702) 8	352-1912		
Show each inje month for the p			not later than	the last da	ay of the	
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	958,465	29,712,415	205.8	10.2	1414
Steamboat KGRA, SPP Permit # 34	IW-3	4,803,898	148,920,853	205.8	52.6	517
Total Gallons Injected	The second secon	5,762,363	178,633,268	-	-	-
Domosto						

I certify this information to be true, correct, and comple			
matter inquired about in this report has been omitted.	D	~AO	0 1

Signature	- Deverted
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Jul-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

AUG 1 3 1999

Div. of Winerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, Ir	nc. / St	eamboat II/III		Month of	July_,	1999
Address P.O. Box 1819	99, Reno,	89511	Phone: (702) 8	352-1912		
Show each inje month for the p			e not later than	the last d	ay of the	
		Geothermal Fluids Injected				Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	4,982,289.0	154,450,957.7	207.2	93.1	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,159,502.3	283,944,571.2	207.2	56.3	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,662,917.8	392,550,451.2	207.2	37.9	1080′
Total Gallons Injected	-	26,804,709.0	830,945,980.1	-	-	<u>-</u>

l certify this information to be true, correct, and comple	ete a	nd that	no pertin	ient
matter inquired about in this report has been omitted.	Λ	~	^ ~	
	14	n/A	$(X L \cap X)$	

Signature	_ New Cont
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Jul-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

RECEIVED

JUL 1 3 1999

Div. of Minerals

Month of <u>June</u>, 1999

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

SB Geo, Inc. / Steamboat I/IA

Address P.O. Box 18199, Reno, 89511 Phone: (702) 852-1912							
Show each injection well separately. File not later than the last day of the month for the preceding month.							
Field and lease name	me Well No. Geothermal Fluids Injected Gallons per Gallons per Average Injection day month Temp. Pressure					Reservoir depth & formation	
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	962,575	28,877,262	199.0	9.0	1414'	
Steamboat KGRA, SPP Permit # 34	IW-3	4,890,998	146,729,937	199.0	53.0	517'	
Total Gallons Injected		5,853,573	175,607,199	-	-	-	
Remarks:							

R	۵۱	m	a	rks	•
ı 🔪			а	INO	

Producer

i certify this information to be true, of	correct,	and com	piete an	d that no	pertinent
matter inquired about in this report I	has bee	en omitte	d. 🔎	aaa	7.7
C.	. ,		r A \a	17/11/1/5	

Signature	- Dellate
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Jun-99

State of Nevada

DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

REGEWED

JUL 1 3 1999

Div. of Minerals

Month of <u>June</u>, 1999

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

SB Geo, Inc. / Steamboat II/III

Address P.O. Box 1819	99, Reno, 8	39511	Phone: (702) 8	352-1912		
Show each inje month for the p			e not later than	the last d	ay of the	
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	5,459,740.4	163,792,211.6	202.0	91.1	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,249,414.7	277,482,441.6	202.0	56.8	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,773,887.6	383,216,629.0	202.0	38.0	1080'
Total Gallons Injected	•	27,483,042.7	824,491,282.2	-	-	-

Remarks:

Producer

I certify this information to be tr		
matter inquired about in this re	poπ nas been om	
	Signature	yorw V Marto
	Print Name	Brad A. Platt
	Position	Operations Supervisor
	Date	30-Jun-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050

RECEIVED

JUN 2 3 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

	Inc. / Ste				May	, 1999
	jection well s	eparately. File	Phone: (702) 8 not later than		ay of the	
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	958,441	29,711,670	198.4	7.4	1414'
Steamboat KGRA, SPP Permit # 34	IW-3	4,882,786	151,366,371	198.4	53.0	517'
Total Gallons Injected		5,841,227	181,078,042	-	-	-
Remarks: I certify this information matter inquired about			41	at no perti	~	

I certify this information to be true	e, correct, and co	mplete and that no pertinent
matter inquired about in this repo	rt has been omitt	ed. Buld Wall
	Signature _	Drill Hall
	Print Name	Brad A. Platt
	Position	Operations Supervisor

31-May-99

Date

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

JUN 2 3 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, It	roducer SB Geo, Inc. / Steamboat II/III			Month of	<u>May</u>	<u>, 1999</u>
Address P.O. Box 1819	99, Reno,	89511	Phone: (702)	852-1912		
Show each inje month for the p			e not later than	the last da	ay of the	
	1	Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	5,254,720.9	162,896,348.7	197.2	86.2	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,200,735.6	285,222,803.4	197.2	60.0	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,361,860.7	383,217,681.6	197.2	36.4	1080'
Total Gallons Injected	AMA	26,817,317.2	831,336,833.7	.	-	-

		omplete and that no pertinent
matter inquired about in this i	report has been om	itted.
	Signature	Www Hatt
	Print Name	Brad A. Platt
	Position	Operations Supervisor
	Date	31-May-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

MAY 1 0 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	SB Geo, I	nc. / St	eamboat I/IA		Month of	_April,	1999
Address	P.O. Box 181	99, Reno, 8	39511	Phone: (702)	852-1912		
	Show each inje month for the p			e not later than	the last d	ay.of the	
The second secon			Geothermal F	luids Injected			Reservoir
Field an	nd lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
17000000000000000000000000000000000000			day	month	Temp.	Pressure	formation
	KGRA, SPP 47366 (DWR)	IW-2	936,738	28,102,132	195.7	6.5	1414'
	KGRA, SPP mit # 34	IW-3	4,906,072	147,182,149	195.7	52.9	517'
Total C	Gallons Injected		5,842,809	175,284,280	- -	-	-
Domarka		The state of the s					- Ar-Annual Annual Annu

Remarks:

Signature	VIII CHatt
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Apr-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

MAY 1 0 1999

Div. of Minerals

Month of April, 1999

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

SB Geo, Inc. / Steamboat II/III

Address P.O. Box 1819	99, Reno,	89511	Phone: (702)	852-1912		
Show each inje month for the p			e not later than	the last d	ay of the	
Field and lease name	Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	5,360,580.0	160,817,399.3	193.4	83.1	2706'
Steamboat KGRA, Towne Permit # 299	35-28	8,640,413.8	259,212,412.8	193.4	62.5	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,480,639.0	374,419,170.0	193.4	33.9	1080'
Total Gallons Injected	-	26,481,632.7	794,448,982.1	-	-	-

Remarks:

Producer

I certify this information to be true, cor	rect, and comple	ite and that	no pertinent
matter inquired about in this report has	s been omitted.	1	ΩA
α:	الأربي	$(\Delta_n, 0/I/$	VIII

Signature	Nual Isali
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	30-Apr-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

APR 0 9 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, Ir	ic. / St	eamboat I/IA	999-999 BA	Month of	March,	1999
Address P.O. Box 1819	99, Reno, 8	39511	Phone: (702) 8	852-1912		
Show each injection month for the property of			e not later than	the last d	ay of the	
		Geothermal F	luids Injected	}		Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	642,359	19,913,140	193.3	7.3	1414
Steamboat KGRA, SPP Permit # 34	IW-3	5,186,017	160,766,517	193.3	50.4	517'
Total Gallons Injected	-	5,828,376	180,679,657	-	-	-

I certify this information to be	true, correct, and c	complete and that no pertinent
matter inquired about in this i	report has been om	itted. 2 00 My
	Signature	Drul O Hath
	Print Name	Brad A. Platt
	Position	Operations Supervisor
	Date	31-Mar-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 AECEWED

APR 0 9 1999

Div. of Minerals

Month of March, 1999

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

SB Geo, Inc. / Steamboat II/III

Address P.O. Box 1819	99, Reno,	89511	Phone: (702)	352-1912		
Show each injection month for the property of			e not later than	the last da	ay of the	
-Automotive of Andrewinium		Geothermal F	luids Injected	77		Reservoir
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, Towne Permit # 300	45-28	5,554,157.5	172,178,882.1	193.8	86.9	2706'
Steamboat KGRA, Towne Permit # 299	35-28	8,890,752.8	275,613,336.0	193.8	55.4	2950'
Steamboat KGRA, Towne Permit # 341	46-28	12,942,059.2	401,203,836.0	193.8	36,6	1080'
Total Gallons Injected		27,386,969.5	848,996,054.1	-	-	-

Remarks:

Producer

l certify this information to be true, correct, and comp	lete and	that	no pertinent
matter inquired about in this report has been omitted.	· n//	\bigcap	1/1//4
	$(X \setminus X)$	(/)	$HH/Q\Lambda$

Signature	- Marine Marine
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	31-Mar-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 RECEIVED

MAR 0 8 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	SB Geo, In	nc. / St	/ Steamboat I/IA			Month of February, 1999		
Address	P.O. Box 1819	99, Reno, 8	89511 Phone: (702) 852-1912				-	
	Show each inje month for the p			e not later than	the last d	ay of the		
Hillstone and an annual to the second	VVVV		Geothermal F	luids Injected			Reservoir	
Field and lease name		Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation	
	KGRA, SPP # 47366 (DWR)	IW-2	316,034	8,848,958	184.8	11.8	1414'	
	KGRA, SPP ermit # 34	IW-3	5,516,917	154,473,683	184.8	51.6	517'	
Total	Gallons Injected	-	5,832,951	163,322,641	-	-	-	
•		And the state of t						

Remarks:

Signature	1 Juliet
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	01-Mar-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 FECCIVED

MAR 0 8 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB	Geo, Inc. / St	eamboat II/III		Month of	February,	1999
Address P.O. Bo	ox 18199, Reno, 3	89511	Phone: (702) 8	852-1912		
	ch injection well s the preceding n		e not later than	the last da	ay of the	
		Geothermal F	luids Injected			Reservoir
Field and lease nam	ne Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
Steamboat KGRA, To Permit # 300	owne 45-28	5,631,352.7	157,677,876.0	192.3	86.8	2706'
Steamboat KGRA, To Permit # 299	owne 35-28	8,953,321.1	250,692,991.2	192.3	53.9	2950'
Steamboat KGRA, To Permit # 341	wne 46-28	13,018,922.0	364,529,815.2	192.3	36.3	1080'
Total Gallons Inje	cted -	27,603,595.8	772,900,682.4	-	-	-

certify this information to be true, correct, and compl	lete :	and	that no	pertinent
matter inquired about in this report has been omitted.	. /	7	00)	•
Cimatura	1	. . /	MA	h

Signature	
Print Name	Brad A. Platt
Position	Operations Supervisor
Date	01-Mar-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 PECEMED

FEB 1 0 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer .	SB Geo, Ir	nc. / St	eamboat II/III	**************************************	Month of	January,	1999_
Address	P.O. Box 1819	99, Reno, S	89511	Phone: (702) 8	352-1912		
;	Show each inje month for the pi	ction well s receding n	separately. Filen	e not later than	the last d	ay of the	
			Geothermal F	luids Injected			Reservoir
Field and lease name		Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation
	GRA, Towne ait # 300	45-28	6,046,246.9	187,433,654.4	192.6	86.4	2706'
	GRA, Towne ait # 299	35-28	8,976,254.6	278,263,893.6	192.6	54.2	2950'
	GRA, Towne ait # 341	46-28	12,535,128.0	388,588,968.0	192.6	35.8	1080′
Total Ga	llons Injected	-	27,557,629.5	854,286,516.0	-	-	-

l certify this information to be tr	rue, correct,	and complete	and tha	at no p	ertinent
matter inquired about in this re	port has bee	n omitted.	A I	A	A

Signature	holas & felity
Print Name	Robert L. Filut Jr.
Position	Operations Supervisor
Date	31-Ian-99

400 W. King Street, Suite 106 Carson City, Nevada 89710 (702) 687-5050 PECEIVED
FEB 1 0 1999
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer SB Geo, In	nc. / St	/ Steamboat I/IA			Month of January, 1999			
Address P.O. Box 1819	99, Reno, 8	89511	852-1912					
Show each inje month for the p	ction well s receding n	separately. File nonth.	e not later than	the last d	ay of the			
AAA		Geothermal F	luids Injected			Reservoir		
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation		
Steamboat KGRA, SPP Permit # 47366 (DWR)	IW-2	0	0	176.1	19.6	1414'		
Steamboat KGRA, SPP Permit # 34	IW-3	5,798,618	179,757,143	176.1	56.0	517'		
Total Gallons Injected		5,798,618	179,757,143	-	-	-		
	7000							

Remarks:

Signature	hobert I Filety
Print Name	Robert L. Filut Jr.
Position	Operations Supervisor
Date	31-Jan-99