400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

### RECEIVED

JAN 1 7 2007

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer  | Ormat N   | evada.   | / Steamboat | 1/IA              | Month of   | December, 2006 |           |
|-----------|---|----------|-------------|-------------------|------------|----------------|-----------|
| Address   | 1010 Power Plant Rd. Reno. 89511 Phone: (775)   |          |             |                   | : (775) 85 | 2-1444 ext. 14 |           |
|           | Show each injection well separately. File not later than the last day of the month for the preceding month. |          |             |                   |            |                |           |
|           |   |          | Geotherma   | l Fluids Injected |            |                | Reservoir |
| Field and | d lease name  | Well No. | Gallons per | Gallons per       | Average    | Injection      | depth &   |
|           |   |          | day         | month             | Temp.      | Pressure       | formation |
|           | t KGRA, SPP<br>nit # 441  | IW-2     | 0           | 0                 | 0.0        | 0.0            | 1414'     |
|           | t KGRA, SPP<br>mit # 34   | IW-3     | 5,287,392.0 | 163,909,152.0     | 195.0      | 17.0           | 517'      |
| Total     | Gallons Injecte   | -        | 5,287,392.0 | 163,909,152.0     | -          | <del>-</del>   | -         |
|           |   |          |             |                   |            |                |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Date

Robert Filut
Operations Manager
10-Jan-07

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

### RECEIVED

DEC 0 7 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steamb  | oat I/IA Month of November, 2006        |
|----------|---|---|
| Address  | 1010 Power Plant Rd. Reno. 8951                                     | 1 Phone: (775) 852-1444 ext. 14         |
|          | Show each injection well separately. month for the preceding month. | File not later than the last day of the |

|                                     |          | Geotherma               | Fluids Injected |         |           | Reservoir |
|-------------------------------------|----------|-------------------------|-----------------|---------|-----------|-----------|
| Field and lease name                | Well No. | Gallons per             | Gallons per     | Average | Injection | depth &   |
|                                     |          | day                     | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 441 | IW-2     | 0                       | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34  | IW-3     | 7,512,192.0             | 225,365,760.0   | 202.9   | 17.0      | 517'      |
| Total Gallons Injecte               |          | <b>*</b><br>7,512,192.0 | 225,365,760.0   |         | -         |           |
|                                     |          |                         |                 |         |           |           |
|                                     |          |                         |                 |         |           |           |
|                                     |          |                         |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Print Name Robert Filut
Position Operations Manager
Date 04-Dec-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040



NOV 0 6 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steamboat I/IA   | Month of October, 2006        |
|----------|--|-------------------------------|
| Address  | 1010 Power Plant Rd. Reno. 89511   | Phone: (775) 852-1444 ext. 14 |
|          | Show each injection well separately. File not lat month for the preceding month. | ter than the last day of the  |
|          | Geothermal Fluids I  | niected                       |

| *   |          | Geotherma   | Fluids Injected |         |           | Reservoir |
|---|----------|-------------|-----------------|---------|-----------|-----------|
| Field and lease name                        | Well No. | Gallons per | Gallons per     | Average | Injection | depth &   |
|   |          | day         | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR) | IW-2     | 0           | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34          | IW-3     | 7,512,192.0 | 232,877,952.0   | 199.3   | 16.3      | 517'      |
| Total Gallons Injecte                       | -        | 7,512,192.0 | 232,877,952.0   | -       | -         | -         |
|   |          |             |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name

Robert Filut

Position

Operations Manager

Date

02-Nov-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

OCT 0 6 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steambo   | oat I/IA Month of September, 2006       |  |  |
|----------|---|---|--|--|
| Address  | 1010 Power Plant Rd. Reno. 8951                                     | Phone: (775) 852-1444 ext. 14           |  |  |
|          | Show each injection well separately. month for the preceding month. | File not later than the last day of the |  |  |

| V   |          | Geothermal  | Fluids Injected |         |           | Reservoir |
|---|----------|-------------|-----------------|---------|-----------|-----------|
| Field and lease name                        | Well No. | Gallons per | Gallons per     | Average | Injection | depth &   |
|   |          | day         | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR) | IW-2     | 0           | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34          | IW-3     | 7,512,192.0 | 225,365,760.0   | 204.4   | 20.1      | 517'      |
| Total Gallons Injecte                       | -        | 7,512,192.0 | 225,365,760.0   | -       | -         | -         |
|   |          |             |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

SEP 1 5 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steamb  | pat I/IA Month of August, 2006          |
|----------|---|---|
| Address  | 1010 Power Plant Rd. Reno. 8951                                     | 1 Phone: (775) 852-1444 ext. 14         |
|          | Show each injection well separately. month for the preceding month. | File not later than the last day of the |

|   |            | Geotherma   | Fluids Injected |         |           | Reservoir |
|---|------------|-------------|-----------------|---------|-----------|-----------|
| Field and lease name                        | Well No.   | Gallons per | Gallons per     | Average | Injection | depth &   |
|   |            | day         | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR) | IW-2       | 0           | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34          | IW-3       | 7,444,080.0 | 230,766,480.0   | 216.8   | 22.0      | 517'      |
| Total Gallons Injecte                       | -          | 7,444,080.0 | 230,766,480.0   | -       | -         | -         |
|   | a managara |             |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Print Name Robert Filut
Position Operations Manager
Date 10-Sep-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

AUG 0 8 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steamb  | oat I/IA Month of July , 2006           |
|----------|---|---|
| Address  | 1010 Power Plant Rd. Reno. 8951                                     | 1 Phone: (775) 852-1444 ext. 14         |
|          | Show each injection well separately. month for the preceding month. | File not later than the last day of the |

|   |          | Geotherma   | Fluids Injected |         |           | Reservoir |
|---|----------|-------------|-----------------|---------|-----------|-----------|
| Field and lease name                        | Well No. | Gallons per | Gallons per     | Average | Injection | depth &   |
|   |          | day         | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR) | IW-2     | 0           | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34          | IW-3     | 6,618,672.0 | 205,178,832.0   | 226.7   | 22.1      | 517'      |
| Total Gallons Injecte                       | -        | 6,618,672.0 | 205,178,832.0   | -       | -         | -         |
|   |          |             |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Date

Robert Filut
Operations Manager
03-Aug-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Nevada. / Steamboat I/IA  | Month of <u>June, 2006</u>    |
|----------|---|-------------------------------|
| Address  | 1010 Power Plant Rd. Reno. 89511  | Phone: (775) 852-1444 ext. 14 |
|          | Show each injection well separately. File not la month for the preceding month. | ater than the last day of the |

|   |          | Geotherma   | Fluids Injected |         |           | Reservoir |
|---|----------|-------------|-----------------|---------|-----------|-----------|
| Field and lease name                        | Well No. | Gallons per | Gallons per     | Average | Injection | depth &   |
|   |          | day         | month           | Temp.   | Pressure  | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR) | IW-2     | 0           | 0               | 0.0     | 0.0       | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34          | IVV-3    | 4,250,016.0 | 127,500,480.0   | 224.0   | 22.6      | 517'      |
| Total Gallons Injecte                       | -        | 4,250,016.0 | 127,500,480.0   | -       | -         | -         |
|   |          |             |                 |         |           |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Date

Robert Filut
Operations Manager
09-Jul-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

JUN 1 9 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer  | Ormat N  | levada.  | / Steamboat | : I/IA                | Month of   | <u>May , 2006</u> |           |
|-----------|--|----------|-------------|-----------------------|------------|-------------------|-----------|
| Address   | 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14 |          |             |                       |            | 52-1444 ext. 14   |           |
|           | Show each inje<br>month for the p                              |          |             | le not later than the | e last day | of the            |           |
|           |  |          | Geotherma   | l Fluids Injected     |            |                   | Reservoir |
| Field and | d lease name   | Well No. | Gallons per | Gallons per           | Average    | Injection         | depth &   |
|           |  |          | day         | month                 | Temp.      | Pressure          | formation |
|           | t KGRA, SPP<br>47366 (DWR)                                     | IW-2     | 0           | 0                     | 0.0        | 0.0               | 1414'     |
|           | t KGRA, SPP<br>mit # 34  | IW-3     | 4323744     | 134,036,064.0         | 209.5      | 22.6              | 517'      |
| Total     | Gallons Injecte  | -        | 4,323,744.0 | 134,036,064.0         | -          | -                 | -         |
|           |  |          |             |                       |            |                   |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Robert Filut
Operations Manager

Date 14-Jun-06



400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

MAY 1 5 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer  | Ormat N  | evada.   | / Steamboat | I/IA            | Month of | April , 2006 |           |
|---|--|----------|-------------|-----------------|----------|--------------|-----------|
| Address   | 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14 |          |             |                 |          |              |           |
| Show each injection well separately. File not later than the last day of the month for the preceding month. |  |          |             |                 |          |              |           |
|   |  |          | Geothermal  | Fluids Injected |          |              | Reservoir |
| Field and   | d lease name   | Well No. | Gallons per | Gallons per     | Average  | Injection    | depth &   |
|   |  |          | day         | month           | Temp.    | Pressure     | formation |
|   | t KGRA, SPP<br>47366 (DWR)                                     | IW-2     | 0           | 0               | 0.0      | 0.0          | 1414'     |
|   | t KGRA, SPP<br>mit # 34  | IW-3     | 4181770.407 | 125,453,112.2   | 193.0    | 20.7         | 517'      |
| Total   | Gallons Injecte  | -        | 4,181,770.4 | 125,453,112.2   | -        | -            | -         |
|   |  |          |             |                 |          |              |           |

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name

Robert Filut

Position

Operations Manager

Date

09-May-06

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

APR 2 1 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer | Ormat Ne                           | Ormat Nevada. / Steamboat I/IA |             |                      |            | Month of March, 2006 |           |  |  |
|----------|------------------------------------|--------------------------------|-------------|----------------------|------------|----------------------|-----------|--|--|
| Address  | 1010 Power P                       | lant Rd. Re                    | no. 89511   | Phone: (775          | ) 852-1444 | ext. 14              |           |  |  |
|          | Show each inje<br>month for the pr |                                |             | e not later than the | e last day | of the               |           |  |  |
|          |                                    |                                | Geothermal  | Fluids Injected      |            |                      | Reservoir |  |  |
| Field an | nd lease name                      | Well No.                       | Gallons per | Gallons per          | Average    | Injection            | depth &   |  |  |
|          |                                    |                                | day         | month                | Temp.      | Pressure             | formation |  |  |
|          | KGRA, SPP<br>47366 (DWR)           | IW-2                           | 0           | 0                    | 0.0        | 0.0                  | 1414'     |  |  |
|          | KGRA, SPP<br>mit # 34              | IW-3                           | 4,296,137   | 133,180,260.2        | 207.1      | 23.0                 | 517'      |  |  |
| Total C  | Gallons Injected                   | -                              | 4,296,137.4 | 133,180,260.2        | -          | -                    | -         |  |  |
|          |                                    |                                |             |                      |            |                      |           |  |  |
|          |                                    | <i>t</i> ,                     |             |                      |            |                      |           |  |  |

#### Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

| Signature  | partil             |
|------------|--------------------|
| Print Name | Robert Filut       |
| Position   | Operations Manager |
| Date       | 10-Apr-06          |

MAR 1 3 2006

RECEIVED

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Producer Ormat New  | vada. /  | Steamboat I/IA |                 | Month of | February, 20 | 006       |
|---|----------|----------------|-----------------|----------|--------------|-----------|
| Address 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14                                      |          |                |                 |          |              |           |
| Show each injection well separately. File not later than the last day of the month for the preceding month. |          |                |                 |          |              |           |
|   |          | Geothermal     | Fluids Injected |          | _            | Reservoir |
| Field and lease name  | Well No. | Gallons per    | Gallons per     | Average  | Injection    | depth &   |
|   |          | day            | month           | Temp.    | Pressure     | formation |
| Steamboat KGRA, SPP<br>Permit # 47366 (DWR)   | IW-2     | 0              | 0               | 0.0      | 0.0          | 1414'     |
| Steamboat KGRA, SPP<br>Permit # 34  | IW-3     | 2,102,911      | 58,881,495.7    | 212.9    | 16.5         | 517'      |
| Total Gallons Injected  | -        | 2,102,910.6    | 58,881,495.7    | -        | -            | -         |
|   |          |                |                 |          |              |           |

#### Remarks:

| I certify this information to be true | e, correct, and | complete | and | that no | pertinent |
|---------------------------------------|-----------------|----------|-----|---------|-----------|
| matter inquired about in this repo    | rt has been o   | mitted.  | _   | _       |           |

| Signature  | Kot Yell           |
|------------|--------------------|
| Print Name | Robert Filut       |
| Position   | Operations Manager |
| Date       | 07-Mar-06          |

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

FEB 1 5 2006

Division of Minerals

#### REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

| Ormat Nev  | Ormat Nevada. / Steamboat I/IA   |  |   |  | Month of January, 2006  |  |  |  |
|--|--|--|---|--|---|--|--|--|
| 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14 |  |  |   |  |   |  |  |  |
|  |  |  | e not later than the  | e last day   | of the  |  |  |  |
|  |  | Geothermal   | Fluids Injected   |  | Injection   | Reservoir  |  |  |
| nd lease name  | Well No.   | Gallons per  | Gallons per   | Average  |   | depth & formation  |  |  |
| KGRA, SPP<br>47366 (DWR)                                       | IW-2   | 0  | 0   | 0.0  | 0.0   | 1414'  |  |  |
| KGRA, SPP<br>rmit # 34   | IW-3   | 1,719,592  | 53,307,340  | 218.2  | 15.3  | 517'   |  |  |
| Gallons Injected   | -  | 1,719,591.6  | 53,307,339.8  | -  | -   | -<br>-   |  |  |
|  |  |  |   |  | ·   |  |  |  |
|  | Show each inject month for the product of the produ | Show each injection well smonth for the preceding month for the preceding mont | Show each injection well separately. File month for the preceding month.  Geothermal Gallons per day  KGRA, SPP IW-2 0  KGRA, SPP IW-3 1,719,592  Fmit # 34 | Show each injection well separately. File not later than the month for the preceding month.  Geothermal Fluids Injected Gallons per day month  KGRA, SPP IW-2 0 0 47366 (DWR)  KGRA, SPP IW-3 1,719,592 53,307,340  mit # 34 | Show each injection well separately. File not later than the last day month for the preceding month.  Geothermal Fluids Injected Gallons per day month Temp.  KGRA, SPP IW-2 0 0 0.0  KGRA, SPP IW-2 1,719,592 53,307,340 218.2 | Show each injection well separately. File not later than the last day of the month for the preceding month.    Geothermal Fluids Injected   Gallons per   Gallons per   Average   Injection   Pressure |  |  |

#### Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

| Signature  | post & rel         |
|------------|--------------------|
| Print Name | Robert Filut       |
| Position   | Operations Manager |
| Date       | 09-Feb-06          |