400 W. King Street, Suite 106 Carson City, Nevada 89703

(775) 684-7040

RECEIVED

JAN 1 9 2006

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of December, 2005				
Address	1010 Power Plant Rd. Reno. 89511	Phone: (775) 852-1444 ext. 14				
	Show each injection well separately. File not later than the last day of the month for the preceding month.					
	Goothermal Eli	uids Injected Pas				

		Geothermal F	luids Injected			Reservoir	
Field and lease name	Well No.	Gallons per day month		Average Temp.	Injection Pressure	depth & formation	
Steamboat KGRA, Towne Permit # 300	45-28	5,143,237.1	159,440,349.6	177.5	74.1	2706'	
Steamboat KGRA, Towne Permit # 299	35-28	6,285,118.0	194,838,658.0	177.5	44.6	2950'	
Steamboat KGRA, Towne Permit # 341	46-28	5,720,348.9	177,330,816.0	177.5	14.5	1080'	
Steamboat KGRA, Towne Permit # 298	36-28	10,122,717.1	313,804,231.2	177.5	1.2	1824'	
Total Gallons Injected	-	27,271,421.1	845,414,054.8	-	-	-	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Print Name Robert Filut
Position Operations Manager
Date 09-Jan-06

RECEIVED

JAN 0 4 2006

Division of Minerals

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Ormat Ne	vada /	Steamboat II/III	TO ANAMASA AND AND ANAMASA	Month of	November, 2	2005
Address 1010 Power P	lant Rd. Re	eno. 89511	775) 852-1444 ext. 14			
Show each inje month for the p			e not later than	the last d	ay of the	
- Indiana Addition of the Control of		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	5,290,318.8	158,709,564.0	182.1	86.3	2706
Steamboat KGRA, Towne Permit # 299	35-28	10,647,624.1	319,428,723.6	182.1	55.6	2950
Steamboat KGRA, Towne Permit # 341	46-28	6,420,606.7	192,618,201.6	182.1	20.1	1080
Steamboat KGRA, Towne Permit # 298	36-28	8,155,589.6	244,667,689.2	182.1	4.3	1824'
Total Gallons Injected	-	30,514,139.3	915,424,178.4	-	-	-
	7					

I certify this information to be true	, correct, and	complete	and that no p	pertinent
matter inquired about in this repor	t has been o	mitted.	Million of the Control of the Contro	

Signature	- That fall
Print Name	Robert Filut
Position	Operations Manager
Date	19-Dec-05

On

State of Nevada DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

NOV 1 8 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat	II/III Month of October, 2005
Address	1010 Power Plant Rd. Reno. 89511	Phone: (775) 852-1444 ext. 14
	Show each injection well separately. month for the preceding month.	File not later than the last day of the

	Geothermal Fluids Injected					Reservoir	
Field and lease name	Well No.	Gallons per Gallons per day month		Average Temp.	Injection Pressure	depth & formation	
Steamboat KGRA, Towne Permit # 300	45-28	3,647,534.0	113,073,552.7	184.2	78.8	2706	
Steamboat KGRA, Towne Permit # 299	35-28	10,472,588.6	324,650,246.4	184.2	48.5	2950	
Steamboat KGRA, Towne Permit # 341	46-28	4,973,821.1	154,188,453.6	184.2	29.8	1080	
Steamboat KGRA, Towne Permit # 298	36-28	6,308,930.0	195,576,830.8	184.2	3.3	1824	
Total Gallons Injected	-	25,402,873.7	787,489,083.5	-	-	-	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Robert Filut
Position
Operations Manager
Date
31-Oct-05



Division of Minerals

NOV 1 8 2005

November 4, 2005

Division of Minerals 400 W. King Street, Suite 106 Carson City, NV 89703

RE: Monthly Production and Injection Reports

Enclosed is the October monthly report of production, injection and plant operations for Ormat Nevada Inc., Steamboat I/IA, Steamboat II/III, and Steamboat Hills Power Plants.

Please call my office at 852-1444 ext. 14 if you should have any questions.

Sincerely,

Robert Filut

Operations Manager

Copy: Wade Posten, Plant Manager

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040



OCT 2 0 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nev	vada / Ste	eamboat 11/111		Month of	September,	2003		
Address	1010 Power Pl	ant Rd. Reno.	ant Rd. Reno. 89511 Phone: (77)			852-1444 ext. 14			
	Show each inject month for the pr		•	later than the la	st day of tl	ne			
	1		Geothermal Fl	uids Injected			Reservoir		
Field a	and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation		
	KGRA, Towne	45-28	2,094,397.7	62,831,930.4	182.1	48.2	2706'		
	KGRA, Towne	35-28	8,969,793.1	269,093,793.6	182.1	31.5	2950'		
	KGRA, Towne	46-28	2,647,368.0	79,421,040.0	182.1	14.1	1080'		
Steamboat Permit #	KGRA, Towne # 298	36-28	7,628,353.7	228,850,610.4	182.1	3.0	1824'		
Total C	Gallons Injected	- ·	21,339,912.5	640,197,374.4	· -	-	- -		

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name

Robert Filut

Position

Operations Manager

Date

13-Oct-05

State of Nevada

DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

OCT 1 8 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat I	Month of September, 2005
Address	1010 Power Plant Rd. Reno. 89511	Phone: (775) 852-1444 ext. 14
	Show each injection well separately. month for the preceding month.	File not later than the last day of the

		Geothermal Fluids Injected				Reservoir	
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation	
		day	monui	Temp.	11033410	TOTTIALION	
Steamboat KGRA, Towne Permit # 300	45-28	2,094,397.7	62,831,930.4	182.1	48.2	2706'	
Steamboat KGRA, Towne Permit # 299	35-28	8,969,793.1	269,093,793.6	182.1	31.5	2950'	
Steamboat KGRA, Towne Permit # 341	46-28	2,647,368.0	79,421,040.0	182.1	14.1	1080'	
Steamboat KGRA, Towne Permit # 298	36-28	7,628,353.7	228,850,610.4	182.1	3.0	1824'	
Total Gallons Injected	-	21,339,912.5	640,197,374.4	-	-	-	

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Print Name Robert Filut

Position Operations Manager

Date 13-Oct-05

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

SEP 2 0 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat N	evada / St	eamboat II/III	<u></u> i	Month of	August.	2005
Address	1010 Power I	Plant Rd. Reno.	89511	Phone: (775) 8	352-1444 ext	t. 14	
	Show each injection month for the p		parately. File not later than the last day of the oth.			he	
	11	337-11 NT-	Geothermal 1	Fluids Injected			Rese

		Geothermal Fluids Injected		***************************************		Reservoir	
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation	
Steamboat KGRA, Towne Permit # 300	45-28	1,581,835.8	49,036,910.4	192.7	44.8	2706'	
Steamboat KGRA, Towne Permit # 299	35-28	8,386,898.9	259,993,864.8	192.7	21.3	2950'	
Steamboat KGRA, Towne Permit # 341	46-28	2,083,662.8	64,593,546.5	192.7	13.9	1080'	
Steamboat KGRA, Towne Permit # 298	36-28	6,301,209.1	195,337,483.2	192.7	3.5	1824'	
Total Gallons Injected	_	18,353,606.6	568,961,804.9	-		• -	

I certif	y this info	ormation	to be true,	correct,	and o	complete	and th	nat no p	ertin	ent
matter	inquired	about in	this report	has bee	n om	nitted.		*********	p-	
								Direction	-11	

Signature	- po grand
Print Name	Robert Filut
Position	Technical Support Manager
Date	31-Aug-05

400 W. King Street, Suite 106 Carson City, Nevada 89703

(775) 684-7040

RECEIVED

AUG 2 6 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer Ormat Ne	vada / St	Month of	July ,	2005			
Address 1010 Power P	ss 1010 Power Plant Rd. Reno. 89511 Phone: (775)						
Show each injection month for the property of		parately. File no onth.	t later than the la	st day of t	he		
		Geothermal F	luids Injected	·		Reservoir	
Field and lease name	Well No.	Gallons per day	Gallons per month	Average Temp.	Injection Pressure	depth & formation	
Steamboat KGRA, Towne Permit # 300	45-28	1,608,072.9	49,850,258.4	183.9	35.9	2706'	
Steamboat KGRA, Towne Permit # 299	35-28	8,004,044.0	248,125,363.2	183.9	14.4	2950	
Steamboat KGRA, Towne Permit # 341	46-28	2,026,322.0	62,815,982.4	183.9	9.5	1080	
Steamboat KGRA, Towne Permit # 298	36-28	4,916,717.0	152,418,225.6	183.9	1.3	1824	
Total Gallons Injected		16,555,155.8	513,209,829.6	-	-	-	
					-		

I certify this information to be true, correct, and complete	and	that	no p	ertine	nt
matter inquired about in this report has been omitted.		_		goden -	
	l.	1 1		-	a

Signature	ful god of not
Print Name	Robert Filut
Position	Technical Support Manage
Date	31-Jul-05

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

JUL 1 8 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

ucer Ormat Nevada / Steamboat II/III					2005
nt Rd. Reno.	Phone: (775) 85	52-1444 ext	. 14		
		later than the la	st day of t	he	
	Geothermal Fl	uids Injected			Reservoir
Well No.	Gallons per	Gallons per	Average Temp	Injection Pressure	depth & formation
	- Cuj	111011111	* 0.11.P.	11000010	1011111011
45-28	2,098,437.8	62,953,135.2	181.8	53.9	2706'
35-28	9,183,709.0	275,511,268.8	181.8	28.8	2950'
		1.			
46-28	2,706,694.6	81,200,836.8	181.8	17.9	1080'
36-28	7,795,169.8	233,855,092.8	181.8	5.2	1824'
-	21,784,011.1	653,520,333.6	- -	-	-
	on well septeding more Well No. 45-28 35-28	The second sec	nt Rd. Reno. 89511 Phone: (775) 85 on well separately. File not later than the labeling month. Geothermal Fluids Injected Gallons per day Gallons per month 45-28 2,098,437.8 62,953,135.2 35-28 9,183,709.0 275,511,268.8 46-28 2,706,694.6 81,200,836.8 36-28 7,795,169.8 233,855,092.8	Phone: (775) 852-1444 ext. on well separately. File not later than the last day of the ceding month. Geothermal Fluids Injected Gallons per day Gallons per month Temp. 45-28 2,098,437.8 62,953,135.2 181.8 35-28 9,183,709.0 275,511,268.8 181.8 46-28 2,706,694.6 81,200,836.8 181.8 36-28 7,795,169.8 233,855,092.8 181.8	Phone: (775) 852-1444 ext. 14

I certify this information to	o be true, co	rrect, and com	iplete and that	no pertinent
matter inquired about in t	his report ha	s been omitte	d.	

Signature	purity fall
Print Name	Robert Filut
Position	Technical Support Manage
Date	30-Jun-05

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

JUN 2 0 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

roducer Ormat Nevada / Steamboat II/III					May .	2005	
Address 1010 Power Plant Rd. Reno. 89511 Phone: (775) 8					. 14		
Show each injection month for the particles	•		t later than the la	ast day of t	he		
National Laboratory Control of the C		Geothermal F	luids Injected			Reservoir	
Field and lease name	Well No.	Gallons per Gallons per day month		Average Temp.	Injection Pressure	depth & formation	
Steamboat KGRA, Towne Permit # 300	45-28	2,603,536.7	80,709,638.4	195.3	81.3	2706'	
Steamboat KGRA, Towne Permit # 299	35-28	10,406,121.4	322,589,764.8	195.3	48.9	2950'	
Steamboat KGRA, Towne Permit # 341	46-28	3,810,028.6	118,110,888.0	195.3	32.6	1080'	
Steamboat KGRA, Towne Permit # 298	36-28	9,174,524.3	284,410,252.8	195.3	17.4	1824'	

25,994,211.1

Remarks:

Total Gallons Injected

I certify	y this info	rmation	to be true	, correct,	and co	omplete	and that	no p	ertinent
matter	inquired	about in	this repor	t has be	en omit	tted.	_		the same

Signature	poly till
Print Name	Robert Filut
Position	Technical Support Manage
Date	31-May-05

805,820,544.0

State of Nevada DEPARTMENT OF BUSINESS AND INDUSTRY

DIVISION OF MINERALS 400 W. King Street, Suite 106

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

MAY 1 I 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Ne	vada / St	eamboat II/III	Month of	April,	2005	
Address	1010 Power P	lant Rd. Reno	852-1444 ext. 14				
	Show each inject month for the pr	•	parately. File no nth.	ot later than the I	ast day of	the	
Field and lease name		Well No.	Geothermal F Gallons per day	luids Injected Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
	KGRA, Towne	45-28	2,831,301.6	84,939,048.0	197.9	84.2	2706'
	KGRA, Towne	35-28	10,202,148.2	306,064,447.2	197.9	52.2	2950'
	KGRA, Towne	46-28	4,007,200.8	120,216,024.0	197.9	34.4	1080'
Steamboat Permit	KGRA, Towne # 298	36-28	9,275,994.7	278,279,841.6	197.9	16.2	1824'
Total (Gallons Injected	-	26,316,645.4	789,499,360.8	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Print Name Robert Filut
Position Technical Support Manager
Date 30-Apr-05

State of Nevada

Ormat Nevada / Steamboat II/III

DEPARTMENT OF BUSINESS AND INDUSTRY DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

APR 1 2 2005

Division of Minerals

March , 2005

Month of

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Address 1010) Power Pl	ant Rd. Reno	. 89511	Phone: (775)	852-1444 ex	kt. 14	
	-	tion well se eceding mo	parately. File nonth.	ot later than the l	ast day of	the	
Field and lease r	name	Well No.	Geothermal F	Gallons per	Average	Injection	Reservoir depth &
			day	month	Temp.	Pressure	formation
Steamboat KGRA, 7		45-28	3,256,684.5	100,957,219.2	194.6	90.3	2706'
Steamboat KGRA, Permit # 29		35-28	10,792,165.9	334,557,144.0	194.6	56.6	2950'
Steamboat KGRA, Permit # 34		46-28	3,928,558.3	121,785,307.2	194.6	29.1	1080'
Steamboat KGRA, 7 Permit # 298	Гowne	36-28	10,019,253.8	310,596,868.8	194.6	18.3	1824'
Total Gallons In	jected	-	27,996,662.6	867,896,539.2	<u>-</u>	-	-

Remarks:

** *** *** ****

Producer

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature	first fire
Print Name	Robert Filut
Position	Technical Support Manager
Date	31-Mar-05

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 684-7040

RECEIVED

MAR 0 3 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Ne	evada / Ste	amboat II/III		Month of	February,	2005
Address	1010 Power I	Plant Rd. Reno.	89511	Phone: (775) 8	52-1444 ext	. 14	
	Show each inje			ot later than the I	ast day of t	he	
	·		Geothermal F	luids Injected			Rese
Field and lease name	and lease name	Well No.	Gallons per	Gallons per	Average	Injection	dept
			day	month	Temp.	Pressure	form

		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
A//A//		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	3,258,859.9	91,248,076.8	191.6	90.0	2706'
Steamboat KGRA, Towne Permit # 299	35-28	10,820,718.0	302,980,104.0	191.6	54.5	2950'
Steamboat KGRA, Towne Permit # 341	46-28	3,842,442.8	107,588,397.6	191.6	18.9	1080'
Steamboat KGRA, Towne Permit # 298	36-28	10,044,847.8	281,255,738.4	191.6	17.2	1824'
Total Gallons Injected	-	27,966,868.5	783,072,316.8	-	-	-
					т	

I certify this information to be true, correct, and complet	e and	that no	pertinent
matter inquired about in this report has been omitted.	-187 9		

Signature	Kult Fit
Print Name	Robert Filut
Position	Technical Support Manager
Date	28-Feb-05

400 W. King Street, Suite 106 Carson City, Nevada 89710 (775) 684-7040

RECEIVED

FEB 2 2 2005

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/	III Month of January, 2005	5_
Address	1010 Power Plant Rd. Reno, NV 89511	Phone: (775) 852-1444 ext. 14	
	Show each injection well separately. month for the preceding month.	File not later than the last day of the	

		Geothermal F	luids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
WWW.Assertions.com		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	3,243,823.2	100,558,519.2	192.6	92.5	2706'
Steamboat KGRA, Towne Permit # 299	35-28	10,984,365.1	340,515,316.8	192.6	56.0	2950'
Steamboat KGRA, Towne Permit # 341	46-28	3,796,241.3	117,683,481.6	192.6	27.6	1080'
Steamboat KGRA, Towne Permit # 298	36-28	10,168,239.0	315,215,409.6	192.6	18.7	1824'
Total Gallons Injected	-	28,192,668.6	873,972,727.2	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature	put Filt
Print Name	Robert Filut
Position	Technical Support Manager
Date	16-Feb-05