400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

JAN 0 9 2009

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	December-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444	x-5414
	Show each injection well separately. File not la month for the preceding month.	ater than the last day of the	

		Geotherma	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	5,167,911.7	160,205,263.1	188.0	89.7	2706'
Steamboat KGRA, Towne Permit # 299	35-28	14,222,633.4	440,901,634.8	188.0	53.4	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,745,253.9	364,102,870.7	188.0	20.2	1080'
Steamboat KGRA, Towne Permit # 298	36-28	8,153,068.7	252,745,129.3	188.0	4.3	1824'
Total Gallons Injected		39,288,867.7	1,217,954,897.8	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Date

John Bernardy Compliance Specialist

06-Jan-09

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	November-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444	1 x-5414
	Show each injection well separately. File not month for the preceding month.	later than the last day of the	

		Geotherma	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	5,179,982.6	155,399,476.8	190.4	85.8	2706'
Steamboat KGRA, Towne Permit # 299	35-28	15,060,707.6	451,821,228.7	190.4	50.2	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,772,687.6	353,180,629.1	190.4	19.7	1080'
Steamboat KGRA, Towne Permit # 298	36-28	8,188,207.8	245,646,234.7	190.4	4.9	1824'
Total Gallons Injected	-	40,201,585.6	1,206,047,569.3	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

> Signature Print Name Position Date

John Bernardy Compliance Specialist 04-Dec-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

NOV 0 6 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	October-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444)	(-5414
	Show each injection well separately. File not month for the preceding month.	later than the last day of the	

		Geothermal	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
· ·		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	5,109,208.8	158,385,473.3	189.0	79.4	2706'
Steamboat KGRA, Towne Permit # 299	35-28	12,888,101.2	399,531,136.2	189.0	39.9	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,446,054.7	354,827,696.4	189.0	21.5	1080'
Steamboat KGRA, Towne Permit # 298	36-28	7,767,622.0	240,796,283.3	189.0	3.3	1824'
Total Gallons Injected		37,210,986.7	1,153,540,589.1	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

> Signature Print Name Position

Sohn Bernardy

Compliance Specialist Date 03-Nov-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

OCT 1 0 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	September-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444	x-5414
	Show each injection well separately. File no month for the preceding month.	t later than the last day of the	

		Geotherma	l Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	5,199,508.3	155,985,248.4	190.6	67.7	2706'
Steamboat KGRA, Towne Permit # 299	35-28	8,891,243.4	266,737,303.0	190.6	18.5	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,705,891.1	351,176,732.9	190.6	45.9	1080'
Steamboat KGRA, Towne Permit # 298	36-28	6,604,093.2	198,122,794.8	190.6	2.1	1824'
Total Gallons Injected	-	32,400,736.0	972,022,079.1	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position
Date

John Bernardy
Compliance Specialist
03-Oct-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

SEP 0 5 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	August-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444 x	-5414
	Show each injection well separately. File not la month for the preceding month.	ater than the last day of the	

		Geothermal	Fluids Injected		Albert I Albert , American	Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	4,540,159.0	140,744,927.9	205.3	61.1	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,274,957.8	287,523,693.2	205.3	17.3	2950'
Steamboat KGRA, Towne Permit # 341	46-28	7,655,247.0	237,312,657.6	205.3	94.7	1080'
Steamboat KGRA, Towne Permit # 298	36-28	5,287,819.8	163,922,414.4	205.3	4.4	1824'
Total Gallons Injected	-	26,758,183.6	829,503,693.1	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

> Signature Print Name Position/ Date

John Bernardy Compliance Specialist

02-Sep-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

RECEIVED

AUG 0 6 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	<u>July-08</u>
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444 x-5414	
	Show each injection well separately. File not la month for the preceding month.	ater than the last day of the	

		Geotherma	Fluids Injected		Alley Marian	Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
W-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	1,542,476.7	47,816,776.5	226.6	65.6	2706'
Steamboat KGRA, Towne Permit # 299	35-28	8,161,285.6	252,999,853.5	226.6	31.4	2950'
Steamboat KGRA, Towne Permit # 341	46-28	9,927,948.1	307,766,392.3	226.6	112.8	1080'
Steamboat KGRA, Towne Permit # 298	36-28	5,388,247.3	167,035,667.4	226.6	6.0	1824'
Total Gallons Injected	-	25,019,957.7	775,618,689.7	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

> Signature Print Name

John Bernardy Compliance Specialist Position ,

Date

04-Aug-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

JUL 1 7 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steambo	oat II/III	Month of	<u>June-08</u>
Address	1010 Power Plant Rd. Reno. 8952	!1	Phone: (775) 852-1444 x-5414	
	Show each injection well separately. month for the preceding month.	File not later	than the last day of the	

		Geotherma	l Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	578,606.3	17,358,188.1	207.1	45.3	2706'
Steamboat KGRA, Towne Permit # 299	35-28	9,147,935.3	274,438,058.1	207.1	21.5	2950'
Steamboat KGRA, Towne Permit # 341	46-28	10,155,615.8	304,668,473.2	207.1	64.2	1080'
Steamboat KGRA, Towne Permit # 298	36-28	4,764,461.0	142,933,829.8	207.1	7.0	1824'
Total Gallons Injected	-	24,646,618.3	739,398,549.3		-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name
Position

t Name Sohn Bernard
Sition Compliance Specialist

Date

08-Jul-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of May-0	<u>8</u>
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444 x-5414	
	Show each injection well separately. File not month for the preceding month.	later than the last day of the	

		Geothermal	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	4,507,953.7	139,746,565.9	212.5	82.2	2706'
Steamboat KGRA, Towne Permit # 299	35-28	12,021,852.0	372,677,412.0	212.5	48.1	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,424,474.4	354,158,705.0	212.5	28.1	1080'
Steamboat KGRA, Towne Permit # 298	36-28	7,562,191.2	234,427,926.0	212.5	5.7	1824'
Total Gallons Injected	-	35,516,471.3	1,101,010,608.9	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent

matter inquired about in this report has been omitted.

Signature Print Name Position Date

John Bernardy Compliance Specialist

25-Jul-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of	April-08
Address	1010 Power Plant Rd. Reno. 89521	Phone: (775) 852-1444 x-5414	
	Show each injection well separately. File not la month for the preceding month.	ter than the last day of the	

		Geotherma	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Towne Permit # 300	45-28	4,298,204.2	128,946,124.9	230.8	87.5	2706'
Steamboat KGRA, Towne Permit # 299	35-28	11,451,318.1	343,539,542.3	230.8	51.8	2950'
Steamboat KGRA, Towne Permit # 341	46-28	11,630,938.2	348,928,144.6	230.8	29.0	1080'
Steamboat KGRA, Towne Permit # 298	36-28	9,049,037.9	271,471,136.3	230.8	6.3	1824'
Total Gallons Injected	-	36,429,498.3	1,092,884,948.1	-	-	-
					a.	

Remarks;

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature Print Name Position Date

John Bernardy Compliance Specialist 25-Jul-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

APR 1 6 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steambo	at II/III	Month of	March-08
Address	1010 Power Plant Rd. Reno. 8951	1	Phone: (775) 852-1444	ext. 14
•	Show each injection well separately. month for the preceding month.	File not later	than the last day of the	

		Geothermal Fluids Injected				Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Town Permit # 300	45-28	3,218,688.0	99,779,328.0	212.5	65.6	2706'
Steamboat KGRA, Town Permit # 299	35-28	10,061,424.0	311,904,144.0	212.5	50.7	2950'
Steamboat KGRA, Town Permit # 341	46-28	11,611,008.0	359,941,248.0	212.5	26.4	1080'
Steamboat KGRA, Town Permit # 298	36-28	10,926,000.0	338,706,000.0	212.5	9.1	1824'
Total Gallons Injected	-	35,817,120.0	1,110,330,720.0	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent

matter inquired about in this report has been omitted.

Signature Print Name Position

Date

Robert Filut

Operations Manager

08-Apr-08

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

MAR 2 4 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of <u>February</u> , 2008
Address	1010 Power Plant Rd. Reno. 89511	Phone: (775) 852-1444 ext. 14
	Show each injection well separately. File not la month for the preceding month.	ter than the last day of the

		Geothermal Fluids Injected				Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Town Permit # 300	45-28	3,653,326.5	113,253,120.0	219.6	71.2	2706'
Steamboat KGRA, Town Permit # 299	35-28	9,588,769.5	297,251,856.0	219.6	50.7	2950'
Steamboat KGRA, Town Permit # 341	46-28	10,637,619.1	329,766,192.0	219.6	21.4	1080'
Steamboat KGRA, Town Permit # 298	36-28	10,032,637.9	311,011,776.0	219.6	6.6	1824'
Total Gallons Injected	-	33,912,353.0	1,051,282,944.0	-	-	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature
Print Name

Print Name

Operations Manager

Position Date

13-Mar-08

Robert Filut

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 RECEIVED

FEB 1 9 2008

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer	Ormat Nevada / Steamboat II/III	Month of <u>January</u> , 2008
Address	1010 Power Plant Rd. Reno. 89511	Phone: (775) 852-1444 ext. 14
	Show each injection well separately. File not month for the preceding month.	later than the last day of the

		Geothermal	Fluids Injected			Reservoir
Field and lease name	Well No.	Gallons per	Gallons per	Average	Injection	depth &
		day	month	Temp.	Pressure	formation
Steamboat KGRA, Town Permit # 300	45-28	4,223,952.0	130,942,512.0	204.1	84.8	2706'
Steamboat KGRA, Town Permit # 299	35-28	9,779,760.0	303,172,560.0	204.1	51.0	2950'
Steamboat KGRA, Town Permit # 341	46-28	11,496,960.0	356,405,760.0	204.1	19.8	1080'
Steamboat KGRA, Town Permit # 298	36-28	10,456,704.0	324,157,824.0	204.1	4.9	1824'
Total Gallons Injected	-	35,957,376.0	1,114,678,656.0	-	- -	-

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name

Robert Filut

Position

Operations Manager

Date

07-Feb-08