

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

JAN 09 2009

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of December-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	11,304,557.4	350,441,280.0	176.7	143.4	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,200,499.4	223,215,480.0	173.2	213.6	1,105 ft. Granodiorite
Total Gallons Injected	-	18,505,056.8	573,656,760.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 06-Jan-09

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**

400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of November-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	11,356,715.7	340,701,471.2	179.6	144.8	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	6,973,436.6	209,203,099.1	174.7	214.8	1,105 ft. Granodiorite
Total Gallons Injected	-	18,330,152.3	549,904,570.2	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 04-Dec-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

**NOV 06 2008**

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of October-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	10,457,325.7	324,177,095.5	183.2	144.1	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,589,153.7	235,263,765.0	174.5	212.5	1,105 ft. Granodiorite
Total Gallons Injected	-	18,046,479.4	559,440,860.5	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 03-Nov-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

OCT 10 2008

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of September-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	10,889,376.0	326,681,280.0	188.6	138.0	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,257,900.0	217,737,000.0	177.4	224.4	1,105 ft. Granodiorite
Total Gallons Injected	-	18,147,276.0	544,418,280.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 03-Oct-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**

400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

SEP 05 2008

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of August-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	10,296,302.2	319,185,367.9	189.5	130.6	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,047,625.1	218,476,377.0	177.3	219.0	1,105 ft. Granodiorite
Total Gallons Injected	-	17,343,927.3	537,661,744.9	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 02-Sep-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

AUG 06 2008

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of July-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	9,012,174.2	279,377,400.0	180.7	110.6	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	6,417,267.1	198,935,280.0	171.3	199.6	1,105 ft. Granodiorite
Total Gallons Injected	-	15,429,441.3	478,312,680.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 04-Aug-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

JUL 17 2008

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of June-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	9,697,404.1	290,922,123.9	180.7	116.6	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,426,661.5	222,799,845.6	174.9	212.4	1,105 ft. Granodiorite
Total Gallons Injected	-	17,124,065.7	513,721,969.5	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 08-Jul-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of May-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	9,240,276.3	286,448,563.8	183.7	122.9	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,245,666.1	224,615,648.3	170.2	207.2	1,105 ft. Granodiorite
Total Gallons Injected	-	16,485,942.3	511,064,212.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 25-Jul-08



State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada, / Galena 3 Month of April-08

Address 1010 Power Plant Rd. Reno. 89521 Phone: (775) 852-1444 x-5414

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Lease Permit # 708	IW 23-33	10,135,989.8	304,079,693.1	180.0	124.9	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	7,193,712.0	215,811,360.0	165.1	207.7	1,105 ft. Granodiorite
Total Gallons Injected	-	17,329,701.8	519,891,053.1	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name John Bernardy  
 Position Compliance Specialist  
 Date 25-Jul-08

RECEIVED

APR 16 2008

Division of Minerals

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of March-08

Address 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Permit # 708	IW 23-33	8,137,008.0	252,247,248.0	154.0	51.0	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	8,033,400.2	249,035,407.0	157.0	67.0	1,105 ft. Granodiorite
Total Gallons Injected	-	16,170,408.2	501,282,655.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name Robert Filut  
 Position Operations Manager  
 Date 08-Apr-08

RECEIVED

MAR 24 2008

Division of Minerals

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of February, 2008

Address 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Permit # 708	IW 23-33	7,081,957.2	219,540,672.0	154.0	40.0	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	3,460,719.5	107,282,304.0	157.0	27.0	1,105 ft. Granodiorite
Total Gallons Injecte	-	10,542,676.6	326,822,976.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name Robert Filut  
 Position Operations Manager  
 Date 13-Mar-08

State of Nevada  
**DEPARTMENT OF BUSINESS AND INDUSTRY**  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

**RECEIVED**

FEB 19 2008

Division of Minerals

**REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS**


Producer Ormat Nevada. / Galena 3 Month of January, 2008

Address 1010 Power Plant Rd. Reno. 89511 Phone: (775) 852-1444 ext. 14

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Myberg Permit # 708	IW 23-33	89,596.5	2,777,490.0	119.5	14.0	1,914 ft. Granodiorite
Cox Lease Permit # 575	IW 42-32	0.0	0.0	0.0	0.0	1,105 ft. Granodiorite
Total Gallons Injected	-	89,596.5	2,777,490.0	-	-	-

Remarks: I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature   
 Print Name Robert Filut  
 Position Operations Manager  
 Date 11-Feb-08