

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of DECEMBER 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Coxl-1	3.55E+06	1.10E+08		29	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

January 3, 1996

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

RECEIVED
DEC 18 1995
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of NOVEMBER 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.56E+06	1.07E+08	269	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

December 15, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of OCTOBER 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.63E+06	1.13E+08	271	33	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

November 15, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of SEPTEMBER 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.68E+06	1.10E+08	275	34	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

October 20, 1995

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of AUGUST 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.71E+06	1.15E+08	274	35	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

September 21, 1995

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

RECEIVED

AUG 28 1995

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of JULY 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.82E+06	1.18E+08	274	34	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

August 24, 1995

STATE OF NEVADA
 DEPARTMENT OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of JUNE 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.41E+06	1.02E+08	271	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

July 18, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of MAY 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Coxl-1	3.77E+06	1.17E+08	269	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

July 12, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of APRIL 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.80E+06	1.14E+08	271	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

July 12, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of MARCH 1995

Revised

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.81E+06	1.18E+08	265	30	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Joanna Jensen

Position

Office Manager

Date

July 12, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of MARCH 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	000	0.00E+00	265	30	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

April 18, 1995

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of FEBRUARY 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.99E+06	1.12E+08	265	30	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

March 21, 1995

RECEIVED

FEB 10 1995

Div. of Minerals

STATE OF NEVADA
DEPARTMENT OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Producer CAITHNESS POWER, INC. Month of JANUARY 1995

Address 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.44E+06	1.07E+08	265	30	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Position

Office Manager

Date

February 7, 1995