

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 18 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: December-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.08E+06 <i>3,080,000</i>	9.55E+07 <i>95,500,000</i>	259	25	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant
January 10, 2000

11

3.08 E¹⁶
3,080,000.
9.55 E¹⁷
95,500,000.

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

DEC 10 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: November-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	2.65E+06 <i>2,650,000</i>	7.96E+07 <i>79,600,000</i>	260	25	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant
December 8, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: October-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.17E+06 <i>31,700,000</i>	9.83E+07 <i>98,300,000</i>	268	31	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant

November 4, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED
OCT 12 1999
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: September-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	3.21E+06 <i>32,100,000</i>	9.63E+07 <i>96,300,000</i>	269	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant

October 8, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

SEP 10 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: August-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.25E+06 <i>32,500,000</i>	1.01E+08 <i>101,000,000</i>	269	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant

September 3, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

AUG 05 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: July-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.35E+06 <i>3,350,000</i>	1.04E+08 <i>104,000,000</i>	270	32	3,162 FT. GRANODIORITE


Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date


Financial Accountant
August 4, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JUL 08 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: June-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.44E+06 <i>3,440,000</i>	1.03E+08 <i>103,000,000</i>	268	31	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Financial Accountant

July 6, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JUN 07 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: May-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	CoxI-1	3.41E+06 <i>3,410,000</i>	1.06E+08 <i>106,000,000</i>	266	29	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

Diana Euning
Office Manager
June 3, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

MAY 07 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: April-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.72E+06 <i>3,720,000</i>	1.12E+08 <i>112,000,000</i>	265	29	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Office Manager

May 5, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

APR 22 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: March-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.68E+06 <i>3,680,000</i>	1.14E+08 <i>114,000,000</i>	264	28	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
Office Manager
April 12, 1999

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

MAR 08 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: February-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	3.77E+06	1.05E+08	256	26	3,162 FT. GRANODIORITE
		3,770,000	105,000,000			


Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date


Office Manager
January 9, 1900

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 885-5050

RECEIVED

FEB 08 1999

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: January-99

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	3.77E+06 3,770,000	1.17E+08 117,000,000	265	28	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Position

Date

[Handwritten Signature]
 Office Manager
 February 5, 1999