

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

FEB 28 2001

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: December-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	8.16E+03	2.45E+05	275	38	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Gwen Potts

Telephone:

(775) 851-1125

Date

February 22, 2001

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

MAR 13 2001

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: November-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	8.35E+03	2.51E+05	276	38	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Gwen Potts

Telephone:

(775) 851-1125

Date

February 6, 2001

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

MAR 18 2001

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: October-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	9.80E+03	2.94E+05	280	42	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Gwen Potts

Telephone:

(775) 851-1125

Date

February 6, 2001

RECEIVED

JAN 10 2001

Div. of Minerals

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: September-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	1.27E+04	3.80E+05	282	44	3,162 FT. GRANODIORIT

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Joanna Jennings

Telephone:

775-849-1299

Date

October 10, 2000

Yankee / Caithness J.V.L.P.

9790 Gateway Drive – Suite 220
Reno, Nevada 89511
775-851-1125 / 775-849-1328 (Fax)

RECEIVED

MAR 13 2001

Div. of Minerals

February 6, 2001

Linda Wells
Division of Minerals
400 West King Street - Suite 106
Carson City, Nevada 89710

Subject: Monthly Production Report October 2000

Dear Linda,

Enclosed are the monthly Well Data Reports for the month of October.

AT 4:00 a.m. on October 5th the plant was shut down for maintenance and did not come back on line until 11:50 p.m. on the October 6th.

On October 7th the plant tripped for 50 minutes due to a jammed separator level control valve.

On October 27th the plant tripped and was down for 3 ½ hours due to loss of steam to first stage NCG ejector.

The Brine injection flow rate meter was out of commission from the 9th to the 13th.

If you have any questions or comments after reviewing the enclosed, please call me at (775) 851-1125.

Sincerely,



Gwen Potts
Administrative Supervisor

cc: Bobbie Gollan
encl: Subsurface Injections
Plant Output

Yankee / Caithness J.V.L.P.
9790 Gateway Drive – Suite 220
Reno, Nevada 89511
Phone: 775-851-1125 / Fax: 775-849-1328

RECEIVED
FEB 28 2001
Div. of Minerals

February 26, 2001

Linda Wells
Division of Minerals
400 West King Street - Suite 106
Carson City, Nevada 89710

Subject: Monthly Production Report December 2000

Dear Linda,

Enclosed are the monthly Well Data Reports for the month of November.

At noon on December 30, 2000 through December 31st, well 23-5 was shut in due to low well head pressure.

If you have any questions or comments after reviewing the enclosed, please call me at (775) 851-1125.

Sincerely,



Gwen Potts
Administrative Supervisor

cc: Bobbie Gollan
Encl: Subsurface injections
Plant Output

quartzite

no. Oct / Nov
Potts

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

SEP 25 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: August-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	1.07E+04	3.31E+05	276	40	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Joanna Jennings

Telephone:

775-849-1299

Date

September 18, 2000

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

AUG 31 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: July-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	1.14E+04	3.53E+05	283	45	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Telephone:

Date

Joanna Jennings

775-849-1299

August 28, 2000

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JUL 27 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: June-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	1.05E+04	3.15E+05	285	45	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Joanna Jennings

Telephone:

775-849-1299

Date

July 21, 2000

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED

JUN 19 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: May-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	2.78E+06	8.63E+07	254	23	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Telephone:

Date

Joanna Jennings
 Joanna Jennings

775-849-1299

June 12, 2000

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED
MAY 12 2000
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: April-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	2.76E+06	8.29E+07	256	24	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Joanna Jennings

Telephone:

775-849-1299

Date

May 9, 2000

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED

APR 11 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: March-2000

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	2.98E+06	9.23E+07	253	23	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Joanna Jennings

Telephone:

775-849-1209

Date

April 7, 2000

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED
MAR 14 2000
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: February-00

Producer: CAITHNESS POWER, INC.


Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.24E+06	9.39E+07	249	22	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature: 
 Print Name: Joanna Jennings
 Telephone: 775-849-1299
 Date: March 10, 2000

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

FEB 14 2000

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: January-00

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Geothermal Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	3.26E+06	1.01E+08	239	24	3,162 FT. GRANODIORITE

Remarks:


I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Telephone:

Date


Joanna Jennings

775-849-1299

February 10, 2000