

RECEIVED

JAN 29 2002

Division of Minerals

Yankee Caithness Joint Venture, LP

9790 Gateway Drive, Suite 220
Reno, Nevada 89511
(775) 851-1125 • Fax: (775) 851-8240

January 25, 2002

Ms. Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89703

Subject: Monthly Producers and Injection Reports

Dear Linda:

Enclosed are the revised Monthly Reports of Subsurface Injections and Producer's Reports for the Yankee Caithness Joint Venture, LP Steamboat Hills Geothermal Power Plant for January through December, 2001. Please replace any previously submitted reports for 2001.

Also enclosed is a copy for the Nevada Bureau of Mines and Geology. Please hold this information confidential.

If you have any questions please call me at (775) 851-1125.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

STATE OF NEVADA

400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

Month of: December-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name:	Well No.	MM gal Day	MM gal Month	Average Temp	Injection Pressure	Reservoir Depth & Formation
Steamboat Hills - Cox	Coxl-1	4.86	145.80	262	24	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	32-5	0.13	3.85	285	38	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	13-5	0.20	5.92	262	19	2962 FT. GRANODIORITE
Totals		5.19	155.57			

Remarks:

Testing 13-5 and 32-5 as injectors.


I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Telephone:

Date



Susan Petty

775-851-1125

January 21, 2002

STATE OF NEVADA

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

Month of: November-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.


Field and lease name:	Well No.	MM gal Day	MM gal Month	Average Temp	Injection Pressure	Reservoir Depth & Formation
Steamboat Hills - Cox	Coxl-1	5.02	150.60	265	26	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	32-5	0.14	4.30	294	47	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	13-5	0.14	4.15	268	23	2962 FT. GRANODIORITE
Totals		5.30	159.05			

Remarks:

Testing 13-5 and 32-5 as injectors.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

January 21, 2002

13-5
32-5
Cox 1-1

STATE OF NEVADA
Department of Minerals
400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: October-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	5.26E+06	1.63E+08	250	26	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	32-5	1.59E+05	4.94E+06	279	33	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	13-5	1.04E+05	3.24E+06	270	26	2962 FT. GRANODIORITE

Remarks:

Testing 13-5 and 32-5 as injectors.


I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Telephone:

Date



Susan Petty

775-851-1125

January 21, 2001

13-5
32-5
Cox I-1

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: September-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.


Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	CoxI-1	5.66E+06	1.76E+08	272	33	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	32-5	8.93E+04	2.77E+06	260	16	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	13-5	8.78E+04	2.72E+06	268	23	2962 FT. GRANODIORITE

Remarks:

Testing 13-5 and 32-5 as injectors.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

January 21, 2002

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: August-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.


Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	5.69E+06	1.76E+08	273	33	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	32-5	1.39E+05	4.30E+06	273	28	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee	13-5	2.20E+05	6.83E+06	282	40	2962 FT. GRANODIORITE

Remarks:

Testing 13-5 and 32-5 as injectors.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

January 21, 2002

RECEIVED

JAN 29 2002

Division of Minerals

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: July-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	CoxI-1	2.99E+06	9.26E+07	275	35	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

January 21, 2002

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: June-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	6.16E+06	1.91E+08	274	34	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

January 21, 2002

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: May-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected		Average Temp	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Steamboat Hills - Cox	Cox1-1	5.80E+06	1.80E+08	256	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

January 21, 2002

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: April-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	5.76E+06	1.61E+08	269	34	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

January 21, 2002

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: March-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	5.40E+06	1.51E+08	272	36	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

January 21, 2002

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

JAN 29 2002

Division of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: January-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	6.58E+06	2.04E+08	272	35	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

January 21, 2002

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: August-2001

RECEIVED

OCT 29 2001

Div. of Minerals

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.


Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	5.69E+06	1.76E+08	273	33	3,162 FT. GRANODIORITE
Steamboat Hills - YCJV Fee (19)	32-5	1.39E+05	4.30E+06	273	28	2710 FT. GRANODIORITE
Steamboat Hills - YCJV Fee (340)	13-5	2.20E+05	6.83E+06	282	40	2962 FT. GRANODIORITE

Remarks:

Testing 13-5 and 32-5 as injectors.

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

October 22, 2001

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED
 OCT 24 2001
 Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: July-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	6.47E+03	2.00E+05	275	35	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

775-851-1125

Date

October 10, 2001

RECEIVED

OCT 24 2001

Div. of Minerals

Yankee / Caithness J.V.L.P.
9790 Gateway Drive – Suite 220
Reno, Nevada 89511
Phone: 775-851-1125 / Fax: 775-849-1328

October 22, 2001

Linda Wells
Division of Minerals
400 West King Street - Suite 106
Carson City, Nevada 89710

Subject: Monthly Production Report for July 2001


Dear Linda,

Enclosed is the monthly Well Data Report for July 2001. Changes in the instrumentation system during the May outage required revision of our reporting database. As a result, our reports are late.

Due to declining pressure well 23-5 was in operation on July 6, 2001 through July 7, 2001, July 13, 2001 through July 17, 2001 and again on July 30, 2001 through July 31, 2001.

If you have any questions or comments after reviewing the enclosed, please call me at (775) 851-1125.

Sincerely,



Susan Petty
Resource Engineering Manager

cc: Bobbie Gollan
Don Wells
Larry Bandt
Missy Payne
Maryanne Robison

Encl: Subsurface Injections
Plant Output

RECEIVED

OCT 18 2001

Div. of Minerals

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: June-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	7.53E+03	2.11E+05	274	34	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

October 1, 2001

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

OCT 18 2001

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: May-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Gallons per day	Fluids Injected Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	7.04E+03	2.18E+05	256	32	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Susan Petty

Telephone:

(775) 851-1125

Date

October 1, 2001

STATE OF NEVADA
 Department of Minerals
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (775) 885-5050

RECEIVED
APR 30 2001
Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: Mar 2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511


Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Cox1-1	7.58E+03	2.12E+05	272	36	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature



Print Name:

Gwen Potts

Telephone:

(775) 851-1125

Date

April 23, 2001

STATE OF NEVADA
Department of Minerals

400 W. King Street, Suite 106
Carson City, Nevada 89710
(775) 885-5050

RECEIVED

MAR 12 2001

Div. of Minerals

REPORT OF GEOTHERMAL SUBSURFACE INJECTIONS

Month of: January-2001

Producer: CAITHNESS POWER, INC.

Address: 1170 Mt. Rose Highway, Reno, Nevada 89511

Show each injection well separately. File no later than the last day of the month for the preceding month.

Field and lease name	Well No.	Geothermal Fluids Injected Gallons per day	Gallons per month	Average Temp	Injection Pressure	Reservoir depth & formation
Steamboat Hills - Cox	Coxl-1	8.03E+03	2.49E+05	272	35	3,162 FT. GRANODIORITE

Remarks:

I certify this information to be true, correct, and complete and that no pertinent matter inquired about in this report has been omitted.

Signature

Gwen Potts

Print Name:

Gwen Potts

Telephone:

(775) 851-1125

Date

March 8, 2001