

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

RECEIVED

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

JAN 14 2003

COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION REPORT

Division of Minerals

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of December, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.17	160.18	263 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		160.18 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

Missy Payne
 Missy Payne

Position

Sr. Compliance Coordinator

Date

January 10, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

RECEIVED

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

DEC 27 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of November, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.26	157.68	266 Deg F.	29 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		157.68 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date December 26, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

RECEIVED

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

NOV 25 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of October, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.09	150.34	267 Deg F.	32 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		150.34 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date November 21, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File

DUPLICATE-Div. NEMG

RECEIVED

OCT 17 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of September, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.19	155.79	271 Deg F.	32 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		155.79 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date October 15, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 19 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION CLASS REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of August, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.20	161.05	274 Deg F.	33 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		161.05 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne
 Position Sr. Compliance Coordinator
 Date September 16, 2002

RECEIVED

AUG 26 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of July, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.25	162.78	273 Deg F.	33 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		162.78 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date August 22, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 05 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of June, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.37	161.06	262 Deg F.	32 psig.	3,162 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totals		161.06 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date August 2, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

 JUN 24 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of May, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.19	154.64	270 Deg F.	31 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.06	1.89	298 Deg F.	50 psig.	2,710 ft. Granodiorite
YCJV Fee	13-5	0.06	1.93	277 Deg F.	31 psig.	2,962 ft. Granodiorite
Totals		158.46 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date June 20, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAY 15 2002

COMMERCIAL AND INDUSTRIAL CLASS *Division of Minerals*
GEOHERMAL SUBSURFACE INJECTION REPORT

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of April, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.98	119.36	268 Deg F.	30 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.71	21.24	269 Deg F.	50 psig.	2,710 ft. Granodiorite
YCJV Fee	13-5	0.72	21.57	277 Deg F.	31 psig.	2,962 ft. Granodiorite
Totals		162.17 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date May 13, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED
 APR 22 2002

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of March, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	4.08	126.37	265 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.73	22.49	266 Deg F.	46 psig.	2,710 ft. Granodiorite
YCJV Fee	13-5	0.74	22.84	274 Deg F.	28 psig.	2,962 ft. Granodiorite
Totals		171.69 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne
 Position Sr. Compliance Coordinator
 Date April 18, 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 19 2002

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of February, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.99	111.68	261 Deg F.	23 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.71	19.88	260 Deg F.	45 psig.	2,710 ft. Granodiorite
YCJV Fee	13-5	0.72	20.18	267 Deg F.	22 psig.	2,962 ft. Granodiorite
Totals		151.73 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne
 Position Sr. Compliance Coordinator
 Date March 27, 2002

RECEIVED

MAR 29 2002

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

Division of Minerals ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511


Plant/Project Steamboat Springs Unit County Washoe Month of January, 2002

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.98	123.44	261 Deg F.	24 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.71	21.97	262 Deg F.	47 psig.	2,710 ft. Granodiorite
YCJV Fee	13-5	0.72	22.31	260 Deg F.	16 psig.	2,962 ft. Granodiorite
Totals		167.72 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne
 Position Sr. Compliance Coordinator
 Date March 26, 2002