

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JAN 21 2004

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of December, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.08	95.39	256 Deg F.	24 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		95.39 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date January 19, 2004

RECEIVED

JAN 21 2004

Division of Minerals

Yankee Caithness Joint Venture, LP

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

January 19, 2004


Ms. Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89703

Dear Linda:

Enclosed are the *December* Monthly Reports of Subsurface Injections and Producer's Reports for the Yankee Caithness Joint Venture, LP Steamboat Hills Geothermal Power Plant. Also enclosed is a copy for the Nevada Bureau of Mines and Geology.

If you have any questions please call me at (775) 850-2266.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

Cc: Doug Brown, Plant Manager

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JAN 09 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of November, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.09	92.66	255 Deg F.	23 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		92.66 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne
 Position Sr. Compliance Coordinator
 Date December 17, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

NOV 26 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521


Plant/Project Steamboat Springs Unit County Washoe Month of October, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.37	46.84	262 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		46.84 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date November 24, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
RECEIVED
 OCT 24 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of September, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.40	102.08	259 Deg F.	25 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		102.08 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne
 Position Sr. Compliance Coordinator
 Date October 21, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 30 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521


Plant/Project Steamboat Springs Unit County Washoe Month of August, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.64	112.96	261 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		112.96 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date September 25, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL Div. File
RECEIVED
 PUBLIC AFF. DIV. NBMG

AUG 26 2003

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511


Plant/Project Steamboat Springs Unit County Washoe Month of July, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.16	97.84	262 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		97.84 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date August 25, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 16 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511
 Plant/Project Steamboat Springs Unit County Washoe Month of June, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.85	115.37	264 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		115.37 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

Missy Payne
 Missy Payne

Position

Sr. Compliance Coordinator

Date

July 15, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS RECEIVED

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

JUL 03 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of May, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.73	102.34	262 Deg F.	26 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		102.34 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Date July 1, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES **RECEIVED** ORIGINAL-Div. File
 DIVISION OF MINERALS DUPLICATE-Div. NBMG
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

MAY 30 2003

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of April, 2003


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.00	149.33	264 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		149.33 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


Missy Payne

Position

Sr. Compliance Coordinator

Date

May 28, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 15 2003

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511


Plant/Project Steamboat Springs Unit County Washoe Month of March, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.00	155.12	263 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		155.12 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date April 11, 2003

RECEIVED

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

MAR 27 2003

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511

Plant/Project Steamboat Springs Unit County Washoe Month of February, 2003


Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.06	141.61	265 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		141.61 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


Missy Payne

Position

Sr. Compliance Coordinator

Date

March 25, 2003

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

FEB 20 2003

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Division of Minerals

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89511


Plant/Project Steamboat Springs Unit County Washoe Month of January, 2003

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	5.14	159.40	263 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		159.40 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date February 18, 2003