

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 28 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Omat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of December, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	64A-32	0.11	0.40	246 Deg F.	26 psig.	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Cox Lease	COXI-1	0.00	0.00	Shut in		3,162 ft. Granodiorite
Totals		0.40 MMgal				

This report to be filed by the end of the month following the month herein reported.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


 Scott Hall

Position

O&M Supervisor

Date

January 9 2005

Cc: Daren Daters , Plant Manager

Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of November, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	1.16	7.23	91 Deg F.	10 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		7.23 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall

Position O&M Supervisor

Date December, 27 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JAN 11 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of October, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.59	107.51	264 Deg F.	29 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		107.51 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall

Position O&M Supervisor

Date November 23, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of September, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	0.00	0.00	243 Deg F.	26 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		0.00 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall

Position Sr. O&M Technician

Date October 18, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

OCT 04 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of August, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.46	107.21	270 Deg F.	30 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		107.21 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall

Position Sr. O&M Technician

Date September 30, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

AUG 25 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of July, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	0.11	3.56	270 Deg F.	30 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		3.56 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall

Position Sr. O&M Technician

Date August 24, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

JUL 21 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Ormat Nevada Inc. Address 20590 Wedge Parkway

Plant/Project Steamboat Hills Unit County Washoe Month of June, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.56	106.86	270 Deg F.	30 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		106.86 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Scott Hall

Position Sr. O&M Technician

Date July 19, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Ormat Nevada Inc. Address 20590 Wedge Parkway
 Plant/Project Steamboat Hills Unit County Washoe Month of May, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.56	110.36	267 Deg F.	28 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		110.36 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Scott Hall
 Position Sr. O&M Technician
 Date June 22, 2004

Cc: Daren Daters , Plant Manager
 Cc: Christy Morris , Regulatory Affairs Administrator

RECEIVED

ORIGINAL-Div. File

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

MAY 13 2004

REGULATORY-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521

Plant/Project Steamboat Springs Unit County Washoe Month of April, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.53	84.23	267 Deg F.	27 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		84.23 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
Missy Payne

Position Sr. Compliance Coordinator

Date May 11, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 19 2004

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**

Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of March, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	2.84	88.17	263 Deg F.	24 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		88.17 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Date April 16, 2004

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL SUBSURFACE INJECTION REPORT**


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of February, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	2.91	84.21	260 Deg F.	23 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		84.21 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne

Position Sr. Compliance Coordinator

Date March 11, 2004

Yankee Caithness Joint Venture, LP

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

MAR 12 2004

Division of Minerals

March 11, 2004


Ms. Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89703

Dear Linda:

Enclosed are the *February* Monthly Reports of Subsurface Injections and Producer's Reports for the Yankee Caithness Joint Venture, LP Steamboat Hills Geothermal Power Plant. Also enclosed is a copy for the Nevada Bureau of Mines and Geology.

If you have any questions please call me at (775) 850-2266.

Sincerely,



Missy Payne, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 18 2004

COMMERCIAL AND INDUSTRIAL CLASS Division of Minerals
GEOTHERMAL SUBSURFACE INJECTION REPORT


Company Yankee Caithness JV LP Address 9790 Gateway Dr., # 220, Reno, NV 89521
 Plant/Project Steamboat Springs Unit County Washoe Month of January, 2004

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field & lease name	Well No.	GEOTHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		MM Gallons per day	MM Gallons per month			
Steamboat Hills						
Cox Lease	Cox I-1	3.05	94.67	256 Deg F.	24 psig.	3,162 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00			2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00			2,962 ft. Granodiorite
Totals		94.67 MMgal				

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Payne
 Position Sr. Compliance Coordinator
 Date February 13, 2004